

2014 Egyptian Cottonworm (*Spodoptera littoralis*) Survey Summary

Report Generated:	10/13/2014 9:51
Data Range:	5/27/2014 - 8/26/2014

* Generated by Wyoming Pest Detection Program - www.uwyo.edu/capsweb

COUNTY	S. LITTORALIS TRAPS OR SURVEY SITES		NEW COUNTY RECORD
	NEGATIVE	POSITIVE	
ALBANY	0	0	NO
BIG HORN	5	0	NO
CAMPBELL	5	0	NO
CARBON	0	0	NO
CONVERSE	0	0	NO
CROOK	5	0	NO
FREMONT	0	0	NO
GOSHEN	5	0	NO
HOT SPRINGS	0	0	NO
JOHNSON	0	0	NO
LARAMIE	5	0	NO
LINCOLN	5	0	NO
NATRONA	0	0	NO
NIOBRARA	0	0	NO
PARK	5	0	NO
PLATTE	5	0	NO
SHERIDAN	0	0	NO
SUBLETTE	0	0	NO
SWEETWATER	0	0	NO
TETON	0	0	NO
UINTA	0	0	NO
WASHAKIE	5	0	NO
WESTON	0	0	NO
YELLOWSTONE NATIONAL PARK	0	0	NO
TOTAL	45	0	0

S. littoralis was not found in Wyoming in 2014

45 Traps or Survey Sites were examined for S. littoralis in 9 Wyoming Counties

- 0 Traps or Survey Sites were in Apple
- 0 Traps or Survey Sites were in Plum
- 0 Traps or Survey Sites were in Crabapple
- 0 Traps or Survey Sites were in Grape
- 22 Traps or Survey Sites were in Barley
- 0 Traps or Survey Sites were in Oats
- 23 Traps or Survey Sites were in Wheat

45 Traps were examined:

- 44 Traps were placed in Crops
 - 0 Traps were placed in Home Gardens or Yards
 - 0 Traps were placed in Nurseries
 - 0 Traps were placed in Orchards
 - 1 Trap was placed in a Research / Experiment Area
 - 0 Traps were placed in Vineyards