

2010 False Codling Moth (*Thaumatotibia leucotreta*) Survey Summary

Report Generated:	1/31/2011 13:39
Data Range:	6/1/2010 - 9/21/2010

* Generated by Wyoming Pest Detection Program - www.uwyo.edu/capsweb

COUNTY	T. LEUCOTRETA TRAPS OR SURVEY SITES		NEW COUNTY RECORD
	NEGATIVE	POSITIVE	
ALBANY	2	0	NO
BIG HORN	0	0	NO
CAMPBELL	0	0	NO
CARBON	0	0	NO
CONVERSE	0	0	NO
CROOK	0	0	NO
FREMONT	0	0	NO
GOSHEN	6	0	NO
HOT SPRINGS	0	0	NO
JOHNSON	0	0	NO
LARAMIE	1	0	NO
LINCOLN	0	0	NO
NATRONA	0	0	NO
NIOBRARA	0	0	NO
PARK	1	0	NO
PLATTE	1	0	NO
SHERIDAN	3	0	NO
SUBLETTE	0	0	NO
SWEETWATER	0	0	NO
TETON	0	0	NO
UINTA	0	0	NO
WASHAKIE	0	0	NO
WESTON	0	0	NO
YELLOWSTONE NATIONAL PARK	0	0	NO
TOTAL	14	0	0

T. leucotreta was not found in Wyoming in 2010

14 Traps or Survey Sites were examined for T. leucotreta in 6 Wyoming Counties

- 2 Traps or Survey Sites were in Apple
- 0 Traps or Survey Sites were in Apricot
- 0 Traps or Survey Sites were in Cherry
- 0 Traps or Survey Sites were in Chokecherry
- 0 Traps or Survey Sites were in Crabapple
- 12 Traps or Survey Sites were in Grape
- 0 Traps or Survey Sites were in Pear
- 0 Traps or Survey Sites were in Plum
- 0 Traps or Survey Sites were in Potato

14 Traps were examined:

- 0 Traps were placed at Commercial Locations
- 0 Traps were placed in Home Gardens or Yards
- 0 Traps were placed at Hospitals
- 2 Traps were placed in Nurseries
- 0 Traps were placed in Orchards
- 0 Traps were placed in Picnic / Recreational Parks
- 0 Traps were placed in Right-of-Ways
- 3 Traps were placed in Research / Experiment Areas
- 0 Traps were placed at Schools
- 9 Traps were placed at Vineyards