

**Historical False Codling Moth (*Thaumatotibia leucotreta*) Survey Summary**

Report Generated:	9/12/2017 12:01
Data Range:	5/27/2005 - 8/23/2017

\* Generated by Wyoming Pest Detection Program - www.uwyo.edu/capsweb

COUNTY	T. LEUCOTRETA TRAPS OR SURVEY SITES		NEW COUNTY RECORD
	NEGATIVE	POSITIVE	
ALBANY	9	0	NO
BIG HORN	9	0	NO
CAMPBELL	5	0	NO
CARBON	5	0	NO
CONVERSE	5	0	NO
CROOK	5	0	NO
FREMONT	5	0	NO
GOSHEN	17	0	NO
HOT SPRINGS	6	0	NO
JOHNSON	5	0	NO
LARAMIE	10	0	NO
LINCOLN	5	0	NO
NATRONA	8	0	NO
NIOBRARA	5	0	NO
PARK	10	0	NO
PLATTE	10	0	NO
SHERIDAN	10	0	NO
SUBLETTE	4	0	NO
SWEETWATER	5	0	NO
TETON	5	0	NO
UINTA	5	0	NO
WASHAKIE	9	0	NO
WESTON	5	0	NO
YELLOWSTONE NATIONAL PARK	0	0	NO
<b>TOTAL</b>	<b>162</b>	<b>0</b>	<b>0</b>

**T. leucotreta has not been found in Wyoming**

**162 Traps or Survey Sites have been examined for T. leucotreta in 23 Wyoming Counties**

- 74 Traps or Survey Sites have been in Apple
- 3 Traps or Survey Sites have been in Apricot
- 13 Traps or Survey Sites have been in Cherry
- 4 Traps or Survey Sites have been in Chokecherry
- 24 Traps or Survey Sites have been in Corn
- 24 Traps or Survey Sites have been in Crabapple
- 12 Traps or Survey Sites have been in Grape
- 4 Traps or Survey Sites have been in Pear
- 3 Traps or Survey Sites have been in Plum
- 1 Trap or Survey Site has been in Potato

**162 Traps have been examined:**

- 4 Traps have been placed at Commercial Locations
- 22 Traps have been placed in Crops
- 62 Traps have been placed in Home Gardens or Yards
- 1 Trap has been placed at a Hospital
- 28 Traps have been placed in Nurseries
- 24 Traps have been placed in Orchards
- 2 Traps have been placed in Picnic / Recreational Parks
- 1 Trap has been placed in a Right-of-Way
- 8 Traps have been placed in Research / Experiment Areas
- 1 Trap has been placed at a School
- 9 Traps have been placed at Vineyards