

Historical Peanut Root-knot Nematode (<i>Meloidogyne arenaria</i>) Survey Summary	
Report Generated:	12/5/2016 12:53
Data Range:	10/25/2002 - 11/8/2016

* Generated by Wyoming Pest Detection Program - www.uwyo.edu/capsweb

COUNTY	M. ARENARIA SOIL SAMPLES		NEW COUNTY RECORD
	NEGATIVE	POSITIVE	
ALBANY	0	0	NO
BIG HORN	49	0	NO
CAMPBELL	0	0	NO
CARBON	0	0	NO
CONVERSE	0	0	NO
CROOK	0	0	NO
FREMONT	55	0	NO
GOSHEN	100	0	NO
HOT SPRINGS	35	0	NO
JOHNSON	0	0	NO
LARAMIE	79	0	NO
LINCOLN	1	0	NO
NATRONA	0	0	NO
NIOBRARA	19	0	NO
PARK	54	0	NO
PLATTE	53	0	NO
SHERIDAN	0	0	NO
SUBLETTE	0	0	NO
SWEETWATER	0	0	NO
TETON	0	0	NO
UINTA	0	0	NO
WASHAKIE	42	0	NO
WESTON	0	0	NO
YELLOWSTONE NATIONAL PARK	0	0	NO
TOTAL	487	0	0

M. arenaria has not been found in Wyoming

487 Soil Samples have been examined for M. arenaria in 10 Wyoming Counties

- 42 Soil Samples have been in Alfalfa
- 21 Soil Samples have been in Barley
- 214 Soil Samples have been in Bean
- 28 Soil Samples have been in Corn
 - 2 Soil Samples have been in Unspecified Small Grain
 - 2 Soil Samples have been in Hay / Grass
 - 1 Soil Sample has been in Millet
- 5 Soil Samples have been in Oats
- 93 Soil Samples have been in Potato
 - 0 Soil Samples have been in Rangeland / Native Land
 - 2 Soil Samples have been in Soybean
- 67 Soil Samples have been in Sugarbeet
- 10 Soil Samples have been in Wheat
 - 0 Soil Samples have been in an Unspecified Host
- 39 Samples have been taken by WY USDA APHIS PPQ
- 35 Samples have been taken by Wyoming Department of Agriculture
 - 8 Samples have been taken by Wyoming CAPS / Pest Detection Program
- 405 Samples have been taken by Joint State and Federal Agencies
 - 0 Samples have been taken by Wyoming Weed and Pest Districts