

2012 Columbia Root-knot Nematode (*Meloidogyne chitwoodi*) Survey Summary

Report Generated:	4/8/2013 10:42
Data Range:	9/17/2012 - 10/17/2012

* Generated by Wyoming Pest Detection Program - www.uwyo.edu/capsweb

COUNTY	M. CHITWOODI SOIL SAMPLES		NEW COUNTY RECORD
	NEGATIVE	POSITIVE	
ALBANY	0	0	NO
BIG HORN	3	0	NO
CAMPBELL	0	0	NO
CARBON	0	0	NO
CONVERSE	0	0	NO
CROOK	0	0	NO
FREMONT	3	0	NO
GOSHEN	3	0	NO
HOT SPRINGS	3	0	NO
JOHNSON	0	0	NO
LARAMIE	4	0	NO
LINCOLN	0	0	NO
NATRONA	0	0	NO
NIOBRARA	3	0	NO
PARK	3	0	NO
PLATTE	3	0	NO
SHERIDAN	0	0	NO
SUBLETTE	0	0	NO
SWEETWATER	0	0	NO
TETON	0	0	NO
UINTA	0	0	NO
WASHAKIE	3	0	NO
WESTON	0	0	NO
YELLOWSTONE NATIONAL PARK	0	0	NO
TOTAL	28	0	0

M. chitwoodi was not found in Wyoming in 2012

28 Soil Samples were examined for M. chitwoodi in 9 Wyoming Counties

- 0 Soil Samples were in Alfalfa
- 0 Soil Samples were in Barley
- 24 Soil Samples were in Bean
- 0 Soil Samples were in Corn
- 0 Soil Samples were in Unspecified Small Grain
- 0 Soil Samples were in Hay / Grass
- 0 Soil Samples were in Millet
- 0 Soil Samples were in Oats
- 4 Soil Samples were in Potato
- 0 Soil Samples were in Rangeland / Native Land
- 0 Soil Samples were in Soybean
- 0 Soil Samples were in Sugarbeet
- 0 Soil Samples were in Wheat
- 0 Soil Samples were in an Unspecified Host

- 0 Samples were taken by WY USDA APHIS PPQ
- 1 Sample was taken by Wyoming Department of Agriculture
- 0 Samples were taken by Wyoming CAPS / Pest Detection Program
- 27 Samples were taken by Joint State and Federal Agencies
- 0 Samples were taken by Wyoming Weed and Pest