

Institutional Biosafety Committee

For IBC Use Only					
IE					
Date of Approval:					
	Year 1 update	Date:			
	Year 2 update	Date:			

Update/Annual Update Form

This is a request for an update annual Committee (IBC). The UW IBC, following NIH s time period, and requests the PI provide annu send out reminders for annual update form or and signed completely for this requirement to	tandard practices, reviews and lal updates of all approved project approval expirations.	approves research for a three year ects. The IBC administrator will
Project Title:		
Section 1b: Basic Contact Inform	nation	
Principle Investigator:	Title:	
Department:Phone:	Building: UW Email:	Office #:
Is your project active or comple	ted?	
Still Active		
Project Complete If complete, describe whether the biol where they are being archived:	ogical agents have been des	troyed or

If still active, have any significant changes occurred to the project?

If project is still active, please review the attached submitted forms to see if the Significant changes include personnel, location, agents, risk, outcomes, etc If t personnel, please update Section 1c in red with training completion date. If the to project MARK IN RED.	here have been any changes to			
Yes, Personnel Only				
Yes, Project has some changes				
No changes				
If changes need to be made, please follow instructions above. Attach updated IBC approved project to email. Biosafety Specialist can pause research if changes warrant an updated approval from the IBC.				
Going forward, ensure that laboratory staff, animal handlers, and others involved in the conduct of research with recombinant or synthetic nucleic acid molecules are sufficiently trained regarding laboratory safety and the NIH Guidelines. Be sure to keep the IBC updated of any accidents or incidents. Notify the IBC when the project is complete and the final disposition of biological agents after project is completed.				
The information above is accurate and complete.				
Principal Investigator:	Date:			
Signature				
If you have any questions or updates, please contact Biosafety Specialist at bios 2723.	afety@uwyo.edu or (307)-766-			