

Contents

[Goto](#)

1	Introduction	7
Part I: Standard 1D Experiments		9
2	Preparing for Acquisition	11
2.1	Sample Preparation	11
2.2	Tuning and Matching the Probehead	11
	Tuning and Matching ^1H	12
	Tuning and Matching ^{13}C	13
2.3	Locking and Shimming	15
3	Basic ^1H Acquisition and Processing	19
3.1	Introduction	19
3.2	Spectrometer and Acquisition Parameters	20
	Create a New File Directory for the Data Set	20
	Set Up the Spectrometer Parameters	20
	Set Up the Acquisition Parameters	21
3.3	Acquisition	22
3.4	Processing	22
	Fourier Transformation	23
	Phase Correction	23
	Windowing	24
3.5	Spectrum Calibration and Optimization	25
	Adjust the Spectral Width	26
	Increase the Number of Scans	28
3.6	Plotting 1D ^1H Spectra	29
4	Basic ^{13}C Acquisition and Processing	31
4.1	Introduction	31
4.2	One-Pulse Experiment with No Decoupling	31
	Acquisition	32
	Processing	33
	Signal Averaging	35
4.3	One-Pulse Experiment with ^1H Decoupling	37
	Acquisition	37
	Processing	38
4.4	Plotting 1D ^{13}C Spectra	40
5	Pulse Calibration	41
5.1	Introduction	41
5.2	^1H Observe 90° Pulse	41
	Preparation	41
	Calibration: High Power	43

	Calibration: Low Power for MLEV Spinlock	45
	Calibration: Low Power for ROESY Spinlock	45
5.3	¹³ C Observe 90° Pulse	46
	Preparation	46
	Calibration: High Power	48
5.4	¹ H Decouple 90° Pulse	50
	Preparation	50
	Calibration: High Power	53
	Calibration: Low Power for WALTZ-16 CPD	54
5.5	¹³ C Decouple 90° Pulse (Inverse Mode)	55
	Preparation	55
	Calibration: High Power	60
	Calibration: Low Power for GARP CPD	62
	1D Inverse Test Sequence	62
6	DEPT	65
6.1	Introduction	65
6.2	Pulse Sequence Diagram	65
6.3	Acquisition and Processing	66
7	Measuring T₁	71
7.1	Introduction	71
7.2	Pulse Sequence Diagram	71
7.3	Acquisition and Processing	72
7.4	T ₁ Calculation	76
	Create a Stacked Plot	78
8	Selective Excitation	83
8.1	Introduction	83
8.2	Selective Pulse Calibration	84
8.3	Selective COSY	90
	Pulse Sequence Diagram	91
	Acquisition and Processing	91
8.4	Selective TOCSY	95
	Pulse Sequence Diagram	95
	Acquisition and Processing	96
9	1D NOE Difference	101
9.1	Introduction	101
9.2	Pulse Sequence Diagram	103
9.3	Acquisition and Processing	103
Part II: Standard 2D Experiments 113		
10	XHCORR	115
10.1	Introduction	115
10.2	Pulse Sequence Diagram	116
10.3	Acquisition and Processing	116
11	COLOC	125
11.1	Introduction	125

11.2	Pulse Sequence Diagram	125
11.3	Acquisition and Processing	126
12	COSY	133
12.1	Introduction	133
12.2	Magnitude COSY	133
	Pulse Sequence Diagram	134
	Acquisition and Processing	134
12.3	Double Quantum Filtered COSY	140
	Pulse Sequence Diagram	140
	Acquisition and Processing	141
13	NOESY	149
13.1	Introduction	149
13.2	Pulse Sequence Diagram	149
13.3	Acquisition and Processing	150
14	ROESY	159
14.1	Introduction	159
14.2	Pulse Sequence Diagram	159
14.3	Acquisition and Processing	160
15	TOCSY	167
15.1	Introduction	167
15.2	Pulse Sequence Diagram	167
15.3	Acquisition and Processing	168
16	HMQC	175
16.1	Introduction	175
16.2	Pulse Sequence Diagram	176
16.3	Acquisition and Processing	177
17	HMBC	185
17.1	Introduction	185
17.2	Pulse Sequence Diagram	186
17.3	Acquisition and Processing	186
A	Data Sets and Selected Parameters	193
B	Pulse Calibration Results	197
C	1D and 2D Plotting Parameters	199
C.1	Introduction	199
C.2	1D Plotting Parameters	199
C.3	2D Plotting Parameters	206
	Index	215

