

Species deleted from Wyoming Species of Concern list - 2012

Bonnie Heidel

Wyoming Natural Diversity Database, University of Wyoming

www.uwyo.edu/wyndd/

April 7, 2012

Of the 468 Wyoming Plant Species of Concern on the 2007 list, 49 have been deleted. Their state rank and supporting information have been updated. Most are more common than previously known. Ten deleted species are on the sensitive lists of U.S. Forest Service Region 2 or Bureau of Land Management and are moved to the Species of Potential Concern list. The other 40 species are no longer tracked. New records will not be added to the latter set, though species data is retained in electronic and manual form for reference.

| Species Scientific Common Name | Heritage Rank | Federal Status | County | Managed Area | Range Context | # Occurs. | Intrinsic Vulnerability | Wyoming Contributio n Rank | CHANGE |
|---|------------------|-------------------|--------------------------|--|---------------------|------------|----------------------------|----------------------------------|---|
| <i>Agalinis tenuifolia</i> var. <i>parviflora</i> Slender false-foxglove | G5T4/S2 | | GOS, LAR, NIO, PLA | Camp Guernsey TA Ft. Laramie NHS | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Androstephium breviflorum</i> Purple funnel-lily | G5/S2 | | CAR, SWE | Rawlins BLM | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Antennaria neglecta</i> Field pussytoes | G5/S1 | | CRO, SHE?, WES | Black Hills NF | Widespread/ Edge | Very Low | Moderate | Low | Ruderal species in Black Hills (Larson and Johnson 1999) |
| <i>Arnica lonchophylla</i> [<i>A. l.</i> var. <i>arnoglossa</i>] Northern arnica | G4/S3 | | BIG, JOH, SHE, WAS | Bighorn NF Buffalo BLM Worland BLM? | Disjunct | Moderate | Low | Medium | Potential concern |
| <i>Astragalus calycosus</i> var. <i>calycosus</i> King's milkvetch | G5T4?/S2 | | LIN, SWE, UIN | Kemmerer BLM | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Astragalus racemosus</i> var. <i>longisetus</i> Long-stalked racemose milkvetch | G5T4/S1 | | NIO, WES | Newcastle BLM | Widespread/ Edge | Low | Moderate | Low | Merge with <i>Astragalus racemosus</i> var. <i>racemosus</i> |
| <i>Astragalus racemosus</i> var. <i>racemosus</i> Racemose milkvetch | G5T5/S2 | | NIO, WES | Newcastle BLM Thunder Basin NG | Widespread/ Edge | Low | Low | Low | Delete - more common than previously known |
| <i>Astragalus robbinsii</i> var. <i>minor</i> Robbins' milkvetch | G5T5/S2 | | LIN, SUB, TET | Bridger-Teton NF BLM Pinedale | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |

Species deleted from Wyoming Species of Concern list - 2012

| Species Scientific Common Name | Heritage Rank | Federal Status | County | Managed Area | Range Context | # Occurs. | Intrinsic Vulnerability | Wyoming Contribution Rank | CHANGE |
|--|------------------|--|--|--|---------------------|-----------------|----------------------------|---------------------------------|---|
| <i>Athyrium distentifolium</i> var. <i>americanum</i> [<i>A. americanum</i> ; <i>A. alpestre</i> var. <i>americanum</i>] American alpine lady fern | G4G5 T4T5/S2 | MBTB- SOLC | ALB, FRE, TET | Grand Teton NP Medicine Bow NF Shoshone NF Targhee NF Yellowstone NP | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Atriplex falcata</i> [<i>A. gardneri</i> var. <i>falcata</i>] Sickle saltbush | G4Q/S2 | | LIN, SUB, SWE, UIN | Kemmerer BLM Pinedale BLM Rock Springs BLM | Widespread/ Edge | Low | Low | Low | Delete - more common than previously known |
| <i>Bahia dissecta</i> [<i>Amauriopsis dissecta</i>] Dissected bahia | G5/S2 | MBNF- SOLC | ALB, CAR, CON, LAR | Casper BLM Medicine Bow NF Rawlins BLM | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Botrychium virginianum</i> Rattlesnake fern | G5/S3 | Bghrn NF- SOLC | CRO, PAR, SHE, TET | Bighorn NF Black Hills NF Grand Teton NP Shoshone NF Targhee NF Yellowstone NP | Widespread/ Edge | Moderate | Moderate | Low | Delete - more common than previously known |
| <i>Brickellia microphylla</i> var. <i>scabra</i> Little-leaved brickell-bush | G5T5/S2 | | FRE, NAT, SWE | Ashley NF (FGNRA) Casper BLM Lander BLM Rock Springs BLM | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Carex cusickii</i> Cusick's sedge | G5/S2 | | PAR, TET | Bridger-Teton NF Grand Teton NP JDR Parkway Yellowstone NP | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Carex echinata</i> [<i>Carex muricata</i>] Little prickly sedge | G5/S2 | | TET | Bridger-Teton NF Grand Teton NP JDR Parkway Targhee NF Yellowstone NP | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Carex leptalea</i> Bristly-stalk sedge | G5/S3 | MBNF- SOLC | ALB, CRO, PAR, TET | Black Hills NF Grand Teton NP Medicine Bow NF Shoshone NF Targhee NF Yellowstone NP | Disjunct | Moderate | Moderate | Medium | Delete - more common than previously known |
| <i>Carex limosa</i> Mud sedge | G5/S3 | Bghrn NF- SOLC, MBNF- SOLC | BIG, CAR, FRE, JOH , PAR, SHE , SUB, TET, WAS | Bighorn NF Bridger-Teton NF JDR Parkway Medicine Bow NF Shoshone NF Targhee NF Yellowstone NP | Disjunct | Moderate | Moderate | Medium | Delete - more common than previously known |

Species deleted from Wyoming Species of Concern list - 2012

| Species Scientific Common Name | Heritage Rank | Federal Status | County | Managed Area | Range Context | # Occurs. | Intrinsic Vulnerability | Wyoming Contributio n Rank | CHANGE |
|---|------------------|---------------------------------------|---|--|------------------------------|-----------------|----------------------------|----------------------------------|--|
| <i>Carex livida</i> Livid sedge | G5/S3 | USFS R2 Sensitive | FRE, PAR, TET | Grand Teton NP JDR Parkway Shoshone NF Yellowstone NP | Disjunct | Moderate | Moderate | Medium | Potential concern |
| <i>Carex sartwellii</i> [<i>C. sartwellii</i> var. <i>sartwellii</i>] Sartwell's sedge | G4G5/S2 | Bghrn NF- SOLC MBNF- SOLC | ALB, CON, JOH, PAR, SHE, TET | Bighorn NF Grand Teton NP Medicine Bow NF Nat'l Elk Refuge Yellowstone NP | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Dalea aurea</i> Golden prairie-clover | G5/S2 | | GOS, PLA | Camp Guernsey TA Casper BLM | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Drosera anglica</i> English sundew | G5/S3 | USFS R2 Sensitive | PAR, SHE , TET | Bighorn NF Grand Teton NP JDR Parkway Shoshone NF Targhee NF Yellowstone NP | Disjunct | Moderate | Moderate | Medium | Potential concern |
| <i>Eriastrum wilcoxii</i> [<i>E. sparsiflorum</i> var. <i>wilcoxii</i>] Wilcox eriastrum | G5/S2 | | FRE, SWE | Lander BLM Rawlins BLM Rock Springs BLM Seedskadee NWR | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Erigeron flabellifolius</i> Fan-leaved fleabane | G3/S3 | | FRE, HOT, PAR | Cody BLM Lander BLM Shoshone NF Yellowstone NP | Regional Endemic/ Core | Moderate | Moderate | High | Potential concern |
| <i>Erigeron radicans</i> Taprooted fleabane | G3G4/SU | | FRE, PAR, SUB, TET | Bridger-Teton NF Shoshone NF Yellowstone NP | Regional Endemic/ Edge | Moderate | Moderate | Medium | Status undetermined after change in circumscription |
| <i>Eriophorum chamissonis</i> Russet cotton-grass | G5/S3 | USFS R2 Sensitive | BIG, FRE, JOH , PAR, SHE, TET | Bighorn NF Grand Teton NP JDR Parkway Shoshone NF Yellowstone NP | Widespread/ Edge | Moderate | Moderate | Low | Potential concern |
| <i>Eriophorum gracile</i> Slender cotton-grass | G5/S3 | USFS R2 Sensitive | ALB, JOH , PAR, SHE , TET | Bighorn NF Bridger-Teton NF Grand Teton NP Medicine Bow NF Shoshone NF Targhee NF Yellowstone NP | Widespread/ Edge | Moderate | Moderate | Low | Potential concern |
| <i>Juncus filiformis</i> Thread rush | G5/S2 | MBNF- SOLC | CAR, PAR, TET | Grand Teton NP Medicine Bow NF Shoshone NF Targhee NF Yellowstone NP | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |

Species deleted from Wyoming Species of Concern list - 2012

| Species Scientific Common Name | Heritage Rank | Federal Status | County | Managed Area | Range Context | # Occurs. | Intrinsic Vulnerability | Wyoming Contributio n Rank | CHANGE |
|---|-----------------------|-------------------------|-------------------------------|---|------------------------------|-----------------|----------------------------|----------------------------------|---|
| <i>Juncus filiformis</i> Thread rush | G5/S2 | MBNF- SOLC | CAR, PAR, TET | Grand Teton NP Medicine Bow NF Shoshone NF Targhee NF Yellowstone NP | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Mentzelia oligosperma</i> Few-seed stickleaf | G4/S2 | | CRO, PLA, WES | Casper BLM | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Monolepis pusilla</i> [<i>Micromonolepis pusilla</i>] Red poverty-weed | G5/S2 | | FRE, SWE, WAS | Lander BLM Rawlins BLM Rock Springs BLM Worland BLM | Widespread/ Edge | Low | Low | Low | Delete - more common than previously known |
| <i>Packera indecora</i> [<i>Senecio indecorus</i>] Plains ragwort | G5/S2 | | PAR | Shoshone NF | Widespread/ Edge | Low | Low | Low | Delete - more common than previously known |
| <i>Parnassia kotzebuei</i> Kotzebuei's grass-of- parnassus | G5/S2 | USFS R2 Sensitive | FRE, JOH, PAR, SUB, TET | Bighorn NF Bridger-Teton NF Grand Teton NP Shoshone NF Yellowstone NP | Widespread/ Edge | Low | Moderate | Low | Potential concern |
| <i>Penstemon pachyphyllus</i> var. <i>mucronatus</i> [<i>P. mucronatus</i>] Sheep Creek beardtongue | G5T4/S3 | | CAR, SWE | Ashley NF (FGNRA) Rawlins BLM Rock Springs BLM | Regional Endemic/ Edge | Moderate | Low | Medium | Delete - more common than previously known |
| <i>Physaria condensata</i> Tufted twinpod | G2G3/S2 S3 | WY BLM Sensitive | LIN, SUB, UIN | Fossil Butte NM Kemmerer BLM Pinedale BLM Rock Springs BLM | Local Endemic/ Core | Moderate | Moderate | Very High | Potential concern |
| <i>Physaria saximontana</i> var. <i>saximontana</i> Rocky Mountain twinpod | G3T3/S3 | WY BLM Sensitive | CAR?, FRE, HOT, PAR | Lander BLM Shoshone NF Worland BLM | Local Endemic/ Core | Moderate | Moderate | Very High | Potential concern |
| <i>Prenanthes racemosa</i> ssp. <i>multiflora</i> Many-flowered rattlesnake- root | G5T4?/S2 | | ALB, CRO | Black Hills NF Medicine Bow NF | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Psilocarphus brevissimus</i> Dwarf woolly-heads | G4/S2 | | CAM, FRE, NAT, SUB | Casper BLM Lander BLM Pinedale BLM Rock Springs BLM | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Rayjacksonia annua</i> [<i>Haplopappus annuus</i> , <i>Machaeranthera annua</i>] Viscid tansy-aster | G4G5/S2 | | GOS, WES | Thunder Basin NG | Widespread/ Edge | Low | Low | Low | Delete - more common than previously known |

Species deleted from Wyoming Species of Concern list - 2012

| Species Scientific Common Name | Heritage Rank | Federal Status | County | Managed Area | Range Context | # Occurs. | Intrinsic Vulnerability | Wyoming Contributio n Rank | CHANGE |
|--|------------------|-------------------------|--|--|---------------------|-----------------|----------------------------|----------------------------------|---|
| <i>Sanicula graveolens</i> Sierra sanicle | G4G5/S2 | | CRO, PAR, TET | Black Hills NF Bridger-Teton NF Grand Teton NP Shoshone NF Yellowstone NP | Disjunct | Low | Low | Low | Delete - more common than previously known |
| <i>Schoenoplectus americanus</i> [<i>Scirpus americanus</i> , <i>S.</i> <i>olneyi</i>] American bulrush | G5/S1S2 | | BIG, FRE, PAR, TET | Yellowstone NP JDR Parkway | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Scirpus cyperinus</i> Cottongrass bulrush | G5/S2 | | CRO, TET | Black Hills NF Yellowstone NP | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Shimmersoseris rostrata</i> [<i>Lygodesmia rostrata</i>] Annual skeleton-weed | G5?/S2 | | CAR, GOS, LAR, PLA | Casper BLM Rawlins BLM | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Sorghastrum nutans</i> Indian grass | G5/S2 | | CRO, GOS, PLA | Black Hills NF Fort Laramie NHS | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Sparganium natans</i> [<i>S. minimum</i>] Small bur-reed | G5/S2 | MBNF- SOLC | CAR, FRE, PAR, TET | Grand Teton NP Medicine Bow NF Shoshone NF Yellowstone NP | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Sporobolus compositus</i> var. <i>compositus</i> [<i>S. asper</i>] Longleaf dropseed | G5T5/S2 | | CAM, CRO, GOS, NIO , PLA , SHE , WES | | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Sporobolus neglectus</i> Small dropseed | G5/SH | | BIG, PAR | Cody BLM? | Widespread/ Edge | Very Low | Unknown | Unknown | Accidental |
| <i>Stellaria crispa</i> Crimped stitchwort | G5/S2 | | CAR , PAR, TET | Grand Teton NP Targhee NF Yellowstone NP | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Talinum parviflorum</i> [<i>PheMERanthus parviflorus</i>] Small-flowered fame-flower | G5/S2 | | ALB, CAM, CON, LAR, PLA, WES | Buffalo BLM? Medicine Bow NF Thunder Basin NG? | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |
| <i>Utricularia minor</i> Lesser bladderwort | G5/S3 | USFS R2 Sensitive | ALB, CAR, FRE, JOH , PAR, SHE , TET, WAS | Bighorn NF Grand Teton NP JDR Parkway Medicine Bow NF Shoshone NF Yellowstone NP | Widespread/ Edge | Moderate | Moderate | Low | Potential concern |
| <i>Viburnum edule</i> Squashberry | G5/S2 | MBNF- SOLC | ALB, CRO, PAR | Black Hills NF Medicine Bow NF Shoshone NF Yellowstone NP | Widespread/ Edge | Low | Moderate | Low | Delete - more common than previously known |