2010 Columbia Root-knot Nematode (Meloidogyne chitwoodi) Survey Summary			
Report Generated:	1/21/2011 15:13		
Data Range:	9/20/2010 - 10/21/2010		

^{*} Generated by Wyoming Pest Detection Program - www.uwyo.edu/capsweb

	M. CHITWOODI SOIL SAMPLES		NEW COUNTY
COUNTY	NEGATIVE	POSITIVE	RECORD
ALBANY	0	0	NO
BIG HORN	5	0	NO
CAMPBELL	0	0	NO
CARBON	0	0	NO
CONVERSE	0	0	NO
CROOK	0	0	NO
FREMONT	3	0	NO
GOSHEN	6	0	NO
HOT SPRINGS	3	0	NO
JOHNSON	0	0	NO
LARAMIE	5	0	NO
LINCOLN	0	0	NO
NATRONA	0	0	NO
NIOBRARA	0	0	NO
PARK	3	0	NO
PLATTE	3	0	NO
SHERIDAN	0	0	NO
SUBLETTE	0	0	NO
SWEETWATER	0	0	NO
TETON	0	0	NO
UINTA	0	0	NO
WASHAKIE	2	0	NO
WESTON	0	0	NO
YELLOWSTONE			
NATIONAL PARK	0	0	NO
TOTAL	30	0	0

M. chitwoodi was not found in Wyoming in 2010

30 Soil Samples were examined for M. chitwoodi in 8 Wyoming Counties

- 0 Soil Samples were in Alfalfa
- 1 Soil Sample was in Barley
- 24 Soil Samples were in Bean
- 0 Soil Samples were in Corn
- 0 Soil Samples were in Unspecified Small Grain
- 0 Soil Samples were in Hay / Grass
- 0 Soil Samples were in Millet
- 0 Soil Samples were in Oats
- 5 Soil Samples were in Potato
- 0 Soil Samples were in Rangeland / Native Land
- 0 Soil Samples were in Sugarbeet
- 0 Soil Samples were in Wheat
- 0 Soil Samples were in an Unspecified Host
- 1 Sample was taken by WY USDA APHIS PPQ
- 2 Samples were taken by Wyoming Department of Agriculture
- 0 Samples were taken by Wyoming CAPS / Pest Detection Program
- 27 Samples were taken by Joint State and Federal Agencies
- 0 Samples were taken by Wyoming Weed and Pest