2016 Columbia Root-knot Nematode (Meloidogyne chitwoodi) Survey Summary			
Report Generated:	12/5/2016 12:41		
Data Range:	9/15/2016 - 11/8/2016		

<sup>\*</sup> Generated by Wyoming Pest Detection Program - www.uwyo.edu/capsweb

	M. CHITWOODI SOIL SAMPLES		NEW COUNTY
COUNTY	NEGATIVE	POSITIVE	RECORD
ALBANY	0	0	NO
BIG HORN	3	0	NO
CAMPBELL	0	0	NO
CARBON	0	0	NO
CONVERSE	0	0	NO
CROOK	0	0	NO
FREMONT	3	0	NO
GOSHEN	7	0	NO
HOT SPRINGS	0	0	NO
JOHNSON	0		NO
LARAMIE	3		NO
LINCOLN	0		NO
NATRONA	0		NO
NIOBRARA	5	0	NO
PARK	4		NO
PLATTE	3		NO
SHERIDAN	0		NO
SUBLETTE	0		NO
SWEETWATER	0		NO
TETON	0		NO
UINTA	0	0	NO
WASHAKIE	3		NO
WESTON	0	0	NO
YELLOWSTONE			
NATIONAL PARK	0	0	NO
TOTAL	31	0	0

## M. chitwoodi was not found in Wyoming in 2016

## 31 Soil Samples were examined for M. chitwoodi in 8 Wyoming Counties

- 0 Soil Samples were in Alfalfa
- 0 Soil Samples were in Barley
- 21 Soil Samples were in Bean
- 0 Soil Samples were in Corn
- 0 Soil Samples were in Unspecified Small Grain
- 0 Soil Samples were in Hay / Grass
- 0 Soil Samples were in Millet
- 0 Soil Samples were in Oats
- 10 Soil Samples were in Potato
- 0 Soil Samples were in Rangeland / Native Land
- 0 Soil Samples were in Soybean
- 0 Soil Samples were in Sugarbeet
- 0 Soil Samples were in Wheat
- 0 Soil Samples were in an Unspecified Host
- 0 Samples were taken by WY USDA APHIS PPQ
- 0 Samples were taken by Wyoming Department of Agriculture
- 0 Samples were taken by Wyoming CAPS / Pest Detection Program
- 31 Samples were taken by Joint State and Federal Agencies
- 0 Samples were taken by Wyoming Weed and Pest