

Historical Guava Root-knot Nematode (<i>Meloidogyne enterolobii</i>) Survey Summary	
Report Generated:	2/10/2022 9:33
Data Range:	10/25/2002 - 11/16/2021

* Generated by Wyoming Pest Detection Program - www.uwyo.edu/capsweb

COUNTY	M. ENTEROLOBII SOIL SAMPLES		NEW COUNTY RECORD
	NEGATIVE	POSITIVE	
ALBANY	0	0	NO
BIG HORN	61	0	NO
CAMPBELL	0	0	NO
CARBON	0	0	NO
CONVERSE	0	0	NO
CROOK	0	0	NO
FREMONT	67	0	NO
GOSHEN	119	0	NO
HOT SPRINGS	35	0	NO
JOHNSON	0	0	NO
LARAMIE	102	0	NO
LINCOLN	1	0	NO
NATRONA	0	0	NO
NIOBRARA	35	0	NO
PARK	67	0	NO
PLATTE	68	0	NO
SHERIDAN	0	0	NO
SUBLETTE	0	0	NO
SWEETWATER	0	0	NO
TETON	0	0	NO
UINTA	0	0	NO
WASHAKIE	55	0	NO
WESTON	0	0	NO
YELLOWSTONE NATIONAL PARK	0	0	NO
TOTAL	610	0	0

M. enterolobii has not been found in Wyoming

610 Soil Samples have been examined for M. enterolobii in 10 Wyoming Counties

- 43 Soil Samples have been in Alfalfa
- 31 Soil Samples have been in Barley
- 250 Soil Samples have been in Bean
- 42 Soil Samples have been in Corn
- 2 Soil Samples have been in Unspecified Small Grain
- 2 Soil Samples have been in Hay / Grass
- 1 Soil Sample has been in Millet
- 5 Soil Samples have been in Oats
- 122 Soil Samples have been in Potato
- 0 Soil Samples have been in Rangeland / Native Land
- 1 Soil Sample has been in Sainfoin
- 1 Soil Sample has been in Smooth Brome
- 2 Soil Samples have been in Soybean
- 1 Soil Sample has been in Spelt
- 93 Soil Samples have been in Sugarbeet
- 14 Soil Samples have been in Wheat
- 0 Soil Samples have been in an Unspecified Host

- 39 Samples have been taken by WY USDA APHIS PPQ
- 36 Samples have been taken by Wyoming Department of Agriculture
- 50 Samples have been taken by Wyoming CAPS / Pest Detection Program
- 485 Samples have been taken by Joint State and Federal Agencies
- 0 Samples have been taken by Wyoming Weed and Pest Districts