

	Risk Management & Safety Main Office, Wyoming Hall, Room 102 Phone: (307) 766-3277 Fax: (307)766-6116
	Regulated Materials Management Center Phone: (307)766-3696 Fax: (307)766-3699
	Web: http://www.uwyo.edu/ehs Email: UWEHS@uwyo.edu

Alternate Entry Checklist

This check list must be filled out for confined spaces that qualify for alternate entry procedures. Submit the complete checklist to the entry supervisor when work is completed.

	Yes	No
1. Does this space qualify for alternative entry procedures? See Appendix A: Confined Space Field Guide for guidance	<input type="checkbox"/>	<input type="checkbox"/>
2. Has the gas monitor been bump tested or calibrated?	<input type="checkbox"/>	<input type="checkbox"/>
3. Will an attendant be available for the duration of the entry?	<input type="checkbox"/>	<input type="checkbox"/>
4. Has the confined space opening been guarded to prevent individuals and objects from falling into the confined space?	<input type="checkbox"/>	<input type="checkbox"/>
5. Did you survey of the surrounding area for hazards such as drifting vapors from tanks, piping or sewers?	<input type="checkbox"/>	<input type="checkbox"/>
6. Have all sources of mechanical, electrical, water, and other hazards been eliminated by proper lockout/tagout procedures? (If not, a full permit is required.)	<input type="checkbox"/>	<input type="checkbox"/>
7. Retrieval system, if needed, is available and in use?	<input type="checkbox"/>	<input type="checkbox"/>
8. Entrant and Attendant can communicate during entry?	<input type="checkbox"/>	<input type="checkbox"/>
9. Did you test the atmosphere of the confined space prior to the entry?	<input type="checkbox"/>	<input type="checkbox"/>
10. Did the atmosphere check satisfy acceptable entry conditions (no alarms given)?	<input type="checkbox"/>	<input type="checkbox"/>
11. If a hazardous atmosphere exists, did you supply continuous forced air ventilation into the confined space?	<input type="checkbox"/>	<input type="checkbox"/>
12. Will the atmosphere be periodically monitored while the space is occupied?	<input type="checkbox"/>	<input type="checkbox"/>

NOTICE: If any of the above questions are answered "No" do not enter confined space. Contact the entry supervisor.

In case of emergency call 911 or radio the Physical Plant Service Desk 766-6225.

Location: _____ Date: _____

Checklist completed by: _____ Entry Supervisor: _____