

Wyoming Administrative Rules

Agriculture, Dept. of

General Agency, Board or Commission Rules

Chapter 63: Prohibited, Restricted, and Regulated Noxious Weed Seed List

Effective Date: 04/17/2024 to Current

Rule Type: Current Rules & Regulations

Reference Number: 010.0005.63.04172024

Chapter 63

Prohibited, Restricted, and Regulated Noxious Weed Seed Lists

Section 1. Authority. Pursuant to Wyoming Statute § 11-12-104(a), the Department of Agriculture promulgates these regulations.

Section 2. Definitions.

(a) “Large seeded crops” means crops with seeds the size of winter wheat or larger.

(b) “Small seeded crops” means crops with seeds smaller than winter wheat.

Section 3. Prohibited Noxious Weeds. The noxious weeds listed in this section are established as prohibited noxious weeds.

Amaranth, Palmer	<i>Amaranthus palmeri</i>
Bindweed, field	<i>Convolvulus arvensis</i> L.
Blueweed	<i>Echium vulgare</i> L.
Burdock, common	<i>Arctium minus</i> (Hill) Bernh.
Bursage, skeletonleaf	<i>Ambrosia tomentosa</i> Nutt.
Camelthorn	<i>Alhagi maurorum</i> Medik.
Campion, bladder	<i>Silene vulgaris</i> (Moench) Garcke subsp. <i>vulgaris</i>
Crupina common	<i>Crupina vulgaris</i> Cass.
Daisy, oxeye	<i>Leucanthemum vulgare</i> Lam.
Dodder	<i>Cuscuta</i> spp.
Goatgrass, jointed	<i>Aegilops cylindrical</i> Host
Halogeton	<i>Halogeton glomeratus</i> (M. Bieb.) Ledeb.
Hawkweed, orange	<i>Hieracium aurantiacum</i> L.
Hemlock, poison	<i>Conium maculatum</i> L.
Henbane, black	<i>Hyoscyamus niger</i> L.
Hound’s tongue	<i>Cynoglossum officinale</i> L.
Knapweed, black	<i>Centaurea nigra</i> L.
Knapweed, diffuse	<i>Centaurea diffusa</i> Lam.
Knapweed, meadow	<i>Centaurea x moncktonii</i> C. E. Britton
Knapweed, Russian	<i>Rhaponticum repens</i> L. Hidalgo
Knapweed, spotted	<i>Centaurea stoebe</i> subsp. <i>micranthos</i> (Gugler) Hayek
Knapweed, squarose	<i>Centaurea squarrosa</i> Willd.
Loosestrife, purple	<i>Lythrum salciaria</i> L.
Medusa-head	<i>Taeniatherum caput-medusae</i> (L.) Nevski subsp. <i>caput-medusae</i>
Millet, wild proso	<i>Panicum milliaceum</i> L. subsp. <i>ruderales</i> (Kitag.) Tzvelev
Olive, Russian	<i>Elaeagnus angustifolia</i> L.
Pepperweed, perennial	<i>Lepidium latifolium</i> L.

Puncturevine	<i>Tribulus terrestris</i> L.
Quackgrass	<i>Elymus repens</i> L. Desv. ex Nevski
Saltcedar	<i>Tamarix</i> spp.
Salvation jane	<i>Echium plantagineum</i> L.
Sandbur, field	<i>Cenchrus incertus</i> M. A. Curtis
Sandbur, longspine (mat)	<i>Cenchrus longispinus</i> (Hack.) Fernald
Skeletonweed, rush	<i>Chondrilla juncea</i> L.
Sowthistle, perennial	<i>Sonchus arvensis</i> L.
Spurge, leafy	<i>Euphorbia esula</i> L.
Starthistle, purple	<i>Centaurea calcitrapa</i> L.
Starthistle, yellow	<i>Centaurea solstitialis</i> L.
St. Johnswort	<i>Hypericum perforatum</i> L.
Swainsonpea	<i>Sphaerophysa salsula</i> (Pall) DC.
Tansy, common	<i>Tanacetum vulgare</i>
Thistle, Canada	<i>Cirsium arvense</i> (L.) Scop.
Thistle, musk	<i>Carduus nutans</i> L.
Thistle, plumeless	<i>Carduus acanthoides</i> L.
Thistle, Scotch	<i>Onopordum acanthium</i> L.
Toadflax, Dalmatian	<i>Linaria dalmatica</i> (L.) Mill.
Toadflax, yellow	<i>Linaria vulgaris</i> Mill.
Tussock, serrated	<i>Nassella trichotoma</i> (Nees) Hack. ex Arechav.
Whitetop	<i>Lepidium draba</i> L.
Woad, dyers	<i>Isatis tinctoria</i> L.

Section 4. Restricted Noxious Weeds. The noxious weeds listed in this section are established as restricted noxious weeds. The tolerance for restricted noxious weeds, unless otherwise stated, shall be 50 seeds per pound in small seeded crops and five seeds per pound in large seeded crops.

Cinquefoil, sulphur	<i>Potentilla recta</i> L. ‘Warrenii’
Dock, curly	<i>Rumex crispus</i> L.
Knotweed, Japanese	<i>Fallopia japonica</i> (Houtt.) Ronse Decr.
Lettuce, blue	<i>Lactuca tatarica</i> subsp. <i>pulchella</i> (Pursh) Stebbins
Licorice, wild	<i>Glycyrrhiza lepidota</i> Pursh
Mallow, Venice	<i>Hibiscus trionum</i> L.
Mustard, wild	<i>Sinapis arvensis</i> L. subsp. <i>arvensis</i>
Oat, wild	<i>Avena fatua</i> L.
Plantain, buckhorn	<i>Plantago lanceolata</i> L.
Povertyweed	<i>Iva axillaris</i> Pursh
Ragweed, perennial	<i>Ambrosia psilostachya</i> DC.

Section 5. Regulated Weeds. The noxious weeds listed in this section are established as regulated noxious weeds. The tolerance for regulated noxious weeds is specified for each species as shown below.

- (a) Cheat *Bromus secalinus* L. – Tolerance shall be 1,200 seeds per pound.
- (b) Downy brome *Bromus tectorum* L. – Tolerance shall be 1,200 seeds per pound.
- (c) Feral rye *Secale cereale* L. subsp. *cereale* – Tolerance shall be none in small grains other than rye.
- (d) Japanese brome *Bromus japonicus* Thunb. – Tolerance shall be 1,200 seeds per pound.
- (e) Ripgut brome *Bromus diandrus* Roth var. *rigidus* (Roth) Sales – Tolerance shall be 1,200 seeds per pound.
- (f) Ventenata Grass *Ventenata dubia* - Tolerance shall be 1,200 seeds per pound.