2010 SPRING BARLEY VARIETY PERFORMANCE EVALUATION

Michael Killen, Powell Research and Extension Center; Randy Violett, Powell Research and Extension Center

The variety performance evaluations conducted by the Wyoming Agricultural Experiment Station are a continuous and ongoing program. In cooperation with the Western Spring Barley Nursery and private seed companies, a wide range of germplasm is evaluated each year.

MATERIALS AND METHODS

The experimental design of all trials was 3 replications of a randomized complete block. Measurements included heading date, height, lodging, grain yield, test weight, and kernel plumpness. Data were analyzed using SAS procedures for analysis of variance.

<u>UW-REC (POWELL)</u>: The experiment was located at the University of Wyoming Research and Extension Center in Powell, Wyoming during 2010. The soil was a Garland clay loam (fine, mixed, mesic; Typic Haplargid) and had a cropping history of: 2009, beets; 2008, barley; and 2007, beets. Fertilizer was applied for a yield goal of 100 bushels of grain per acre. Fertilizer was applied on 18 March, at the rate of 120 pounds N and 50 pounds P_2O_5 in the form of urea (46-0-0) and diammonium phosphate (11-52-0). The soil in the study area was prepared for planting by fall plowing, roller harrowing, and leveling. On 12 April, 36 barley varieties were established in plots 7.3 by 20 feet using double disk openers set at a row spacing of 7 inches. The seeding depth was 1.5 inches, and the seeding rate was 100 pounds of seed per acre. Weeds were controlled by a post application of a tank mixture of bromoxynil and MCPA (Bronate Advanced- 1 pt) and pinoxaden (Axial XL– 16.4 oz) broadcast at 0.50, 0.50, and 0.05 pounds active ingredient per acre on 4 June. Furrow irrigations were 22 April, 8 June, 23 June, 4 July, 16 July and 30 July. Subplots, 5.3 by 8 feet, were harvested on 19 August, using a Wintersteiger plot combine.

ACKNOWLEDGMENTS

Appreciation is extended to the Powell Research and Extension Center staff for their assistance during 2010.

	Row	Grade	Plant	Heading		Grain	Test	Plump	
Variety	Туре		height	date	Lodge	yield	weight	6/64	5.5/64
			inches	Days from	1-9	bu/acre	lb/bu	% abov	e screen
				Jan. 1					
				Malt Use					
MT020204	2	F/M	37.6	177	3.0	193.6	53 1	93 3	98.1
2B06-0929	$\frac{2}{2}$	M	33.7	177	1.0	174.7	50.2	96.8	99.1
Merit	$\overline{2}$	М	34.9	183	1	172.9	50.5	95.7	98.8
Merit 57	2	М	35.7	180	1	171.8	50.0	93.8	98.6
Moravian 69	2	М	29.7	181	1	171.2	50.2	96.2	98.9
2B05-0811	2	М	34.5	177	2.0	166.7	51.8	97.2	99.2
CDC Meredith	2	М	34.9	180	2.0	161.4	48.3	96.2	98.9
02Ab17271	2	Μ	34.9	181	1.0	161.3	51.6	95.0	98.7
2B06-0933	2	Μ	35.1	177	1.0	160.6	51.3	94.5	98.6
ND22421	6	Μ	33.4	174	1.0	154.6	50.1	97.9	99.7
2B07-1590	2	Μ	35.5	179	1.0	154.3	51.0	98.2	99.4
2ND25276	2	Μ	37.7	177	1.0	153.0	50.3	98.7	99.4
2B07-1562	2	Μ	36.0	177	2.0	152.5	51.4	97.5	99.3
Conrad	2	М	33.5	179	1	149.6	51.8	97.1	99.1
2B04-0175	2	М	37.9	179	2.0	149.4	52.2	97.9	99.4
Hockett	2	Μ	33.4	177	2	142.3	54.2	98.6	99.3
2ND26328	2	Μ	32.3	177	1.0	142.1	53.0	98.9	99.5
MT020155	2	F/M	37.6	174	2.0	141.5	52.0	95.3	98.6
Harrington	2	Μ	35.6	179	3.0	134.6	51.3	97.5	99.3
MT030042	2	F/M	33.1	177	3.0	133.6	55.4	97.0	98.9
AC Metcalfe	2	Μ	36.1	177	3.0	130.3	51.3	97.6	99.1
MT040073	2	F/M	35.1	177	3.0	125.6	53.4	96.1	98.7
				Feed Use					
BZ505-172	2	F	34.0	177	1.0	183.8	52.9	98.5	99.5
04WNZ-124	2	F	28.6	183	1.0	181.8	51.3	96.8	99.1
04WA-113.22	2	F	35.9	177	1.0	172.2	52.4	97.7	99.9
05WA-316.K	2	F	34.7	177	2.0	172.2	52.1	97.0	99.0
2Ab04-X00017-4	2	F	36.1	177	2.0	169.1	52.3	98.0	99.2
CDC Austenson	2	F	34.7	179	1.0	166.9	52.6	97.1	99.2
UT04B2041-42	6	F	36.4	177	1.0	166.4	50.8	96.6	99.6
Baronesse	2	F	35.3	177	2.0	160.8	52.5	94.7	98.3
BZ505 192	2	F	33.7	180	1.0	158.1	54.6	97.6	99.0
05WA-316.99	2	F	37.7	177	4.0	154.8	49.9	95.6	98.6
UT99B1670-3530	6	F	34.0	174	1.0	149.3	48.2	97.9	99.1
CDC Coalition	2	F	38.4	179	2.0	148.9	50.5	97.5	99.0
05WA-329.49	2	F	38.7	177	2.0	148.6	53.1	98.1	99.4
Steptoe	6	F	36.0	174	5.0	146.6	49.8	98.2	99.3
Meen			35 1	177 8	18	157 7	51.6	96.0	00 1
I SD a ar			55.1	1//.0	1.0	26.0	51.0 1 <i>4</i>	70.7 1 6	77.1 07
LUL 0.05			27			20.0 10.1	1.4	1.0	U.1 4

Lodge= 1 upright, 9 Flat; M=Malting, F=Feed.