


Statewide Conditions of County Paved Roads in Wyoming (2014)



By

Wyoming Technology Transfer Center
University of Wyoming, Laramie, Wyoming, 82071
307-766-6230; wyt2c@uwyo.edu



August, 2015

TABLE OF CONTENTS

| | |
|--|-----------|
| TABLE OF CONTENTS | 1 |
| LIST OF FIGURES | 2 |
| LIST OF TABLES | 3 |
| APPENDIX..... | 4 |
| LIST OF ABBREVIATIONS | 5 |
| 1 INTRODUCTION..... | 7 |
| 2 BACKGROUND | 9 |
| 2.1 Road Segmentation | 9 |
| 2.2 Pavement Condition Parameters | 9 |
| 2.2.1 Rut Depths (RD)..... | 9 |
| 2.2.2 International Roughness Index (IRI)..... | 9 |
| 2.2.3 Pavement Condition Index (PCI) | 9 |
| 2.2.4 Pavement Serviceability Indexes (PSI)..... | 10 |
| 2.3 Pavement Thickness..... | 10 |
| 3 STATEWIDE COUNTY DATA..... | 11 |
| 3.1 Statewide County Paved Roads | 11 |
| 3.2 Pavement Condition Assessments | 11 |
| 3.2.1. Rut Depths (RD)..... | 11 |
| 3.2.2. International Roughness Index (IRI)..... | 14 |
| 3.2.3. Pavement Condition Index (PCI) | 16 |
| 3.2.4. Pavement Serviceability Indexes (PSI)..... | 18 |
| 3.3 Pavement Thickness Assessments | 20 |
| 3.4 Traffic Counts and Road Widths | 26 |
| 4 SUMMARY | 27 |
| REFERENCES..... | 28 |

LIST OF FIGURES

| | |
|--|----|
| Figure 1: Pavement Management System Data Included in this Report | 8 |
| Figure 2: Rut Depth of County versus Secondary, Primary and Interstate Roads..... | 12 |
| Figure 3: Rut Depth Conditions of County Roads..... | 13 |
| Figure 4: Roughness (IRI) of County versus Secondary, Primary and Interstate Roads..... | 14 |
| Figure 5: Roughness (IRI) of County Roads. | 15 |
| Figure 6: PCI of County versus Secondary, Primary and Interstate Roads..... | 16 |
| Figure 7: Pavement Condition Index (PCI) of County Roads. | 17 |
| Figure 8: PSI of County versus Secondary, Primary and Interstate Roads. | 18 |
| Figure 9: Pavement Serviceability Index (PSI) of County Roads. | 19 |
| Figure 10: County versus Secondary, Primary and Interstate Average Pavement Thicknesses... | 20 |
| Figure 11: Asphalt Thickness of County versus Secondary, Primary and Interstate Roads..... | 21 |
| Figure 12: Base Thicknesses of County versus Secondary, Primary and Interstate Roads. | 22 |
| Figure 13: Asphalt Thickness of County Roads. | 23 |
| Figure 14: Base Thickness of County Roads. | 24 |
| Figure 15: Average Asphalt Thickness of County Roads by County..... | 25 |
| Figure 16: Average Base Thickness of County Roads by County..... | 25 |
| Figure 17: Average Road Thickness of County Roads by County..... | 26 |
| Figure 18: Project Deliverables | 27 |

LIST OF TABLES

| | |
|---|----|
| Table 1: Sample of Pavement Thicknesses..... | 10 |
| Table 2: Summary of Statewide County Paved Roads. | 11 |
| Table 3: Rut Depth of County versus Secondary, Primary and Interstate Roads. | 12 |
| Table 4: Roughness (IRI) of County versus Secondary, Primary and Interstate Roads. | 14 |
| Table 5: PCI of County versus Secondary, Primary and Interstate Roads. | 16 |
| Table 6: PSI of County versus Secondary, Primary and Interstate Roads. | 18 |
| Table 7: Asphalt Thickness of County versus Secondary, Primary and Interstate Roads. | 20 |
| Table 8: Base Thicknesses of County versus Secondary, Primary and Interstate Roads. | 21 |

APPENDIX

| | |
|--|-----|
| Appendix 1: Pavement Condition Summaries..... | 29 |
| Appendix 2: County Paved Roads Summaries..... | 74 |
| Appendix 3: Maps of County Paved Roads..... | 81 |
| Appendix 4: Maps of County Roadway Segments..... | 105 |
| Appendix 5: Rut Depth Summaries..... | 129 |
| Appendix 6: Pavement Roughness Summaries..... | 176 |
| Appendix 7: Pavement Condition Index (PCI) Summaries..... | 223 |
| Appendix 8: Pavement Serviceability Index (PSI) Summaries..... | 270 |
| Appendix 9: Pavement Thickness..... | 317 |
| Appendix 10: Traffic counts on Selected Roads..... | 433 |
| Appendix 11: Selected Road width..... | 476 |

LIST OF ABBREVIATIONS

The following table describes the various abbreviations and acronyms used throughout the report:

| Abbreviation | Meaning |
|------------------------|--|
| ADT | Average Daily Traffic |
| ADTT | Average Daily Truck Traffic |
| ASTM | American Society for Testing and Materials |
| FHWA | Federal Highway Administration |
| GIS | Geographic Information System |
| GPR | Ground Penetrating Radar |
| GPS | Global Positioning System |
| IRI | International Roughness Index |
| MAP-21 | Moving Ahead for Progress in 21 st Century |
| PCI | Pavement Condition Index |
| PMS | Pavement Management System |
| PSI | Pavement Serviceability Index |
| STIC | State Transportation Innovation Council |
| WACERS | Wyoming Association of County Engineers and Road Supervisors |
| WCCA | Wyoming County Commissioner Association |
| WYDOT | Wyoming Department of Transportation |
| WYT ² /LTAP | Wyoming Technology Transfer Center |

THIS PAGE LEFT BLANK INTENTIONALLY

1 INTRODUCTION

In 2014, the Wyoming County Commissioner Association (WCCA), Wyoming Department of Transportation (WYDOT) and the State Transportation Innovation Council (STIC) supported funding a project to develop a comprehensive database for Pavement Management System (PMS) of county paved roads. As a result, a comprehensive effort was conducted by the Wyoming Technology Transfer Center (WYT²/LTAP) to collect roadway inventory data, pavement condition data and roadway thicknesses. The pavement condition data includes: Rut Depths, International Roughness Index (IRI), Pavement Condition Index (PCI) and Pavement Serviceability Index (PSI). The findings of this project are summarized in three main elements: reports for each individual county, a statewide report, and a comprehensive database published in ArcGIS online hosted by the WYT²/LTAP center. This statewide report summarizes pavement condition and thicknesses in all 23 Counties.

In the state of Wyoming, there is a total of 27,831 miles of roadway owned and maintained by federal, state, and local entities. Sixty-three percent of these roads are maintained by local governments. According to Moving Ahead for Progress in the 21st Century Act (MAP-21), each state is required to develop a Pavement Management System (PMS) to improve or preserve the present pavement condition and the performance of the system (FHWA 2014). Currently, all states have their own pavement management system. WYDOT utilizes their PMS to maintain 7,402 miles of interstate and state highways (Saha and Ksaibati 2015). The WYDOT PMS does not include roads maintained by local governments. These local roads include 2,444 miles of county paved roads (approximately 8.8% of total) that are being impacted by modern industrial activities (Huntington, et al. 2013). Many of these county roads were built over 40 years ago and they have had inconsistent maintenance, resulting in overall poor road conditions. Moreover, the growth of oil and gas industries has increased truck traffic on many county roads. Increased truck traffic, no maintenance database, and limited funding necessitate the development of an innovative PMS to utilize resources more efficiently for these county paved roads. In the summer of 2014, the WYT²/LTAP center collected the required data for evaluating and assessing the condition of county paved roads.

This study provides information about the conditions of county paved roads. Consistency in data collection throughout the state is essential when it comes to establishing funding needs. WYDOT contracts annually with Pathway Services® to survey state highways. This WYDOT contract was expanded to include county paved roads in 2014. By using the same data collection procedures on the state and county roads, comparisons can be made between the two networks. In order to collect pavement thickness data on all county paved roads, the WYT²/LTAP contracted with Resource International, Inc. which used Ground Penetrating Radar (GPR) technology to determine the thickness of asphalt and base layers. The data included in this report is shown graphically in Figure 1.




Figure 1: Pavement Management System Data Included in this Report.

2 BACKGROUND

2.1 Road Segmentation

A primary task in any PMS is to create a list of roadway segments that have uniform performance conditions along their lengths. When maintenance records are limited and inconsistent among different counties, roadways can be segmented based on the perceived usage levels, changes in surface type, and major intersections where traffic either diverts or converges with a road. Locations of the road segments are established with global positioning system (GPS) technology and stored in a geographic information system (GIS) database. This segmentation was performed by WYT²/LTAP staff and Pathway Services®.

2.2 Pavement Condition Parameters

The Pathway Services® automated data collection van operates at normal highway speeds to collect three types of information for each road: automated rutting data expressed in inches (RUT); International Roughness Index (IRI); and video logs of the pavement and roadside.

2.2.1 Rut Depths (RD)

The rut depth is a measure of permanent deformation of pavement. WYDOT identifies any roads with rutting greater than 0.3 inches as potentially hazardous (Huntington, et al. 2013).

2.2.2 International Roughness Index (IRI)

The IRI is the roughness index commonly used for representing ride quality. IRI is represented as units of slope (in/mi). The thresholds used by (Huntington, et al. 2013) for defining condition based on the IRI are as follows:

- Excellent: Less than 70 in./mi
- Good: 70 - 100 in./mi
- Fair: 101 - 130 in./mi
- Poor: 131 - 170 in./mi
- Very Poor: Greater than 170 in./mi

2.2.3 Pavement Condition Index (PCI)

The PCI was developed by the United States Army Corps of Engineers ranging from 0 and 100 quantifying the condition of a roadway based on surface distresses, where 100 represents the best possible condition and 0 represents the worst possible condition. A pavement condition index (PCI) for each segment is generated by observing the video logs from cameras facing the pavement surface. For each segment, several sections are sampled and distresses are measured by an operator using specialized software that facilitates distress evaluation. From these distress measurements, the PCI is calculated.

The primary uses of PCI include identifying immediate maintenance and rehabilitation needs, monitoring pavement condition over time, develop a network preventive maintenance strategy, develop road maintenance budgets, and evaluate pavement materials and designs. Huntington et al. (2013) used the thresholds for defining pavement condition based on the PCI. Conditions are divided into three categories: (1) Good: Greater than 85, (2) Fair: 70 - 85 and (3) Poor: Less than 70.

2.2.4 Pavement Serviceability Indexes (PSI)

PSI provides a single number on a scale from 0 to 5 that evaluates the overall condition of the pavement from the traveling public's perspective. The following equation is used by WYDOT to calculate the PSI of the state highway system:

$$PSI = 5.35e^{-0.0058*IRI} - 4RUT^2 - 3\left(1 - \left(\frac{PCI}{100}\right)\right)$$

Where:

- IRI is the International Roughness Index (inches/mile)
- RUT is the mean Rut Depth (inches)
- PCI is the Pavement Condition Index (based on ASTM D6433)

The following rating scale is used in this project to describe the condition of roads with a particular PSI value:

| | | |
|------------------|---|---------------------|
| Greater than 3.5 | - | Excellent Condition |
| 3.01 – 3.5 | - | Good Condition |
| 2.51 – 3.0 | - | Fair Condition |
| 2.0 – 2.5 | - | Poor Condition |
| Less than 2.0 | - | Very Poor Condition |

2.3 Pavement Thickness

In this study, pavement thicknesses were established using Ground Penetrating Radar (GPR). This data was collected on all county paved roads. Specialized software was used to convert the signals from the GPR into pavement thicknesses. Table 1 is a sample of GPR data provided by Resource International, Inc. These pavement thicknesses over 100' segments were aggregated to segment lengths by staff at the WYT²/LTAP center.

Table 1: Sample of Pavement Thicknesses.

| <i>Road I.D. ML5134B From MP 0.00 to MP 0.28</i> | | | | | | |
|--|------------------|----------------------|---------------------------------------|-----------------------------------|------------------------------------|--------------------------------|
| <i>GPS Coordinates</i> | | <i>Distance (ft)</i> | <i>Average Asphalt Thickness (in)</i> | <i>Average Asphalt Dielectric</i> | <i>Average Base Thickness (in)</i> | <i>Average Base Dielectric</i> |
| <i>Latitude</i> | <i>Longitude</i> | | | | | |
| 44.730673 | -108.592326 | 0-100 | 2.9 | 5.7 | 7.7 | 6.0 |
| 44.730652 | -108.591953 | 100-200 | 3.3 | 5.7 | 6.5 | 6.3 |
| 44.730658 | -108.591577 | 200-300 | 3.6 | 5.8 | 5.7 | 6.5 |

3 STATEWIDE COUNTY DATA

Data from multiple sources such as GIS layer of county paved roads, traffic counts, pavement condition, and road thickness were summarized for statewide county roads in this report. Appendix 1 provides the list of the roadway segments by each county with pavement conditions (Rut Depth, IRI, PCI and PSI) and pavement thicknesses (asphalt and base thickness). And, the summary of roads for each county is summarized in Appendix 2. This chapter describes the overall conditions of statewide county paved roads.

3.1 Statewide County Paved Roads

As shown in Table 2, there are 917 county paved roads in Wyoming with 2,444 miles. These 917 roads are divided into 2,250 roadway segments. Statewide county paved roads and roadway segments can be seen in Appendix 3 and Appendix 4 respectively.

Table 2: Summary of Statewide County Paved Roads.

| | All County |
|------------------------------|------------|
| Total Length, miles | 2,444 |
| Total Number of Roads | 917 |
| Total Number of Segments | 2,250 |
| Minimum Segment Length, mile | 0.01 |
| Maximum Segment Length, mile | 30.8 |

3.2 Pavement Condition Assessments

3.3.1 Rut Depths (RD)

Table 3 and Figure 2 show the average rut depth divided into two categories: greater than 0.3 inches and less than 0.3 inches in statewide county, secondary, primary and interstate roads. Figure 3 shows the rut depth of statewide county paved road segment. The summary of rut depth for each county is summarized in Appendix 5.

Table 3: Rut Depth of County versus Secondary, Primary and Interstate Roads.

| | Statewide Roads | | | | | | | |
|----------------------|-----------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|
| | County | | Secondary | | Primary | | Interstate | |
| | Mileage | Percentage | Mileage | Percentage | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 227 | 9% | 64 | 3% | 58 | 2% | 95 | 5% |
| 0.3 inches or less | 2120 | 87% | 2458 | 97% | 2779 | 98% | 1729 | 95% |
| Missing | 97 | 4% | 0 | 0% | 0 | 0% | 0 | 0% |
| Total | 2,444 | 100% | 2,522 | 100% | 2,837 | 100% | 1,824 | 100% |




Figure 2: Rut Depth of County versus Secondary, Primary and Interstate Roads.




Figure 3: Rut Depth Conditions of County Roads.

3.3.2 International Roughness Index (IRI)

Table 4 and Figure 4 show the roughness conditions (IRI) of county roads. 51 percent of the county roads are in poor condition. Figure 5 shows the roughness condition of statewide county roads. The summary of IRI for each county is summarized in Appendix 6.

Table 4: Roughness (IRI) of County versus Secondary, Primary and Interstate Roads.

| | Statewide Roads | | | | | | | |
|------------------------------|-----------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|
| | County | | Secondary | | Primary | | Interstate | |
| | Mileage | Percentage | Mileage | Percentage | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 121 | 5% | 519 | 21% | 850 | 30% | 996 | 55% |
| Good (70 – 100) | 344 | 14% | 988 | 39% | 1133 | 40% | 640 | 35% |
| Fair (101 – 130) | 248 | 10% | 538 | 21% | 598 | 21% | 146 | 8% |
| Poor (131 – 170) | 386 | 16% | 337 | 13% | 176 | 6% | 22 | 1% |
| Very Poor (Greater than 170) | 1248 | 51% | 123 | 5% | 42 | 1% | 7 | 0% |
| Missing | 97 | 4% | 17 | 1% | 39 | 1% | 13 | 1% |
| Total | 2,444 | 100% | 2,522 | 100% | 2,837 | 100% | 1,824 | 100% |





Figure 4: Roughness (IRI) of County versus Secondary, Primary and Interstate Roads.



International Roughness Index

- | | | |
|--------------------|------------------|-------------|
| — Greater than 170 | — 131 - 170 | — All Roads |
| — 101 - 130 | — 70 - 100 | |
| — Less than 70 | — State Highways | |

0 15 30

60

90

120

Miles

N



Figure 5: Roughness (IRI) of County Roads.

3.3.3 Pavement Condition Index (PCI)

Table 5 and Figure 6 show the PCI summary of all county roads. Figure 7 shows graphically the PCI levels of all county roads. The summary of PCI for each county is summarized in Appendix 7.

Table 5: PCI of County versus Secondary, Primary and Interstate Roads.

| | Statewide Roads | | | | | | | |
|-----------------|-----------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|
| | County | | Secondary | | Primary | | Interstate | |
| | Mileage | Percentage | Mileage | Percentage | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 479 | 20% | 18 | 1% | 9 | 0% | 0 | 0% |
| 70 - 85 | 601 | 25% | 206 | 8% | 213 | 8% | 94 | 5% |
| Greater than 85 | 1257 | 52% | 2298 | 91% | 2615 | 92% | 1730 | 95% |
| Missing | 108 | 4% | 0 | 0% | 0 | 0% | 0 | 0% |
| Total | 2,444 | 100% | 2,522 | 100% | 2,837 | 100% | 1,824 | 100% |





Figure 6: PCI of County versus Secondary, Primary and Interstate Roads.



Pavement Condition Index

- | | |
|-------------------|------------------|
| — Less than 70 | — 70 - 85 |
| — Greater than 85 | — State Highways |
| — All Roads | |

Figure 7: Pavement Condition Index (PCI) of County Roads.

3.3.4 Pavement Serviceability Indexes (PSI)

Table 6 and Figure 8 show the summaries of PSI divided into five categories for county roads. 68% of the segments of county roads are in poor condition. Figure 9 shows graphically the PSI level for each segment of county roads. The summary of PSI for each county is summarized in Appendix 8.

Table 6: PSI of County versus Secondary, Primary and Interstate Roads.

| | Statewide Roads | | | | | | | |
|------------------|-----------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|
| | County | | Secondary | | Primary | | Interstate | |
| | Mileage | Percentage | Mileage | Percentage | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 78 | 3% | 1166 | 46% | 1631 | 57% | 1543 | 85% |
| 3.01 - 3.5 | 175 | 7% | 760 | 30% | 837 | 29% | 246 | 13% |
| 2.51 - 3.0 | 239 | 10% | 420 | 17% | 288 | 10% | 31 | 2% |
| 2 - 2.5 | 187 | 8% | 125 | 5% | 48 | 2% | 2 | 0% |
| Less than 2 | 1658 | 68% | 36 | 1% | 4 | 0% | 0 | 0% |
| Missing | 108 | 4% | 15 | 1% | 29 | 1% | 2 | 0% |
| Total | 2,444 | 100% | 2,522 | 100% | 2,837 | 100% | 1,824 | 100% |




Figure 8: PSI of County versus Secondary, Primary and Interstate Roads.




Figure 9: Pavement Serviceability Index (PSI) of County Roads.

3.3 Pavement Thickness Assessments

Figure 10 shows the summaries of the average asphalt and base thicknesses for county, secondary, primary and interstate roads. The summary of pavement thickness for each county is summarized in Appendix 9.




Figure 10: County versus Secondary, Primary and Interstate Average Pavement Thicknesses.

Table 7 and Figure 11 show the mileage distribution for different values of asphalt thickness of county roads. Similarly, Table 8 and Figure 12 show the mileage distribution for different values of base thickness of county roads. Asphalt and base thickness were classified into five different categories based on the thickness. Each figure depicts the percentage and mileage classified into each category. Figure 13 and Figure 14 show the maps of the distribution of roads in different colors based on asphalt and bases thickness respectively.

Table 7: Asphalt Thickness of County versus Secondary, Primary and Interstate Roads.

| | Statewide Roads | | | | | | | |
|-----------------------|-----------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|
| | County | | Secondary | | Primary | | Interstate | |
| | Mileage | Percentage | Mileage | Percentage | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 407 | 17% | 421 | 17% | 38 | 1% | 3 | 0% |
| 3 – 4 inches | 523 | 21% | 709 | 28% | 324 | 11% | 8 | 0% |
| 4.01 - 5.0 inches | 772 | 32% | 452 | 18% | 478 | 17% | 35 | 2% |
| 5.01 – 8 inches | 605 | 25% | 753 | 30% | 1417 | 50% | 452 | 25% |
| Greater than 8 inches | 112 | 5% | 186 | 7% | 580 | 20% | 1326 | 73% |
| Missing | 25 | 1% | 0 | 0% | 0 | 0% | 0 | 0% |
| Total | 2,444 | 100% | 2,522 | 100% | 2,837 | 100% | 1,824 | 100% |




Figure 11: Asphalt Thickness of County versus Secondary, Primary and Interstate Roads.

Table 8: Base Thicknesses of County versus Secondary, Primary and Interstate Roads.

| | Statewide Roads | | | | | | | |
|------------------------|-----------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|
| | County | | Secondary | | Primary | | Interstate | |
| | Mileage | Percentage | Mileage | Percentage | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 110 | 5% | 128 | 5% | 34 | 1% | 39 | 2% |
| 4 – 6 inches | 708 | 29% | 424 | 17% | 291 | 10% | 228 | 13% |
| 6.01 - 8.0 inches | 726 | 30% | 444 | 18% | 613 | 22% | 195 | 11% |
| 8.01 – 10 inches | 390 | 16% | 535 | 21% | 408 | 14% | 269 | 15% |
| Greater than 10 inches | 271 | 11% | 977 | 39% | 1481 | 52% | 1093 | 60% |
| Missing | 241 | 10% | 14 | 1% | 10 | 0% | 0 | 0% |
| Total | 2,444 | 100% | 2,522 | 100% | 2,837 | 100% | 1,824 | 100% |




Figure 12: Base Thicknesses of County versus Secondary, Primary and Interstate Roads.





Figure 13: Asphalt Thickness of County Roads.



Base Thickness

- | | | |
|--------------------------|-----------------------|-------------|
| — Less than 4 inches | — 4.00 - 6.00 inches | — All Roads |
| — 6.01 - 8.00 inches | — 8.01 - 10.00 inches | |
| — Greater than 10 inches | — State Highways | |

Figure 14: Base Thickness of County Roads.

Figure 15 and Figure 16 show the average asphalt and base thicknesses in all 23 counties separately. Figure 17 shows the combined thicknesses.




Figure 15: Average Asphalt Thickness of County Roads by County.




Figure 16: Average Base Thickness of County Roads by County.




Figure 17: Average Road Thickness of County Roads by County.

3.4 Traffic Counts and Road Widths

Although this study did not include any funding to collect pavement widths or traffic counts, the WYT²/LTAP center collected traffic and roadway width data on selected segments in statewide county roads. This information is summarized in Appendix 10 and Appendix 11.

4 SUMMARY

This report provided the summaries for the condition of county roads. As shown in Figure 18, other information/reports will be also available for counties to view on the WYT²/LTAP website.




Figure 18: Project Deliverables

If you have any question about the contents of this report, please contact:

Khaled Ksaibati, Ph.D., P.E.
Director, Wyoming Technology Transfer Center
1000 E University Ave, Dept 3295
University of Wyoming, Laramie, Wyoming, 82071
Tel #307-766-6230; Email Address: Khaled@uwyo.edu

REFERENCES

- FHWA. 2014. *Asset Management*. Accessed May 23, 2014.
<http://www.fhwa.dot.gov/asset/plans.cfm>.
- Huntington, G., A. Pearce, N. Stroud, J. Jones, and K. Ksaibati. 2013. *Mitigating Impacts of Oil and Gas Traffic on Southeastern Wyoming County Roads*. Cheyenne: Wyoming Department of Transportation.
- Saha, P., and K. Ksaibati. 2015. "A Risk-based Optimization Methodology for Managing County Paved Roads." *The 94th Transportation Research Board Annual Meeting 2015*.

APPENDIX 1: PAVEMENT CONDITION SUMMARIES

Appendix 1.1: Albany County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|--------|---------|----------|--------|----------------------|------|-----|-----|------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Albany | ML4247B | 0.600 | 1.090 | | 0.12 | 139 | 74 | 1.54 | 4.38 | 6.80 |
| Albany | ML4247B | 1.090 | 1.300 | | 0.16 | 114 | 74 | 1.88 | 4.98 | 6.80 |
| Albany | ML5004B | 0.500 | 0.830 | Bluebird Lane | 0.17 | 181 | 84 | 1.28 | 3.04 | 12.60 |
| Albany | ML5008B | 2.270 | 3.810 | Roger Canyon Road | 0.11 | 90 | 90 | 2.83 | 5.38 | 6.60 |
| Albany | ML5008B | 3.810 | 3.830 | Roger Canyon Road | 0.10 | 108 | 100 | 2.82 | 4.37 | 4.70 |
| Albany | ML5008B | 3.830 | 4.380 | Roger Canyon Road | 0.19 | 99 | 84 | 2.39 | 4.08 | 5.10 |
| Albany | ML5008B | 4.380 | 11.370 | Roger Canyon Road | 0.13 | 95 | 94 | 2.84 | 3.88 | 6.30 |
| Albany | ML5009B | 0.000 | 0.220 | Huron Street | 0.09 | 169 | 89 | 1.65 | 4.60 | 9.50 |
| Albany | ML5009B | 0.220 | 0.420 | Huron Street | 0.08 | 87 | 89 | 2.88 | 4.83 | 10.40 |
| Albany | ML5010B | 0.000 | 0.250 | County Shop Road | 0.19 | 464 | 37 | 0.00 | 4.24 | 5.30 |
| Albany | ML5011B | 0.260 | 1.130 | Ft. Sanders Road | 0.09 | 73 | 89 | 3.14 | 5.94 | 5.80 |
| Albany | ML5011B | 1.130 | 1.890 | Ft. Sanders Road | 0.09 | 75 | 89 | 3.11 | 6.07 | 5.20 |
| Albany | ML5011B | 1.890 | 2.150 | Ft. Sanders Road | 0.12 | 123 | 100 | 2.56 | 5.18 | 13.10 |
| Albany | ML5011B | 2.150 | 2.240 | Ft. Sanders Road | 0.09 | 142 | 98 | 2.25 | 5.53 | 15.30 |
| Albany | ML5012B | 0.090 | 0.500 | Howe Road | 0.08 | 156 | 74 | 1.35 | 4.95 | 6.40 |
| Albany | ML5012B | 0.500 | 2.540 | Howe Road | 0.11 | 118 | 85 | 2.19 | 5.71 | 6.00 |
| Albany | ML5012B | 2.540 | 2.590 | Howe Road | 0.10 | 191 | 89 | 1.40 | 7.07 | 5.80 |
| Albany | ML5012B | 2.590 | 3.890 | Howe Road | 0.11 | 124 | 87 | 2.16 | 7.24 | 5.80 |
| Albany | ML5017B | 0.000 | 0.040 | Sand Creek Road | 0.12 | 577 | 74 | 0.00 | 5.31 | 12.40 |
| Albany | ML5023B | 0.000 | 2.000 | Lake Hattie Road | 0.09 | 103 | 100 | 2.92 | 2.68 | 7.60 |
| Albany | ML5034B | 0.000 | 0.060 | Welsh Lane | 0.23 | 461 | 47 | 0.00 | 2.74 | 4.40 |
| Albany | ML5036B | 0.000 | 2.600 | Dutton Creek Road | 0.16 | 111 | 83 | 2.20 | 2.20 | 8.30 |
| Albany | ML5036B | 2.600 | 3.050 | Dutton Creek Road | 0.13 | 119 | 96 | 2.49 | 1.81 | 8.10 |
| Albany | ML5036B | 3.050 | 7.000 | Dutton Creek Road | 0.14 | 109 | 90 | 2.45 | 2.20 | 6.80 |
| Albany | ML5037B | 0.000 | 0.300 | Vista Drive | 0.13 | 162 | 100 | 2.02 | 4.25 | 8.20 |
| Albany | ML5037B | 0.300 | 0.600 | Vista Drive | 0.13 | 59 | 100 | 3.74 | 4.08 | 6.80 |
| Albany | ML5037B | 0.600 | 0.880 | Vista Drive | 0.19 | 147 | 91 | 1.88 | 3.77 | 6.30 |
| Albany | ML5037B | 0.880 | 0.910 | Vista Drive | 0.30 | 279 | 91 | 0.43 | 2.67 | 7.50 |
| Albany | ML5060B | 0.000 | 1.260 | Soldier Springs Road | 0.06 | 64 | 98 | 3.62 | 6.26 | 5.80 |
| Albany | ML5060B | 1.260 | 2.680 | Soldier Springs Road | 0.07 | 57 | 100 | 3.83 | 5.31 | 7.10 |
| Albany | ML5060B | 2.680 | 3.110 | Soldier Springs Road | 0.06 | 76 | 100 | 3.43 | 5.22 | 6.60 |
| Albany | ML5069B | 0.000 | 0.500 | Gibbs Road | 0.31 | 359 | 64 | 0.00 | 3.88 | 6.40 |
| Albany | ML5071B | 0.000 | 5.570 | Pahlow Lane | 0.12 | 109 | 82 | 2.23 | 3.64 | 5.90 |
| Albany | ML5071B | 5.570 | 7.000 | Pahlow Lane | 0.13 | 90 | 83 | 2.60 | 4.09 | 3.80 |
| Albany | ML5072B | 0.000 | 1.920 | Hanson Lane | 0.08 | 98 | 100 | 3.00 | 2.87 | 7.30 |
| Albany | ML5087B | 0.000 | 3.300 | Harmony Lane | 0.11 | 88 | 87 | 2.77 | 4.10 | 4.80 |
| Albany | ML9417B | 0.000 | 0.190 | Ft. Sanders Road | 0.08 | 158 | 97 | 2.02 | 5.31 | 12.70 |
| Albany | ML9417B | 0.190 | 0.260 | Ft. Sanders Road | 0.06 | 95 | 100 | 3.06 | 5.13 | 12.90 |

Appendix 1.2: Big Horn County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | | Asphalt / Concrete Thickness | Base Thickness |
|----------|---------|----------|--------|---------------------------|---------|---------|---------|---------|------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | | |
| Big Horn | ML5092B | 2.860 | 3.600 | John Blue Road | Missing | Missing | Missing | Missing | 4.25 | 3.60 | |
| Big Horn | ML5093B | 0.000 | 2.300 | Five Springs Road | 0.32 | 413 | 95 | 0.00 | 3.54 | 5.70 | |
| Big Horn | ML5096B | 0.000 | 0.810 | Cemetary Road | 0.13 | 118 | 100 | 2.63 | 3.51 | Missing | |
| Big Horn | ML5096B | 0.810 | 0.820 | Cemetary Road | 0.16 | 2144 | 100 | 0.00 | 2.97 | Missing | |
| Big Horn | ML5099B | 8.850 | 12.670 | Beaver Creek Road | 0.18 | 178 | 94 | 1.59 | 4.16 | 5.90 | |
| Big Horn | ML5099B | 12.670 | 14.260 | Beaver Creek Road | 0.19 | 162 | 90 | 1.65 | 4.18 | Missing | |
| Big Horn | ML5099B | 14.260 | 15.000 | Beaver Creek Road | 0.17 | 142 | 91 | 1.97 | 3.98 | 5.10 | |
| Big Horn | ML5101B | 0.000 | 8.150 | Greybull River Road | 0.13 | 207 | 73 | 0.75 | 3.89 | 8.90 | |
| Big Horn | ML5101B | 8.150 | 9.070 | Greybull River Road | 0.15 | 173 | 72 | 1.04 | 3.46 | 5.00 | |
| Big Horn | ML5104B | 0.000 | 0.920 | Davis Road | Missing | Missing | Missing | Missing | 6.05 | Missing | |
| Big Horn | ML5104B | 0.920 | 0.990 | Davis Road | 0.40 | 413 | 36 | 0.00 | 6.93 | Missing | |
| Big Horn | ML5104B | 0.990 | 1.210 | Davis Road | 0.28 | 306 | 39 | 0.00 | 5.92 | Missing | |
| Big Horn | ML5106B | 0.000 | 0.670 | Orchard Bench Road | 0.25 | 249 | 87 | 0.63 | 3.79 | 6.20 | |
| Big Horn | ML5106B | 0.670 | 1.040 | Orchard Bench Road | 0.24 | 175 | 87 | 1.32 | 3.91 | 5.10 | |
| Big Horn | ML5106B | 1.040 | 1.540 | Orchard Bench Road | 0.22 | 209 | 84 | 0.93 | 3.73 | 5.50 | |
| Big Horn | ML5106B | 1.540 | 2.560 | Orchard Bench Road | 0.26 | 229 | 90 | 0.84 | 3.67 | 5.40 | |
| Big Horn | ML5106B | 2.560 | 3.890 | Orchard Bench Road | 0.22 | 169 | 84 | 1.32 | 3.44 | 5.60 | |
| Big Horn | ML5106B | 3.890 | 5.600 | Orchard Bench Road | 0.19 | 192 | 76 | 0.89 | 3.68 | 5.20 | |
| Big Horn | ML5106B | 5.600 | 6.830 | Orchard Bench Road | 0.15 | 195 | 88 | 1.26 | 4.31 | 6.00 | |
| Big Horn | ML5109B | 10.770 | 11.540 | Alkalai-Cold Springs Road | 0.22 | 203 | 98 | 1.39 | 6.00 | Missing | |
| Big Horn | ML5109B | 11.540 | 12.530 | Alkalai-Cold Springs Road | 0.22 | 228 | 98 | 1.18 | 5.65 | Missing | |
| Big Horn | ML5109B | 12.530 | 13.300 | Alkalai-Cold Springs Road | 0.15 | 259 | 96 | 0.98 | 6.30 | Missing | |
| Big Horn | ML5109B | 13.300 | 13.940 | Alkalai-Cold Springs Road | 0.20 | 208 | 98 | 1.38 | 6.10 | Missing | |
| Big Horn | ML5109B | 13.940 | 14.300 | Alkalai-Cold Springs Road | 0.20 | 180 | 100 | 1.72 | 6.10 | Missing | |
| Big Horn | ML5109B | 14.300 | 14.350 | Alkalai-Cold Springs Road | 0.27 | 360 | 85 | 0.00 | 7.57 | Missing | |
| Big Horn | ML5109B | 14.350 | 15.600 | Alkalai-Cold Springs Road | 0.22 | 208 | 87 | 1.01 | 6.81 | Missing | |
| Big Horn | ML5110B | 0.000 | 1.440 | Trapper Creek Road | 0.23 | 287 | 66 | 0.00 | 3.30 | 3.40 | |
| Big Horn | ML5110B | 1.440 | 2.820 | Trapper Creek Road | 0.27 | 366 | 81 | 0.00 | 4.44 | 2.90 | |
| Big Horn | ML5119B | 0.000 | 0.410 | Lane 11B | 0.28 | 440 | 65 | 0.00 | 3.68 | 4.70 | |
| Big Horn | ML5125B | 1.490 | 2.000 | Lane 12B | 0.20 | 212 | 76 | 0.69 | 2.27 | 8.20 | |
| Big Horn | ML5125B | 2.000 | 2.510 | Lane 12B | 0.16 | 178 | 87 | 1.42 | 2.41 | 7.40 | |
| Big Horn | ML5125B | 2.510 | 3.020 | Lane 12B | 0.12 | 102 | 80 | 2.30 | 3.97 | 4.90 | |
| Big Horn | ML5125B | 3.020 | 3.530 | Lane 12B | 0.13 | 91 | 87 | 2.70 | 4.04 | 4.70 | |
| Big Horn | ML5128B | 0.510 | 1.520 | Lane 13B | 0.09 | 82 | 83 | 2.77 | 3.79 | 4.50 | |
| Big Horn | ML5128B | 1.520 | 2.030 | Lane 13B | 0.08 | 125 | 78 | 1.90 | 3.94 | 5.00 | |
| Big Horn | ML5128B | 2.030 | 2.550 | Lane 13B | 0.08 | 75 | 87 | 3.04 | 3.81 | 5.00 | |
| Big Horn | ML5128B | 2.550 | 3.060 | Lane 13B | 0.08 | 77 | 85 | 2.94 | 3.41 | 5.40 | |
| Big Horn | ML5128B | 3.060 | 3.560 | Lane 13B | 0.08 | 112 | 87 | 2.37 | 3.54 | 5.10 | |
| Big Horn | ML5128B | 3.560 | 3.790 | Lane 13B | 0.18 | 275 | 84 | 0.48 | 3.81 | 2.70 | |
| Big Horn | ML5131B | 0.000 | 8.270 | Lane 16 1/2 | 0.19 | 277 | 84 | 0.44 | 4.24 | 13.30 | |
| Big Horn | ML5134B | 0.000 | 0.280 | Lane 18 1/2 | 0.19 | 193 | 100 | 1.60 | 3.71 | 5.80 | |
| Big Horn | ML5135B | 0.000 | 0.250 | Lane 2 1/2 | 0.20 | 175 | 82 | 1.24 | 4.05 | 7.10 | |
| Big Horn | ML5144B | 0.000 | 1.003 | Lane 32 1/2 | 0.15 | 120 | 98 | 2.52 | 5.67 | Missing | |
| Big Horn | ML5144B | 1.003 | 1.460 | Lane 32 1/2 | 0.13 | 136 | 96 | 2.25 | 5.34 | Missing | |
| Big Horn | ML5144B | 1.460 | 2.000 | Lane 32 1/2 | 0.24 | 199 | 94 | 1.27 | 5.66 | Missing | |
| Big Horn | ML5160B | 1.670 | 3.570 | Lane 39B | 0.18 | 222 | 100 | 1.34 | 5.10 | 4.10 | |
| Big Horn | ML5164B | 0.000 | 1.460 | Lane 40B | 0.12 | 99 | 89 | 2.62 | 4.30 | 4.60 | |
| Big Horn | ML5164B | 1.460 | 1.480 | Lane 40B | 0.09 | 78 | 86 | 2.95 | 3.66 | 3.20 | |
| Big Horn | ML5164B | 1.480 | 4.080 | Lane 40B | 0.12 | 86 | 84 | 2.73 | 4.45 | 5.20 | |
| Big Horn | ML5164B | 4.080 | 4.290 | Lane 40B | 0.13 | 83 | 87 | 2.85 | 4.63 | 5.90 | |
| Big Horn | ML5164B | 4.290 | 4.870 | Lane 40B | 0.13 | 92 | 82 | 2.53 | 4.09 | 5.10 | |
| Big Horn | ML5164B | 4.870 | 6.450 | Lane 40B | 0.11 | 75 | 88 | 3.03 | 4.07 | 5.00 | |
| Big Horn | ML5164B | 6.450 | 7.490 | Lane 40B | 0.12 | 82 | 80 | 2.68 | 3.86 | 5.10 | |
| Big Horn | ML5164B | 7.490 | 7.720 | Lane 40B | 0.11 | 98 | 86 | 2.57 | 4.14 | 4.60 | |
| Big Horn | ML5169B | 0.000 | 1.180 | Lane 42 1/2 | 0.31 | 419 | 46 | 0.00 | 4.39 | Missing | |
| Big Horn | ML5170B | 0.000 | 0.210 | Lane 42A | 0.31 | 372 | 55 | 0.00 | 4.18 | Missing | |
| Big Horn | ML5170B | 0.210 | 1.230 | Lane 42A | 0.31 | 435 | 50 | 0.00 | 4.87 | Missing | |
| Big Horn | ML5172B | 0.000 | 0.110 | Lane 42C | 0.22 | 603 | 52 | 0.00 | 3.04 | 9.40 | |
| Big Horn | ML5172B | 0.110 | 0.160 | Lane 42C | 0.64 | 493 | 49 | 0.00 | 2.44 | 5.30 | |
| Big Horn | ML5172B | 0.160 | 0.490 | Lane 42C | 0.23 | 242 | 87 | 0.71 | 4.99 | 5.00 | |
| Big Horn | ML5172B | 0.490 | 0.921 | Lane 42C | 0.21 | 260 | 61 | 0.00 | 3.96 | 7.50 | |
| Big Horn | ML5173B | 0.000 | 5.330 | Lane 43 | 0.18 | 150 | 83 | 1.61 | 2.60 | 13.40 | |
| Big Horn | ML5173B | 5.330 | 5.610 | Lane 43 | 0.20 | 246 | 81 | 0.56 | 3.75 | 9.60 | |
| Big Horn | ML5191B | 0.000 | 1.180 | Lane 55 | 0.32 | 332 | 63 | 0.00 | 3.85 | 4.60 | |
| Big Horn | ML5191B | 1.180 | 1.970 | Lane 55 | 0.28 | 249 | 91 | 0.67 | 2.32 | 7.20 | |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | | Asphalt / Concrete Thickness | Base Thickness |
|----------|---------|----------|--------|--------------|---------|---------|---------|---------|------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | | |
| Big Horn | ML5191B | 1.970 | 1.990 | Lane 55 | Missing | Missing | Missing | Missing | 2.36 | Missing | |
| Big Horn | ML5198B | 0.000 | 0.570 | Lane 7HA | 0.17 | 199 | 84 | 1.09 | 2.04 | 3.30 | |
| Big Horn | ML5200B | 0.000 | 0.510 | Lane 8HA | 0.20 | 272 | 71 | 0.08 | 2.89 | 5.60 | |
| Big Horn | ML5212B | 0.516 | 0.770 | Road 10HC | 0.26 | 390 | 54 | 0.00 | 5.33 | Missing | |
| Big Horn | ML5214B | 1.000 | 2.020 | Road 10B | 0.38 | 376 | 81 | 0.00 | 4.66 | 6.70 | |
| Big Horn | ML5214B | 2.020 | 2.550 | Road 10B | 0.26 | 294 | 56 | 0.00 | 4.62 | 6.00 | |
| Big Horn | ML5215B | 0.000 | 1.040 | Road 11HA | 0.20 | 185 | 84 | 1.19 | 6.75 | 6.10 | |
| Big Horn | ML5217B | 0.000 | 1.040 | Road 11A | 0.10 | 74 | 83 | 2.93 | 3.79 | 5.90 | |
| Big Horn | ML5220B | 0.000 | 0.360 | Road 12HB | 0.18 | 256 | 81 | 0.51 | 3.94 | 6.60 | |
| Big Horn | ML5220B | 0.360 | 3.170 | Road 12HB | 0.32 | 389 | 26 | 0.00 | 4.41 | 5.00 | |
| Big Horn | ML5237B | 0.000 | 0.990 | Road 16D | 0.18 | 149 | 84 | 1.65 | 2.62 | 11.50 | |
| Big Horn | ML5237B | 0.990 | 1.400 | Road 16D | 0.15 | 129 | 88 | 2.08 | 3.00 | 15.10 | |
| Big Horn | ML5237B | 1.400 | 1.920 | Road 16D | 0.17 | 170 | 88 | 1.52 | 2.67 | 9.20 | |
| Big Horn | ML5245B | 0.000 | 0.220 | Road 1C | 0.28 | 351 | 60 | 0.00 | 3.29 | Missing | |
| Big Horn | ML5249B | 0.000 | 2.840 | Road 26 | 0.10 | 59 | 89 | 3.44 | 6.82 | Missing | |
| Big Horn | ML5249B | 2.840 | 4.090 | Road 26 | 0.12 | 66 | 88 | 3.23 | 7.45 | Missing | |
| Big Horn | ML5249B | 4.090 | 6.200 | Road 26 | 0.08 | 64 | 88 | 3.30 | 7.42 | 4.40 | |
| Big Horn | ML5261B | 99.284 | 99.780 | Road 30 | 0.20 | 237 | 38 | 0.00 | 2.44 | 6.10 | |
| Big Horn | ML5263B | 0.000 | 0.130 | Road 31 | 0.35 | 547 | 67 | 0.00 | 6.05 | 5.50 | |
| Big Horn | ML5269B | 0.000 | 1.550 | Road 34B | Missing | Missing | Missing | Missing | 2.54 | 9.60 | |
| Big Horn | ML5269B | 1.550 | 2.050 | Road 34B | 0.29 | 265 | 75 | 0.07 | 4.15 | 10.00 | |
| Big Horn | ML5269B | 2.050 | 3.020 | Road 34B | 0.24 | 251 | 60 | 0.00 | 3.23 | 11.10 | |
| Big Horn | ML5271B | 0.660 | 1.420 | Road 36 | 0.17 | 127 | 98 | 2.38 | 6.68 | Missing | |
| Big Horn | ML5281B | 0.000 | 0.560 | Road 43 1/2 | 0.16 | 103 | 91 | 2.58 | 5.44 | 6.60 | |
| Big Horn | ML5281B | 0.560 | 1.340 | Road 43 1/2 | 0.15 | 128 | 87 | 2.07 | 5.40 | 6.30 | |
| Big Horn | ML5281B | 1.340 | 2.470 | Road 43 1/2 | 0.14 | 107 | 87 | 2.41 | 5.92 | 6.80 | |
| Big Horn | ML5281B | 2.470 | 4.560 | Road 43 1/2 | 0.14 | 105 | 79 | 2.19 | 5.54 | 7.30 | |
| Big Horn | ML5289B | 3.380 | 5.040 | Road 5B | 0.22 | 191 | 88 | 1.20 | 5.10 | 7.30 | |
| Big Horn | ML5290B | 6.040 | 6.120 | Road 5B | 0.13 | 207 | 85 | 1.10 | 3.93 | 8.10 | |
| Big Horn | ML5290B | 6.120 | 8.040 | Road 5B | 0.15 | 225 | 83 | 0.85 | 4.25 | 6.00 | |
| Big Horn | ML5292B | 0.000 | 0.050 | Road 5D | 0.16 | 419 | 87 | 0.00 | 4.22 | 3.80 | |
| Big Horn | ML5292B | 0.050 | 0.120 | Road 5D | 0.17 | 220 | 100 | 1.38 | 1.49 | 3.50 | |
| Big Horn | ML5295B | 2.620 | 3.670 | Road 7HA | 0.27 | 339 | 82 | 0.00 | 4.04 | 6.70 | |
| Big Horn | ML5298B | 0.000 | 0.030 | Road 7A | 0.23 | 185 | 95 | 1.47 | 4.73 | 9.90 | |
| Big Horn | ML5298B | 0.030 | 0.050 | Road 7A | 0.17 | 166 | 95 | 1.78 | 5.33 | 8.60 | |
| Big Horn | ML5298B | 0.050 | 2.640 | Road 7A | 0.15 | 192 | 83 | 1.17 | 4.90 | 9.90 | |
| Big Horn | ML5304B | 0.000 | 2.500 | | 0.38 | 449 | 60 | 0.00 | 4.53 | Missing | |
| Big Horn | ML5306B | 6.650 | 6.980 | Road 9A | 0.13 | 139 | 85 | 1.87 | 4.13 | 4.60 | |
| Big Horn | ML5307B | 0.000 | 0.920 | Road 9B | 0.15 | 173 | 77 | 1.18 | 7.59 | Missing | |
| Big Horn | ML5310B | 0.000 | 0.590 | R9E | 0.35 | 455 | 47 | 0.00 | 4.03 | Missing | |

Appendix 1.3: Campbell County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|----------|---------|----------|--------|------------------|---------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Campbell | ML4632B | 98.410 | 98.820 | | 0.19 | 133 | 71 | 1.46 | 5.20 | 11.20 |
| Campbell | ML5312B | 0.000 | 0.020 | Adon Road | 0.23 | 893 | 80 | 0.00 | 4.04 | Missing |
| Campbell | ML5312B | 0.020 | 1.030 | Adon Road | 0.12 | 93 | 100 | 3.05 | 7.81 | 2.60 |
| Campbell | ML5312B | 1.030 | 2.030 | Adon Road | 0.19 | 104 | 85 | 2.34 | 8.20 | 2.40 |
| Campbell | ML5312B | 2.030 | 2.800 | Adon Road | 0.14 | 75 | 100 | 3.39 | 8.61 | 2.50 |
| Campbell | ML5312B | 2.800 | 3.440 | Adon Road | 0.11 | 75 | 100 | 3.41 | 8.55 | 2.10 |
| Campbell | ML5312B | 3.440 | 15.20 | Adon Road | 0.09 | 86 | 100 | 3.21 | 6.41 | 2.60 |
| Campbell | ML5313B | 0.000 | 0.210 | American Road | 0.15 | 147 | 89 | 1.87 | 3.71 | 7.00 |
| Campbell | ML5313B | 0.210 | 0.750 | American Road | 0.14 | 136 | 89 | 2.02 | 3.77 | 8.30 |
| Campbell | ML5313B | 0.750 | 3.140 | American Road | 0.13 | 89 | 82 | 2.57 | 9.56 | 5.00 |
| Campbell | ML5313B | 3.140 | 5.300 | American Road | 0.14 | 90 | 86 | 2.67 | 9.99 | 5.30 |
| Campbell | ML5314B | 0.000 | 7.020 | Antelope Road | 0.16 | 97 | 90 | 2.64 | 6.35 | 6.70 |
| Campbell | ML5314B | 7.020 | 12.330 | Antelope Road | 0.17 | 92 | 98 | 2.96 | 5.57 | 8.00 |
| Campbell | ML5322B | 0.000 | 10.680 | Bishop Road | 0.14 | 130 | 88 | 2.07 | 7.54 | 6.30 |
| Campbell | ML5322B | 10.680 | 13.450 | Bishop Road | 0.15 | 123 | 87 | 2.12 | 8.98 | 5.40 |
| Campbell | ML5322B | 13.450 | 22.010 | Bishop Road | 0.14 | 145 | 88 | 1.86 | 8.02 | 4.70 |
| Campbell | ML5322B | 22.010 | 29.370 | Bishop Road | 0.16 | 136 | 89 | 1.99 | 10.32 | 5.50 |
| Campbell | ML5326B | 0.000 | 4.870 | Breene Road | 0.17 | 186 | 85 | 1.25 | 3.86 | 3.30 |
| Campbell | ML5338B | 1.520 | 1.820 | Boxelder Road | 0.17 | 253 | 89 | 0.78 | 9.86 | 7.70 |
| Campbell | ML5338B | 1.820 | 2.290 | Boxelder Road | 0.12 | 166 | 81 | 1.42 | 12.43 | Missing |
| Campbell | ML5338B | 2.290 | 2.780 | Boxelder Road | 0.07 | 95 | 85 | 2.61 | 10.79 | Missing |
| Campbell | ML5338B | 2.780 | 3.790 | Boxelder Road | 0.12 | 163 | 84 | 1.54 | 10.81 | Missing |
| Campbell | ML5338B | 3.790 | 4.180 | Boxelder Road | 0.14 | 121 | 89 | 2.25 | 8.53 | 3.60 |
| Campbell | ML5338B | 4.180 | 4.790 | Boxelder Road | 0.16 | 129 | 81 | 1.86 | 7.11 | Missing |
| Campbell | ML5339B | 2.430 | 2.540 | Echeta Road | 0.14 | 49 | 89 | 3.61 | 3.68 | 9.30 |
| Campbell | ML5339B | 2.540 | 2.880 | Echeta Road | 0.12 | 54 | 91 | 3.59 | 3.33 | 8.60 |
| Campbell | ML5339B | 2.880 | 3.680 | Echeta Road | 0.13 | 48 | 85 | 3.53 | 3.62 | 5.70 |
| Campbell | ML5339B | 3.680 | 5.880 | Echeta Road | 0.13 | 48 | 88 | 3.64 | 3.89 | 5.20 |
| Campbell | ML5339B | 5.880 | 8.600 | Echeta Road | 0.12 | 52 | 88 | 3.54 | 3.95 | 5.60 |
| Campbell | ML5340B | 0.000 | 2.250 | Edwards Road | 0.21 | 93 | 84 | 2.47 | 7.90 | 2.80 |
| Campbell | ML5340B | 2.250 | 5.570 | Edwards Road | 0.21 | 98 | 74 | 2.06 | 8.64 | 2.80 |
| Campbell | ML5340B | 5.570 | 5.760 | Edwards Road | 0.17 | 181 | 82 | 1.21 | 7.27 | 2.10 |
| Campbell | ML5340B | 5.760 | 6.700 | Edwards Road | 0.21 | 99 | 80 | 2.24 | 8.09 | 6.10 |
| Campbell | ML5342B | 3.210 | 3.320 | Force Road | 0.15 | 248 | 80 | 0.58 | 3.58 | 7.20 |
| Campbell | ML5342B | 3.320 | 3.560 | Force Road | 0.09 | 92 | 87 | 2.71 | 3.10 | 7.60 |
| Campbell | ML5342B | 7.130 | 8.040 | Force Road | 0.14 | 53 | 85 | 3.40 | 6.64 | 12.80 |
| Campbell | ML5342B | 8.040 | 9.290 | Force Road | 0.19 | 171 | 86 | 1.41 | 4.85 | 12.60 |
| Campbell | ML5345B | 0.000 | 4.300 | Fairview Road | 0.12 | 66 | 92 | 3.36 | 7.90 | 4.20 |
| Campbell | ML5345B | 4.300 | 6.110 | Fairview Road | 0.10 | 53 | 97 | 3.78 | 6.61 | 5.00 |
| Campbell | ML5346B | 0.000 | 1.500 | Southern Drive | 0.16 | 63 | 90 | 3.30 | 9.89 | 15.70 |
| Campbell | ML5346B | 1.500 | 2.100 | Southern Drive | 0.16 | 48 | 89 | 3.62 | 9.61 | 16.40 |
| Campbell | ML5346B | 2.100 | 3.800 | Southern Drive | 0.16 | 67 | 87 | 3.15 | 9.96 | 9.50 |
| Campbell | ML5349B | 0.000 | 2.860 | 38N | 0.15 | 74 | 97 | 3.31 | 9.94 | 8.70 |
| Campbell | ML5349B | 2.860 | 3.640 | 38N | 0.19 | 90 | 98 | 2.97 | 8.76 | 4.50 |
| Campbell | ML5349B | 3.640 | 4.120 | 38N | 0.14 | 253 | 86 | 0.73 | 10.42 | 14.10 |
| Campbell | ML5349B | 4.120 | 4.390 | 38N | 0.14 | 187 | 100 | 1.73 | 11.09 | 11.00 |
| Campbell | ML5349B | 4.390 | 5.100 | 38N | 0.18 | 66 | 100 | 3.52 | 7.87 | 9.00 |
| Campbell | ML5349B | 5.100 | 5.840 | 38N | 0.16 | 105 | 80 | 2.20 | 9.21 | 10.30 |
| Campbell | ML5349B | 5.840 | 7.740 | 38N | 0.18 | 136 | 81 | 1.72 | 11.46 | 7.90 |
| Campbell | ML5349B | 7.740 | 7.870 | 38N | 0.12 | 132 | 85 | 1.98 | 9.36 | 10.60 |
| Campbell | ML5349B | 7.870 | 10.000 | 38N | Missing | Missing | Missing | Missing | 11.43 | 7.70 |
| Campbell | ML5357B | 0.000 | 4.120 | Haight Road | 0.14 | 79 | 92 | 3.05 | 6.47 | 5.20 |
| Campbell | ML5359B | 0.000 | 0.520 | Hannum Road 4629 | Missing | Missing | Missing | Missing | 8.31 | Missing |
| Campbell | ML5359B | 0.520 | 2.840 | Hannum Road 4629 | 0.13 | 122 | 80 | 1.97 | 4.79 | 2.80 |
| Campbell | ML5359B | 2.840 | 3.840 | Hannum Road 4629 | 0.14 | 156 | 85 | 1.64 | 4.93 | 3.60 |
| Campbell | ML5365B | 0.000 | 6.340 | Hilight Road | 0.10 | 70 | 98 | 3.46 | 6.49 | 6.80 |
| Campbell | ML5365B | 6.340 | 9.120 | Hilight Road | 0.11 | 97 | 89 | 2.68 | 5.68 | 5.10 |
| Campbell | ML5365B | 9.120 | 10.640 | Hilight Road | 0.10 | 94 | 86 | 2.64 | 4.79 | 7.40 |
| Campbell | ML5365B | 10.640 | 13.660 | Hilight Road | 0.09 | 73 | 90 | 3.16 | 5.85 | 5.20 |
| Campbell | ML5365B | 13.660 | 15.740 | Hilight Road | 0.11 | 77 | 88 | 3.02 | 5.65 | 5.10 |
| Campbell | ML5365B | 15.740 | 19.950 | Hilight Road | 0.10 | 84 | 83 | 2.74 | 6.41 | 5.50 |
| Campbell | ML5365B | 19.950 | 23.030 | Hilight Road | 0.09 | 87 | 81 | 2.62 | 6.27 | 5.80 |
| Campbell | ML5365B | 23.030 | 28.660 | Hilight Road | 0.14 | 115 | 91 | 2.39 | 4.00 | 6.60 |
| Campbell | ML5366B | 0.000 | 1.940 | Hoadley Road | 0.08 | 109 | 90 | 2.51 | 6.67 | 8.60 |
| Campbell | ML5377B | 1.200 | 2.170 | Kluver Road 64 | 0.20 | 196 | 80 | 0.95 | 4.32 | 4.10 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | | |
|----------|---------|----------|--------|------------------------|------|-----|-----|------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | Asphalt / Concrete Thickness | Base Thickness |
| Campbell | ML5382B | 1.800 | 4.930 | Little Powder River Rd | 0.21 | 105 | 99 | 2.69 | 5.90 | 10.30 |
| Campbell | ML5395B | 0.000 | 4.500 | Recluse Road | 0.11 | 46 | 94 | 3.88 | 7.81 | 7.40 |
| Campbell | ML5395B | 4.500 | 8.260 | Recluse Road | 0.12 | 48 | 88 | 3.62 | 7.15 | 5.90 |
| Campbell | ML5396B | 0.000 | 3.980 | Reno Road | 0.20 | 146 | 87 | 1.73 | 4.94 | 4.70 |
| Campbell | ML5405B | 3.430 | 3.710 | Svalina Road | 0.13 | 120 | 70 | 1.71 | 5.48 | 1.70 |
| Campbell | ML5406B | 0.000 | 0.650 | Swanson Road | 0.08 | 131 | 98 | 2.42 | 9.43 | 7.20 |
| Campbell | ML5411B | 3.970 | 10.630 | T-7 Road 99B | 0.13 | 106 | 31 | 0.75 | 6.08 | 8.30 |
| Campbell | ML5413B | 0.000 | 1.560 | Union Chapel Road | 0.12 | 57 | 96 | 3.65 | 10.08 | 7.30 |
| Campbell | ML5413B | 1.560 | 2.050 | Union Chapel Road | 0.11 | 102 | 87 | 2.52 | 9.63 | 7.60 |
| Campbell | ML5413B | 2.050 | 5.800 | Union Chapel Road | 0.11 | 82 | 93 | 3.07 | 7.93 | 8.40 |
| Campbell | ML5414B | 0.000 | 3.120 | Warlow road | 0.21 | 95 | 90 | 2.62 | 4.90 | 7.20 |
| Campbell | ML5414B | 3.120 | 4.070 | Warlow road | 0.19 | 85 | 88 | 2.76 | 4.14 | 7.00 |
| Campbell | ML5423B | 3.080 | 4.150 | 4-J Road | 0.20 | 85 | 89 | 2.77 | 4.82 | 5.40 |
| Campbell | ML9614B | 0.000 | 0.120 | | 0.18 | 162 | 98 | 1.90 | 4.11 | 9.30 |

Appendix 1.4: Carbon County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | | Asphalt / Concrete Thickness | Base Thickness |
|--------|----------|----------|---------|---------------------------------------|---------|---------|---------|---------|---------------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | | |
| Carbon | ML20264B | 100.378 | 100.778 | | Missing | Missing | Missing | Missing | 6.39 | 10.50 | |
| Carbon | ML20264B | 100.778 | 101.545 | | Missing | Missing | Missing | Missing | 4.76 | 8.60 | |
| Carbon | ML5428B | 2.500 | 2.870 | Elk Mountain-Medicine Bow Road | 0.35 | 315 | 72 | 0.00 | 9.16 | Missing | |
| Carbon | ML5457B | 0.740 | 4.040 | Hanna Leo, Kortes Road | 0.19 | 215 | 80 | 0.78 | 4.43 | 8.90 | |
| Carbon | ML5457B | 53.850 | 57.430 | Hanna Leo, Kortes Road | 0.23 | 230 | 70 | 0.31 | 1.32 | 5.10 | |
| Carbon | ML5463B | 0.000 | 0.380 | Old Lincoln Highway | 0.19 | 412 | 76 | 0.00 | 4.36 | 5.50 | |
| Carbon | ML5465B | 0.000 | 5.170 | Sinclair-Platt River/Golf Course Road | 0.26 | 311 | 77 | 0.00 | 3.35 | 9.00 | |
| Carbon | ML5469B | 0.000 | 0.900 | 347N | 0.18 | 324 | 76 | 0.00 | 2.48 | 8.00 | |
| Carbon | ML5471B | 0.620 | 26.030 | Seminole Road | 0.17 | 99 | 87 | 2.51 | 4.56 | 7.90 | |
| Carbon | ML5471B | 26.030 | 31.375 | Seminole Road | 0.19 | 152 | 96 | 1.93 | 4.60 | 6.20 | |
| Carbon | ML5480B | 0.000 | 1.000 | C.I.G. Road | 0.23 | 335 | 76 | 0.00 | 6.70 | 8.20 | |
| Carbon | ML5491B | 0.000 | 0.194 | Saratoga/10 Mile/Ryan Park Road | 0.08 | 220 | 90 | 1.16 | No Paved Road | No Paved Road | |
| Carbon | ML5491B | 0.194 | 0.616 | Saratoga/10 Mile/Ryan Park Road | 0.17 | 248 | 81 | 0.59 | 2.63 | 4.60 | |
| Carbon | ML5491B | 0.616 | 1.195 | Saratoga/10 Mile/Ryan Park Road | 0.26 | 244 | 75 | 0.29 | 2.70 | 3.80 | |
| Carbon | ML5491B | 1.195 | 3.697 | Saratoga/10 Mile/Ryan Park Road | 0.20 | 185 | 74 | 0.89 | 5.38 | Missing | |
| Carbon | ML5491B | 3.697 | 4.500 | Saratoga/10 Mile/Ryan Park Road | 0.15 | 131 | 80 | 1.80 | 6.34 | Missing | |
| Carbon | ML5523B | 0.000 | 1.930 | Snake River Spur | 0.25 | 236 | 72 | 0.26 | 3.12 | 6.10 | |

Appendix 1.5: Converse County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | |
|----------|---------|----------|--------|-------------------------|------|-----|-----|------|------------------------------|
| | | | | | Rut | IRI | PCI | PSI | Asphalt / Concrete Thickness |
| Converse | ML5531B | 0.000 | 0.210 | Irvine Road A-1 | 0.15 | 174 | 83 | 1.35 | 3.94 |
| Converse | ML5531B | 0.210 | 1.031 | Irvine Road A-1 | 0.14 | 117 | 81 | 2.07 | 4.83 |
| Converse | ML5531B | 1.031 | 1.073 | Irvine Road A-1 | 0.11 | 110 | 84 | 2.31 | 4.72 |
| Converse | ML5531B | 1.073 | 4.470 | Irvine Road A-1 | 0.19 | 159 | 84 | 1.51 | 3.51 |
| Converse | ML5532B | 0.000 | 0.390 | Anderson Dairy Road | 0.15 | 201 | 80 | 0.98 | 4.62 |
| Converse | ML5532B | 0.390 | 0.560 | Anderson Dairy Road | 0.10 | 160 | 87 | 1.68 | 4.77 |
| Converse | ML5532B | 0.560 | 0.840 | Anderson Dairy Road | 0.12 | 107 | 76 | 2.09 | 4.17 |
| Converse | ML5532B | 0.840 | 1.090 | Anderson Dairy Road | 0.12 | 105 | 65 | 1.80 | 3.80 |
| Converse | ML5539B | 0.000 | 1.160 | Chalk Buttes Road | 0.23 | 214 | 65 | 0.29 | 4.63 |
| Converse | ML5539B | 1.160 | 2.076 | Chalk Buttes Road | 0.25 | 220 | 77 | 0.56 | 4.22 |
| Converse | ML5539B | 2.076 | 3.900 | Chalk Buttes Road | 0.25 | 235 | 25 | 0.00 | 4.34 |
| Converse | ML5543B | 0.000 | 4.500 | Natural Bridge Road | 0.27 | 218 | 58 | 0.00 | 4.57 |
| Converse | ML5547B | 0.000 | 2.350 | Boxelder Road | 0.20 | 192 | 52 | 0.17 | 4.13 |
| Converse | ML5547B | 2.350 | 2.790 | Boxelder Road | 0.18 | 208 | 50 | 0.00 | 4.09 |
| Converse | ML5547B | 2.790 | 5.270 | Boxelder Road | 0.21 | 214 | 55 | 0.02 | 1.73 |
| Converse | ML5549B | 0.000 | 0.030 | Mormon Canyon Road | 0.13 | 858 | 91 | 0.00 | 4.42 |
| Converse | ML5549B | 0.030 | 1.870 | Mormon Canyon Road | 0.28 | 218 | 39 | 0.00 | 3.60 |
| Converse | ML5550B | 0.000 | 6.050 | Deer Creek Road | 0.24 | 219 | 47 | 0.00 | 3.72 |
| Converse | ML5554B | 0.000 | 0.320 | 55 Ranch Road | 0.51 | 206 | 87 | 0.18 | 4.32 |
| Converse | ML5554B | 0.320 | 1.060 | 55 Ranch Road | 0.40 | 114 | 84 | 1.66 | 5.10 |
| Converse | ML5554B | 1.060 | 10.690 | 55 Ranch Road | 0.26 | 132 | 89 | 1.89 | 4.93 |
| Converse | ML5556B | 0.000 | 0.260 | 25A | 0.14 | 178 | 85 | 1.37 | 3.91 |
| Converse | ML5559B | 15.840 | 17.100 | Tank Farm Road | 0.13 | 118 | 50 | 1.14 | 4.07 |
| Converse | ML5561B | 10.830 | 11.360 | Inez Road | 0.16 | 243 | 67 | 0.21 | 5.34 |
| Converse | ML5563B | 0.000 | 20.750 | Ross Road | 0.32 | 120 | 50 | 0.74 | 4.29 |
| Converse | ML5564B | 0.000 | 2.122 | Highland Loop Road | 0.27 | 289 | 53 | 0.00 | 8.13 |
| Converse | ML5568B | 0.000 | 2.840 | Sunflower Road | 0.09 | 86 | 32 | 1.19 | No Paved Road |
| Converse | ML5569B | 0.000 | 1.020 | Antelope Coal Mine Road | 0.26 | 151 | 100 | 1.96 | 4.26 |
| Converse | ML5569B | 1.020 | 5.140 | Antelope Coal Mine Road | 0.16 | 132 | 84 | 1.89 | 5.25 |
| Converse | ML5569B | 5.140 | 6.840 | Antelope Coal Mine Road | 0.15 | 120 | 94 | 2.39 | 5.86 |
| Converse | ML5569B | 6.840 | 7.980 | Antelope Coal Mine Road | 0.13 | 85 | 98 | 3.14 | 5.58 |
| Converse | ML5569B | 7.980 | 9.330 | Antelope Coal Mine Road | 0.12 | 73 | 100 | 3.45 | 4.78 |
| Converse | ML5575B | 0.000 | 1.120 | Walker Creek Road | 0.16 | 148 | 100 | 2.17 | 5.09 |
| Converse | ML5575B | 1.120 | 1.900 | Walker Creek Road | 0.12 | 118 | 100 | 2.64 | 4.96 |
| Converse | ML5575B | 1.900 | 2.990 | Walker Creek Road | 0.08 | 79 | 100 | 3.35 | 7.74 |
| Converse | ML5575B | 2.990 | 9.920 | Walker Creek Road | 0.20 | 212 | 61 | 0.22 | 5.23 |
| Converse | ML5577B | 0.000 | 0.040 | Twenty Mile Creek Road | 0.22 | 525 | 79 | 0.00 | 5.42 |
| Converse | ML5577B | 0.040 | 0.320 | Twenty Mile Creek Road | 0.27 | 262 | 81 | 0.31 | 2.85 |
| Converse | ML5584B | 0.560 | 2.215 | East Antelope Road 4820 | 0.27 | 257 | 71 | 0.05 | 4.84 |
| Converse | ML5584B | 2.215 | 3.112 | East Antelope Road 4820 | 0.27 | 237 | 74 | 0.28 | 4.61 |
| Converse | ML5584B | 3.112 | 5.710 | East Antelope Road 4820 | 0.27 | 248 | 66 | 0.00 | 4.72 |
| Converse | ML5592B | 0.763 | 1.080 | Brownfield Drive | 0.26 | 299 | 92 | 0.43 | 4.33 |
| Converse | ML5592B | 1.080 | 1.340 | Brownfield Drive | 0.30 | 243 | 81 | 0.37 | 4.16 |
| Converse | ML5592B | 1.340 | 1.450 | Brownfield Drive | 0.34 | 241 | 79 | 0.22 | 1.79 |
| Converse | ML5593B | 0.000 | 0.430 | Jarmon Trail Road | 0.20 | 200 | 54 | 0.14 | 2.71 |
| Converse | ML5596B | 0.013 | 0.247 | Smylie Road | 0.21 | 285 | 74 | 0.07 | 2.49 |
| Converse | ML5596B | 0.247 | 0.480 | Smylie Road | 0.25 | 322 | 78 | 0.00 | 1.36 |
| Converse | ML5596B | 0.480 | 0.740 | Smylie Road | 0.28 | 302 | 74 | 0.00 | 2.68 |
| Converse | ML5596B | 0.740 | 0.890 | Smylie Road | 0.33 | 326 | 55 | 0.00 | 3.51 |
| Converse | ML5597B | 0.120 | 0.260 | Robin Lane | 0.31 | 358 | 75 | 0.00 | 3.23 |
| Converse | ML5598B | 0.260 | 0.490 | Robin Lane | 0.32 | 238 | 81 | 0.37 | 4.45 |
| Converse | ML5599B | 0.000 | 0.130 | West Laramie Street | 0.24 | 303 | 58 | 0.00 | 3.93 |
| Converse | ML9476B | 0.000 | 0.510 | | 0.23 | 377 | 70 | 0.00 | 4.32 |
| Converse | ML9569B | 0.000 | 0.761 | | 0.34 | 297 | 54 | 0.00 | 2.16 |
| | | | | | | | | | 3.80 |

Appendix 1.6: Crook County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | | Asphalt / Concrete Thickness | Base Thickness |
|--------|---------|----------|--------|------------------|---------|---------|---------|---------|------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | | |
| Crook | ML5625B | 0.000 | 2.000 | D-Road | 0.37 | 245 | 85 | 0.29 | 4.18 | 5.80 | |
| Crook | ML5625B | 2.000 | 7.000 | D-Road | 0.39 | 228 | 19 | 0.00 | 4.15 | 7.70 | |
| Crook | ML5625B | 7.000 | 18.380 | D-Road | Missing | Missing | Missing | Missing | 4.21 | 6.00 | |
| Crook | ML5635B | 0.000 | 0.780 | Warren Peak Road | 0.16 | 219 | 81 | 0.83 | 3.50 | 4.50 | |
| Crook | ML5635B | 0.780 | 1.380 | Warren Peak Road | 0.20 | 218 | 81 | 0.79 | 3.55 | 6.00 | |
| Crook | ML5635B | 1.380 | 2.470 | Warren Peak Road | 0.20 | 206 | 71 | 0.59 | 3.33 | 6.50 | |
| Crook | ML5635B | 2.470 | 13.400 | Warren Peak Road | 0.19 | 135 | 43 | 0.60 | 3.64 | 6.70 | |
| Crook | ML5667B | 0.000 | 2.740 | New Haven Road | Missing | Missing | Missing | Missing | 4.30 | 5.40 | |
| Crook | ML5669B | 1.560 | 2.010 | McKean Road | 0.18 | 57 | 85 | 3.26 | 7.98 | 8.80 | |
| Crook | ML5669B | 2.010 | 2.730 | McKean Road | 0.15 | 111 | 94 | 2.54 | 6.26 | 7.60 | |
| Crook | ML5669B | 2.730 | 3.500 | McKean Road | 0.13 | 91 | 82 | 2.55 | 4.68 | 6.00 | |
| Crook | ML5680B | 0.000 | 3.630 | Pine Ridge Road | 0.19 | 99 | 89 | 2.52 | 4.71 | 7.30 | |
| Crook | ML5680B | 3.630 | 5.130 | Pine Ridge Road | 0.14 | 93 | 87 | 2.66 | 8.01 | 8.10 | |
| Crook | ML5681B | 0.000 | 0.110 | Moskee Road | 0.08 | 85 | 79 | 2.62 | 4.07 | 7.80 | |
| Crook | ML5681B | 0.110 | 3.700 | Moskee Road | 0.15 | 118 | 88 | 2.24 | 4.18 | 7.50 | |
| Crook | ML5681B | 3.700 | 3.950 | Moskee Road | 0.17 | 169 | 87 | 1.50 | 3.46 | 6.80 | |
| Crook | ML5681B | 3.950 | 6.300 | Moskee Road | 0.17 | 225 | 79 | 0.71 | 3.65 | 5.90 | |
| Crook | ML5681B | 6.300 | 7.740 | Moskee Road | 0.27 | 204 | 45 | 0.00 | 3.95 | 7.10 | |
| Crook | ML5681B | 7.740 | 8.030 | Moskee Road | 0.19 | 281 | 78 | 0.23 | 3.60 | 5.70 | |
| Crook | ML5683B | 16.610 | 17.700 | Pine Haven Road | 0.20 | 211 | 87 | 1.03 | 4.90 | 10.60 | |
| Crook | ML610B | 0.000 | 0.650 | | Missing | Missing | Missing | Missing | 2.13 | 7.10 | |
| Crook | ML610B | 0.650 | 1.070 | | Missing | Missing | Missing | Missing | 2.82 | 8.10 | |

Appendix 1.7: Fremont County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|---------|----------|---------|---------------------------|---------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Fremont | ML5690B | 0.000 | 0.800 | Dutch Ed Lane | 0.18 | 229 | 82 | 0.74 | 4.61 | 5.80 |
| Fremont | ML5692B | 0.000 | 0.750 | Tweed Lane | 0.27 | 285 | 80 | 0.13 | 4.56 | 6.00 |
| Fremont | ML5697B | 0.250 | 2.200 | Williams Road | 0.20 | 209 | 34 | 0.00 | 5.12 | 8.10 |
| Fremont | ML5700B | 0.000 | 0.070 | Squaw Creek Road | 0.25 | 392 | 88 | 0.00 | 4.08 | 12.00 |
| Fremont | ML5700B | 0.070 | 0.670 | Squaw Creek Road | 0.20 | 164 | 88 | 1.54 | 6.62 | 4.70 |
| Fremont | ML5700B | 0.670 | 0.980 | Squaw Creek Road | 0.17 | 140 | 78 | 1.60 | 6.43 | 4.20 |
| Fremont | ML5700B | 0.980 | 3.500 | Squaw Creek Road | 0.13 | 165 | 75 | 1.25 | 4.27 | 4.40 |
| Fremont | ML5700B | 3.500 | 3.660 | Squaw Creek Road | 0.12 | 160 | 80 | 1.46 | 4.37 | 3.80 |
| Fremont | ML5700B | 3.660 | 4.530 | Squaw Creek Road | 0.13 | 189 | 80 | 1.12 | 4.61 | 5.90 |
| Fremont | ML5700B | 4.530 | 6.100 | Squaw Creek Road | 0.15 | 245 | 40 | 0.00 | 4.65 | 4.00 |
| Fremont | ML5702B | 0.000 | 1.410 | Riverview Cutoff | 0.18 | 216 | 41 | 0.00 | 8.42 | Missing |
| Fremont | ML5702B | 1.410 | 1.700 | Riverview Cutoff | 0.19 | 198 | 78 | 0.89 | 9.10 | Missing |
| Fremont | ML5704B | 0.000 | 0.210 | Twin Creek Road | Missing | Missing | Missing | Missing | 0.96 | 6.50 |
| Fremont | ML5705B | 0.000 | 0.410 | Mortimore Lane | 0.26 | 225 | 79 | 0.56 | 4.23 | 10.50 |
| Fremont | ML5705B | 0.410 | 0.740 | Mortimore Lane | 0.21 | 158 | 100 | 1.96 | 4.52 | 10.60 |
| Fremont | ML5705B | 0.740 | 2.540 | Mortimore Lane | 0.18 | 191 | 43 | 0.00 | 4.77 | 9.90 |
| Fremont | ML5709B | 2.690 | 3.250 | North Second Street | 0.14 | 114 | 89 | 2.36 | 5.22 | 8.40 |
| Fremont | ML5709B | 3.250 | 3.580 | North Second Street | 0.11 | 94 | 86 | 2.63 | 5.54 | 7.20 |
| Fremont | ML5709B | 3.580 | 4.940 | North Second Street | 0.18 | 116 | 45 | 0.95 | 4.71 | 7.80 |
| Fremont | ML5713B | 0.000 | 1.200 | Chittim Road | 0.20 | 180 | 35 | 0.00 | 4.73 | 9.60 |
| Fremont | ML5714B | 0.000 | 0.140 | Shrine Club Road | 0.22 | 467 | 58 | 0.00 | 3.89 | 4.60 |
| Fremont | ML5714B | 0.140 | 0.350 | Shrine Club Road | 0.26 | 319 | 54 | 0.00 | 2.88 | Missing |
| Fremont | ML5715B | 0.000 | 0.050 | Dillon Drive 4679 | 0.14 | 396 | 98 | 0.40 | 4.49 | 7.90 |
| Fremont | ML5715B | 0.050 | 0.170 | Dillon Drive 4679 | 0.14 | 274 | 71 | 0.14 | 4.16 | 8.30 |
| Fremont | ML5715B | 0.170 | 0.230 | Dillon Drive 4679 | 0.20 | 428 | 22 | 0.00 | 3.02 | 5.10 |
| Fremont | ML5716B | 1.280 | 2.640 | Riverview Road | 0.22 | 229 | 37 | 0.00 | 4.16 | 11.60 |
| Fremont | ML5716B | 2.640 | 4.240 | Riverview Road | 0.20 | 204 | Missing | Missing | 4.12 | 9.40 |
| Fremont | ML5716B | 4.240 | 4.430 | Riverview Road | 0.16 | 193 | 85 | 1.20 | 4.35 | 7.70 |
| Fremont | ML5716B | 4.430 | 6.510 | Riverview Road | 0.14 | 192 | 40 | 0.00 | 4.18 | 4.30 |
| Fremont | ML5716B | 6.510 | 12.170 | Riverview Road | 0.17 | 167 | 67 | 0.91 | 3.76 | 10.20 |
| Fremont | ML5716B | 12.170 | 15.880 | Riverview Road | 0.14 | 166 | 56 | 0.65 | 3.95 | 11.60 |
| Fremont | ML5730B | 0.000 | 1.200 | Cooper Road | 0.18 | 199 | 24 | 0.00 | 4.23 | 5.40 |
| Fremont | ML5731B | 0.000 | 0.240 | Stagner Rd. Hilltop Drive | 0.10 | 128 | 85 | 2.07 | 3.36 | Missing |
| Fremont | ML5738B | 100.000 | 100.340 | | 0.20 | 177 | 75 | 1.01 | 4.45 | 8.30 |
| Fremont | ML5740B | 0.000 | 2.440 | Badwater Road | 0.12 | 94 | 60 | 1.85 | 6.43 | 8.10 |
| Fremont | ML5740B | 27.530 | 28.470 | Badwater Road | 0.23 | 210 | 78 | 0.72 | 4.57 | Missing |
| Fremont | ML5740B | 28.470 | 31.940 | Badwater Road | 0.14 | 123 | 80 | 1.93 | 3.62 | 5.50 |
| Fremont | ML5740B | 31.940 | 33.770 | Badwater Road | 0.21 | 207 | 38 | 0.00 | 7.45 | 8.10 |
| Fremont | ML5741B | 0.000 | 0.070 | Lower North Fork Road | 0.13 | 576 | 87 | 0.00 | 8.71 | Missing |
| Fremont | ML5741B | 0.070 | 2.070 | Lower North Fork Road | 0.15 | 200 | 86 | 1.17 | 7.57 | Missing |
| Fremont | ML5741B | 2.070 | 3.300 | Lower North Fork Road | 0.19 | 204 | 84 | 1.01 | 10.29 | 7.40 |
| Fremont | ML5742B | 0.000 | 0.800 | Spring Valley Drive | 0.26 | 314 | 65 | 0.00 | 3.55 | 4.60 |
| Fremont | ML5743B | 0.000 | 2.920 | North Fork Road | 0.16 | 212 | 78 | 0.81 | 6.19 | 4.30 |
| Fremont | ML5747B | 0.500 | 1.530 | Smith Road | 0.18 | 207 | 85 | 1.02 | 3.65 | 4.70 |
| Fremont | ML5747B | 1.530 | 1.780 | Smith Road | 0.20 | 238 | 77 | 0.48 | 2.73 | 6.60 |
| Fremont | ML5747B | 1.780 | 2.270 | Smith Road | 0.25 | 239 | 80 | 0.49 | 10.12 | 5.10 |
| Fremont | ML5747B | 2.270 | 3.040 | Smith Road | 0.26 | 208 | 76 | 0.62 | 9.52 | 3.60 |
| Fremont | ML5749B | 0.000 | 0.070 | Hillcrest Drive | 0.16 | 342 | 76 | 0.00 | 3.03 | 5.70 |
| Fremont | ML5749B | 0.070 | 0.810 | Hillcrest Drive | 0.22 | 252 | 78 | 0.39 | 4.55 | 4.40 |
| Fremont | ML5754B | 0.000 | 8.010 | Lysite Moneta Road | 0.25 | 65 | 86 | 3.01 | 4.40 | 12.40 |
| Fremont | ML5754B | 8.010 | 8.330 | Lysite Moneta Road | 0.40 | 124 | 85 | 1.51 | 4.22 | 10.60 |
| Fremont | ML5754B | 8.330 | 8.510 | Lysite Moneta Road | 0.14 | 281 | 85 | 0.52 | 3.34 | 5.40 |
| Fremont | ML5755B | 0.000 | 0.320 | Old Highway 177 1/2 | 0.21 | 801 | 70 | 0.00 | 4.70 | Missing |
| Fremont | ML5756B | 0.650 | 0.900 | North Eighth St West | 0.15 | 63 | 88 | 3.25 | 5.33 | 4.50 |
| Fremont | ML5756B | 0.900 | 1.110 | North Eighth St West | 0.17 | 93 | 89 | 2.67 | 5.22 | 4.70 |
| Fremont | ML5756B | 1.110 | 2.130 | North Eighth St West | 0.12 | 81 | 86 | 2.86 | 5.10 | 4.10 |
| Fremont | ML5756B | 2.130 | 2.910 | North Eighth St West | 0.11 | 69 | 89 | 3.22 | 5.08 | 4.00 |
| Fremont | ML5756B | 2.910 | 3.150 | North Eighth St West | 0.11 | 87 | 82 | 2.65 | 5.22 | 4.20 |
| Fremont | ML5758B | 0.000 | 0.060 | | 0.09 | 166 | 94 | 1.83 | 2.90 | 3.30 |
| Fremont | ML5758B | 0.060 | 0.140 | | 0.09 | 191 | 98 | 1.68 | 2.53 | 6.60 |
| Fremont | ML5761B | 0.510 | 0.950 | Baldwin Creek Road | 0.18 | 210 | 82 | 0.91 | 4.01 | 6.30 |
| Fremont | ML5761B | 0.950 | 1.000 | Baldwin Creek Road | 0.44 | 381 | 80 | 0.00 | 5.78 | 7.90 |
| Fremont | ML5761B | 1.000 | 5.380 | Baldwin Creek Road | 0.16 | 193 | 78 | 0.99 | 4.86 | 4.30 |
| Fremont | ML5761B | 5.380 | 5.420 | Baldwin Creek Road | 0.17 | 381 | 65 | 0.00 | 4.66 | 3.70 |
| Fremont | ML5769B | 0.000 | 0.930 | Atlantic City Road | 0.19 | 202 | 75 | 0.76 | 4.41 | Missing |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|---------|----------|--------|-----------------------------|---------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Fremont | ML5773B | 0.000 | 0.730 | Spriggs Drive | 0.22 | 341 | 81 | 0.00 | 3.46 | 7.30 |
| Fremont | ML5783B | 0.000 | 0.250 | Hutchison Road | 0.14 | 207 | 85 | 1.09 | 4.59 | 8.90 |
| Fremont | ML5783B | 0.250 | 1.330 | Hutchison Road | 0.14 | 85 | 88 | 2.83 | 4.67 | 8.40 |
| Fremont | ML5783B | 1.330 | 2.280 | Hutchison Road | 0.10 | 95 | 89 | 2.72 | 4.71 | 8.70 |
| Fremont | ML5783B | 2.280 | 2.680 | Hutchison Road | 0.17 | 187 | 80 | 1.09 | 2.21 | 4.10 |
| Fremont | ML5785B | 0.000 | 0.580 | Mazet Drive | 0.16 | 287 | 81 | 0.34 | 5.71 | 4.40 |
| Fremont | ML5785B | 0.580 | 1.850 | Mazet Drive | 0.17 | 220 | 44 | 0.00 | 7.73 | 5.90 |
| Fremont | ML5789B | 0.000 | 0.450 | Soda Springs | Missing | Missing | Missing | Missing | 1.85 | Missing |
| Fremont | ML5789B | 0.450 | 3.810 | Soda Springs | Missing | Missing | Missing | Missing | 5.48 | 4.70 |
| Fremont | ML5789B | 0.490 | 3.500 | Soda Springs | Missing | Missing | Missing | Missing | 3.60 | 2.70 |
| Fremont | ML5792B | 0.000 | 0.450 | Horse Creek Road | 0.33 | 521 | 61 | 0.00 | No Paved Road | No Paved Road |
| Fremont | ML5792B | 0.450 | 3.810 | Horse Creek Road | 0.11 | 91 | 83 | 2.59 | No Paved Road | No Paved Road |
| Fremont | ML5799B | 0.000 | 0.790 | Diversion Dam Road | 0.31 | 321 | 56 | 0.00 | 1.79 | 4.10 |
| Fremont | ML5799B | 0.790 | 1.420 | Diversion Dam Road | 0.30 | 385 | 75 | 0.00 | 1.55 | 6.10 |
| Fremont | ML5799B | 1.420 | 1.660 | Diversion Dam Road | 0.44 | 320 | Missing | Missing | No Paved Road | No Paved Road |
| Fremont | ML5799B | 4.790 | 6.530 | Diversion Dam Road | 0.30 | 276 | Missing | Missing | 4.14 | 5.90 |
| Fremont | ML5799B | 6.530 | 6.900 | Diversion Dam Road | 0.22 | 218 | 58 | 0.06 | 4.60 | 2.80 |
| Fremont | ML5809B | 0.000 | 0.250 | Old Highway 26 | 0.13 | 155 | 71 | 1.23 | 1.24 | 7.70 |
| Fremont | ML5813B | 0.000 | 0.870 | 320 | 0.17 | 157 | 91 | 1.77 | 6.66 | 4.30 |
| Fremont | ML5813B | 0.870 | 1.230 | 320 | 0.16 | 131 | 90 | 2.10 | No Paved Road | No Paved Road |
| Fremont | ML5814B | 1.660 | 4.770 | 320 | 0.12 | 65 | 98 | 3.55 | 4.53 | 5.30 |
| Fremont | ML5814B | 4.770 | 6.230 | 320 | 0.13 | 64 | 100 | 3.62 | 4.43 | 5.30 |
| Fremont | ML5814B | 6.230 | 8.340 | 320 | 0.22 | 223 | 89 | 0.94 | 3.46 | 4.60 |
| Fremont | ML5822B | 0.400 | 1.330 | East Pavillion Road | 0.20 | 159 | 98 | 1.91 | 3.60 | 7.30 |
| Fremont | ML5822B | 1.330 | 2.330 | East Pavillion Road | 0.29 | 219 | 79 | 0.54 | 4.58 | 3.90 |
| Fremont | ML5822B | 2.330 | 5.930 | East Pavillion Road | 0.22 | 185 | 69 | 0.69 | 4.72 | Missing |
| Fremont | ML5823B | 0.000 | 0.280 | Buckhorn Flats Road | 0.29 | 275 | 69 | 0.00 | 3.57 | 4.90 |
| Fremont | ML5823B | 0.300 | 1.480 | Buckhorn Flats Road | 0.23 | 196 | 70 | 0.60 | 5.38 | 5.40 |
| Fremont | ML5827B | 0.000 | 2.550 | Seventeen Mile Road | 0.15 | 73 | 100 | 3.41 | 4.41 | 9.70 |
| Fremont | ML5827B | 2.550 | 9.480 | Seventeen Mile Road | 0.15 | 58 | 100 | 3.72 | 4.74 | 10.30 |
| Fremont | ML5827B | 9.480 | 12.040 | Seventeen Mile Road | 0.11 | 76 | 100 | 3.40 | 4.21 | 6.00 |
| Fremont | ML5828B | 0.000 | 5.710 | Ethete Road | 0.11 | 77 | 97 | 3.28 | 4.42 | Missing |
| Fremont | ML5828B | 5.710 | 10.660 | Ethete Road | 0.20 | 207 | 89 | 1.12 | 4.49 | Missing |
| Fremont | ML5831B | 0.000 | 0.330 | Two Valley Road | 0.18 | 269 | 89 | 0.67 | 5.45 | Missing |
| Fremont | ML5831B | 0.330 | 1.870 | Two Valley Road | 0.20 | 212 | 41 | 0.00 | 5.61 | Missing |
| Fremont | ML5831B | 4.330 | 5.340 | Two Valley Road | 0.20 | 181 | 85 | 1.27 | 5.39 | 4.60 |
| Fremont | ML5831B | 5.340 | 6.340 | Two Valley Road | 0.22 | 203 | 85 | 1.01 | 6.85 | 4.50 |
| Fremont | ML5833B | 0.000 | 1.520 | Indian Ridge Road | Missing | Missing | Missing | Missing | 2.76 | Missing |
| Fremont | ML5833B | 1.520 | 3.500 | Indian Ridge Road | Missing | Missing | Missing | Missing | 3.09 | Missing |
| Fremont | ML5836B | 0.000 | 0.430 | North Fork-Ft Washakie Road | 0.33 | 164 | 78 | 0.98 | 4.55 | 4.60 |
| Fremont | ML5836B | 0.210 | 0.790 | North Fork-Ft Washakie Road | 0.27 | 160 | 73 | 1.03 | 5.11 | 4.60 |
| Fremont | ML5836B | 0.790 | 5.200 | North Fork-Ft Washakie Road | 0.17 | 219 | 72 | 0.56 | 4.95 | 5.40 |
| Fremont | ML5836B | 5.200 | 5.300 | North Fork-Ft Washakie Road | 0.11 | 123 | 85 | 2.12 | 4.48 | 5.30 |
| Fremont | ML5837B | 0.000 | 0.430 | South Fork Road | 0.14 | 159 | 89 | 1.71 | No Paved Road | No Paved Road |
| Fremont | ML5837B | 0.430 | 2.730 | South Fork Road | 0.11 | 234 | 78 | 0.66 | 4.47 | 5.00 |
| Fremont | ML5837B | 2.730 | 3.870 | South Fork Road | 0.10 | 221 | 69 | 0.51 | 5.07 | 6.00 |
| Fremont | ML5838B | 0.000 | 5.160 | Trout Creek Road | 0.07 | 89 | 86 | 2.76 | 8.20 | 4.90 |
| Fremont | ML5841B | 0.000 | 0.510 | Gasser Road | 0.17 | 161 | 76 | 1.26 | 4.42 | 4.50 |
| Fremont | ML5844B | 0.000 | 1.010 | Country Acres Road | 0.16 | 165 | 94 | 1.77 | 7.57 | 5.00 |
| Fremont | ML5849B | 0.000 | 0.940 | Eight Mile Road | 0.18 | 125 | 89 | 2.13 | 6.02 | Missing |
| Fremont | ML5849B | 0.940 | 0.980 | Eight Mile Road | 0.11 | 178 | 100 | 1.86 | 5.16 | 6.60 |
| Fremont | ML5849B | 0.980 | 1.100 | Eight Mile Road | 0.12 | 92 | 100 | 3.08 | 5.50 | 13.50 |
| Fremont | ML5849B | 1.100 | 3.000 | Eight Mile Road | 0.11 | 60 | 100 | 3.72 | 6.70 | 15.10 |
| Fremont | ML5849B | 3.000 | 4.020 | Eight Mile Road | 0.12 | 64 | 100 | 3.63 | 6.31 | 14.60 |
| Fremont | ML5849B | 4.020 | 5.040 | Eight Mile Road | 0.10 | 65 | 100 | 3.64 | 5.75 | 10.20 |
| Fremont | ML5849B | 5.040 | 6.610 | Eight Mile Road | 0.18 | 137 | 86 | 1.86 | 6.54 | 4.50 |
| Fremont | ML5849B | 6.610 | 7.070 | Eight Mile Road | 0.21 | 142 | 89 | 1.83 | 6.24 | Missing |
| Fremont | ML5849B | 7.070 | 9.090 | Eight Mile Road | 0.14 | 120 | 88 | 2.22 | 6.10 | Missing |
| Fremont | ML5851B | 0.000 | 1.130 | Clothesline Road | 0.23 | 188 | 53 | 0.18 | 2.02 | 8.30 |
| Fremont | ML5862B | 0.000 | 4.280 | Willow Creek Road | 0.16 | 203 | 59 | 0.31 | 5.18 | Missing |
| Fremont | ML5864B | 0.000 | 0.440 | Dalley Road | 0.18 | 307 | 79 | 0.15 | 5.22 | 5.30 |
| Fremont | ML5866B | 0.000 | 0.750 | Webbwood Road | 0.14 | 116 | 94 | 2.48 | 4.57 | 6.90 |
| Fremont | ML5866B | 0.750 | 1.030 | Webbwood Road | 0.14 | 232 | 71 | 0.44 | 4.44 | 9.60 |
| Fremont | ML5866B | 1.030 | 1.370 | Webbwood Road | 0.21 | 157 | 70 | 1.07 | 3.53 | Missing |
| Fremont | ML5866B | 1.370 | 2.040 | Webbwood Road | 0.22 | 213 | 94 | 1.19 | 3.37 | Missing |
| Fremont | ML5867B | 0.000 | 6.210 | Lyons Valley Road | 0.10 | 78 | 92 | 3.11 | 4.38 | 15.50 |
| Fremont | ML5867B | 6.210 | 7.650 | Lyons Valley Road | 0.08 | 81 | 45 | 1.66 | 3.23 | 16.30 |
| Fremont | ML5874B | 0.000 | 0.840 | Tunnel Hill Road | 0.17 | 146 | 75 | 1.42 | 4.32 | 5.50 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|---------|----------|--------|--------------------------|---------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Fremont | ML5874B | 0.840 | 2.010 | Tunnel Hill Road | 0.24 | 134 | 81 | 1.67 | 4.23 | 6.60 |
| Fremont | ML5874B | 2.010 | 3.040 | Tunnel Hill Road | 0.17 | 215 | 68 | 0.46 | 4.71 | 4.30 |
| Fremont | ML5874B | 3.040 | 3.870 | Tunnel Hill Road | 0.20 | 161 | 76 | 1.22 | 4.10 | 3.90 |
| Fremont | ML5874B | 3.870 | 4.190 | Tunnel Hill Road | 0.17 | 99 | 83 | 2.39 | 5.46 | 3.00 |
| Fremont | ML5875B | 0.000 | 1.200 | North Pavilion Road | 0.21 | 234 | 66 | 0.19 | 4.09 | 6.80 |
| Fremont | ML5876B | 0.000 | 0.430 | Bass Lake Road | 0.09 | 141 | 100 | 2.32 | 4.20 | 6.20 |
| Fremont | ML5876B | 0.430 | 3.700 | Bass Lake Road | 0.22 | 200 | 98 | 1.44 | 3.25 | 5.10 |
| Fremont | ML5876B | 3.700 | 6.220 | Bass Lake Road | 0.24 | 258 | 69 | 0.03 | 3.63 | Missing |
| Fremont | ML5876B | 6.220 | 8.650 | Bass Lake Road | 0.23 | 287 | 71 | 0.00 | 3.98 | Missing |
| Fremont | ML5876B | 8.650 | 9.870 | Bass Lake Road | 0.21 | 323 | 80 | 0.04 | 4.66 | Missing |
| Fremont | ML5877B | 0.000 | 0.170 | North Portal Road | 0.08 | 227 | 84 | 0.93 | 4.15 | 6.60 |
| Fremont | ML5877B | 0.170 | 3.320 | North Portal Road | 0.26 | 198 | 80 | 0.83 | 5.59 | 6.60 |
| Fremont | ML5877B | 3.320 | 4.430 | North Portal Road | 0.23 | 236 | 100 | 1.15 | 4.63 | Missing |
| Fremont | ML5878B | 0.000 | 0.410 | Bushwacker Road | 0.19 | 237 | 85 | 0.76 | 4.48 | 6.20 |
| Fremont | ML5878B | 0.410 | 1.270 | Bushwacker Road | 0.20 | 172 | 75 | 1.06 | 5.03 | Missing |
| Fremont | ML5878B | 1.270 | 1.520 | Bushwacker Road | 0.23 | 178 | 80 | 1.10 | 4.74 | Missing |
| Fremont | ML5894B | 1.000 | 2.000 | Honor Farm Road | 0.20 | 185 | 94 | 1.48 | 4.66 | 6.80 |
| Fremont | ML5894B | 2.000 | 2.500 | Honor Farm Road | 0.17 | 215 | 68 | 0.46 | 8.60 | Missing |
| Fremont | ML5899B | 0.000 | 0.240 | Ocean Lake Road | 0.20 | 214 | 89 | 1.05 | 2.14 | 4.60 |
| Fremont | ML5899B | 0.240 | 0.670 | Ocean Lake Road | 0.21 | 199 | 85 | 1.06 | 2.73 | 6.10 |
| Fremont | ML5899B | 0.670 | 1.930 | Ocean Lake Road | 0.18 | 153 | 43 | 0.35 | 3.15 | 4.30 |
| Fremont | ML5900B | 0.250 | 1.030 | Young Road | 0.16 | 248 | 89 | 0.84 | 6.22 | 4.60 |
| Fremont | ML5900B | 1.030 | 1.530 | Young Road | 0.19 | 218 | 90 | 1.07 | 7.32 | 7.20 |
| Fremont | ML5900B | 1.530 | 2.050 | Young Road | 0.17 | 239 | 89 | 0.88 | 4.58 | Missing |
| Fremont | ML5902B | 0.000 | 0.840 | Kinnear Spur | 0.17 | 142 | 85 | 1.78 | 3.88 | 5.10 |
| Fremont | ML5902B | 0.840 | 1.480 | Kinnear Spur | 0.14 | 126 | 85 | 2.04 | 3.40 | 5.40 |
| Fremont | ML5902B | 1.480 | 2.400 | Kinnear Spur | 0.22 | 135 | 85 | 1.80 | 3.79 | 5.50 |
| Fremont | ML5914B | 0.000 | 1.120 | North Hidden Valley Road | 0.24 | 321 | 79 | 0.00 | 1.01 | 5.50 |
| Fremont | ML5916B | 0.000 | 1.250 | Zuber Road | 0.13 | 160 | 50 | 0.55 | 4.37 | 5.20 |
| Fremont | ML5931B | 0.130 | 0.320 | Major Avenue | 0.19 | 254 | 78 | 0.43 | 3.24 | 10.30 |
| Fremont | ML5931B | 0.320 | 0.570 | Major Avenue | 0.15 | 185 | 75 | 0.99 | 4.13 | 5.50 |
| Fremont | ML5932B | 0.000 | 0.210 | Old Highway 789 | 0.34 | 502 | 40 | 0.00 | No Paved Road | No Paved Road |
| Fremont | ML5932B | 9.000 | 9.560 | Old Highway 789 | 0.26 | 319 | 96 | 0.46 | 4.12 | 10.00 |
| Fremont | ML714B | 0.000 | 0.640 | Paradise Valley Road | Missing | Missing | Missing | Missing | 4.36 | 8.70 |
| Fremont | ML714B | 0.640 | 3.630 | Paradise Valley Road | Missing | Missing | Missing | Missing | 4.26 | 10.70 |
| Fremont | ML714B | 3.630 | 4.370 | Paradise Valley Road | Missing | Missing | Missing | Missing | 4.72 | 17.60 |
| Fremont | ML714B | 4.370 | 6.340 | Paradise Valley Road | Missing | Missing | Missing | Missing | 3.77 | 18.40 |
| Fremont | ML714B | 6.340 | 7.310 | Paradise Valley Road | Missing | Missing | Missing | Missing | 3.78 | 17.70 |
| Fremont | ML714B | 7.310 | 9.260 | Paradise Valley Road | Missing | Missing | Missing | Missing | 4.06 | 14.70 |
| Fremont | ML9537B | 0.000 | 2.910 | | 0.21 | 271 | 92 | 0.69 | 6.28 | Missing |
| Fremont | ML9556B | 0.000 | 0.120 | | 0.11 | 314 | 98 | 0.76 | 3.34 | Missing |
| Fremont | ML9556B | 0.120 | 0.230 | | 0.11 | 232 | 98 | 1.28 | 1.85 | Missing |
| Fremont | ML9584B | 0.000 | 0.390 | | 0.11 | 272 | 87 | 0.67 | 3.73 | 9.40 |
| Fremont | ML9585B | 0.000 | 0.210 | | 0.13 | 238 | 81 | 0.70 | 3.45 | 6.20 |

Appendix 1.8: Goshen County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|--------|---------|----------|--------|------------------|---------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Goshen | ML153B | 0.000 | 1.020 | | Missing | Missing | Missing | Missing | 2.99 | 6.70 |
| Goshen | ML5939B | 0.000 | 4.010 | Bear Creek Rd. | 0.26 | 213 | 80 | 0.69 | 3.69 | 6.90 |
| Goshen | ML5939B | 4.010 | 5.830 | Bear Creek Rd. | 0.31 | 221 | 79 | 0.47 | 3.57 | 7.80 |
| Goshen | ML5939B | 5.830 | 8.970 | Bear Creek Rd. | 0.30 | 190 | 54 | 0.02 | 3.53 | 6.20 |
| Goshen | ML5961B | 0.000 | 0.140 | 124 | 0.16 | 280 | 81 | 0.38 | No Paved Road | No Paved Road |
| Goshen | ML5973B | 0.000 | 0.110 | 15E | 0.19 | 353 | 78 | 0.00 | 0.98 | 4.90 |
| Goshen | ML5974B | 0.000 | 0.060 | Fire House Rd. | 0.15 | 184 | 65 | 0.70 | 3.08 | 2.80 |
| Goshen | ML5974B | 0.060 | 0.680 | Fire House Rd. | 0.28 | 257 | 68 | 0.00 | 3.34 | 3.90 |
| Goshen | ML5975B | 0.000 | 0.070 | Kaspiere Road | 0.46 | 277 | 65 | 0.00 | 5.13 | Missing |
| Goshen | ML5975B | 0.070 | 0.110 | Kaspiere Road | 0.24 | 278 | 80 | 0.23 | 6.21 | Missing |
| Goshen | ML5975B | 0.110 | 2.750 | Kaspiere Road | 0.20 | 198 | 67 | 0.55 | 6.01 | Missing |
| Goshen | ML5975B | 2.750 | 6.010 | Kaspiere Road | 0.23 | 259 | 71 | 0.10 | 6.47 | Missing |
| Goshen | ML5975B | 6.010 | 8.050 | Kaspiere Road | 0.28 | 348 | 67 | 0.00 | 6.52 | 8.20 |
| Goshen | ML5975B | 8.050 | 12.080 | Kaspiere Road | 0.41 | 239 | 67 | 0.00 | 2.81 | 6.80 |
| Goshen | ML5975B | 12.080 | 13.090 | Kaspiere Road | 0.31 | 208 | 73 | 0.41 | 3.07 | 6.80 |
| Goshen | ML5975B | 13.090 | 14.140 | Kaspiere Road | 0.32 | 228 | 68 | 0.06 | 3.21 | 6.50 |
| Goshen | ML5975B | 14.140 | 15.160 | Kaspiere Road | 0.37 | 232 | 75 | 0.11 | 2.66 | 9.10 |
| Goshen | ML5975B | 15.160 | 18.230 | Kaspiere Road | 0.43 | 253 | 67 | 0.00 | 2.81 | 11.00 |
| Goshen | ML6012B | 0.000 | 0.150 | 27E | 0.13 | 295 | 70 | 0.00 | 4.42 | Missing |
| Goshen | ML6018B | 0.000 | 0.630 | Lingle-Veteran R | 0.09 | 109 | 100 | 2.82 | 3.51 | 6.70 |
| Goshen | ML6018B | 0.630 | 1.520 | Lingle-Veteran R | 0.10 | 75 | 100 | 3.43 | 3.64 | 7.00 |
| Goshen | ML6018B | 1.520 | 3.510 | Lingle-Veteran R | 0.11 | 76 | 100 | 3.39 | 3.49 | 6.70 |
| Goshen | ML6018B | 3.510 | 4.530 | Lingle-Veteran R | 0.13 | 85 | 100 | 3.20 | 3.27 | 6.00 |
| Goshen | ML6018B | 4.530 | 5.540 | Lingle-Veteran R | 0.11 | 86 | 100 | 3.20 | 3.42 | 6.30 |
| Goshen | ML6018B | 5.540 | 7.000 | Lingle-Veteran R | 0.12 | 85 | 100 | 3.21 | 3.61 | 6.90 |
| Goshen | ML6018B | 7.000 | 7.580 | Lingle-Veteran R | 0.11 | 78 | 100 | 3.36 | 3.43 | 6.40 |
| Goshen | ML6018B | 7.580 | 8.030 | Lingle-Veteran R | 0.09 | 89 | 100 | 3.16 | 3.69 | 7.30 |
| Goshen | ML6018B | 8.030 | 8.600 | Lingle-Veteran R | 0.10 | 102 | 100 | 2.93 | 3.71 | 7.10 |
| Goshen | ML6018B | 8.600 | 8.640 | Lingle-Veteran R | 0.11 | 131 | 100 | 2.45 | 3.74 | 6.10 |
| Goshen | ML6024B | 0.000 | 0.020 | 31B | Missing | Missing | Missing | Missing | 5.63 | Missing |
| Goshen | ML6024B | 0.020 | 0.640 | 31B | 0.25 | 241 | 73 | 0.27 | 5.29 | Missing |
| Goshen | ML6025B | 0.000 | 1.040 | WYNCOTE Rd. | 0.17 | 206 | 68 | 0.55 | 4.83 | Missing |
| Goshen | ML6025B | 1.040 | 1.780 | WYNCOTE Rd. | 0.13 | 205 | 71 | 0.68 | 4.73 | Missing |
| Goshen | ML6025B | 1.780 | 2.650 | WYNCOTE Rd. | 0.23 | 192 | 70 | 0.65 | 4.47 | Missing |
| Goshen | ML6031B | 0.000 | 1.050 | 32C | 0.15 | 141 | 79 | 1.64 | 11.59 | Missing |
| Goshen | ML6031B | 1.050 | 3.100 | 32C | 0.15 | 142 | 77 | 1.55 | 11.01 | Missing |
| Goshen | ML6037B | 0.000 | 1.420 | Cemetery Rd. | 0.21 | 213 | 68 | 0.41 | 3.72 | 4.70 |
| Goshen | ML6037B | 1.420 | 2.420 | Cemetery Rd. | 0.30 | 219 | 53 | 0.00 | 4.09 | 5.50 |
| Goshen | ML6037B | 2.420 | 3.800 | Cemetery Rd. | 0.28 | 184 | 64 | 0.42 | 3.93 | 5.40 |
| Goshen | ML6037B | 3.800 | 3.940 | Cemetery Rd. | 0.13 | 120 | 62 | 1.47 | 3.74 | 5.90 |
| Goshen | ML6037B | 3.950 | 4.270 | Cemetery Rd. | 0.14 | 213 | 60 | 0.27 | 4.32 | 7.00 |
| Goshen | ML6051B | 0.000 | 1.110 | 37F | 0.21 | 199 | 80 | 0.92 | 3.14 | 5.30 |
| Goshen | ML6067B | 0.000 | 0.030 | 41B | 0.21 | 631 | 75 | 0.00 | 4.68 | 10.00 |
| Goshen | ML6067B | 0.030 | 1.170 | 41B | 0.12 | 93 | 95 | 2.92 | 4.65 | 8.80 |
| Goshen | ML6067B | 1.170 | 1.650 | 41B | 0.12 | 88 | 98 | 3.09 | 4.47 | 7.60 |
| Goshen | ML6068B | 0.000 | 0.410 | 41C | 0.19 | 224 | 70 | 0.42 | 4.17 | 8.80 |
| Goshen | ML6068B | 0.410 | 0.670 | 41C | 0.26 | 231 | 58 | 0.00 | 3.70 | 9.90 |
| Goshen | ML6068B | 0.670 | 1.450 | 41C | 0.18 | 180 | 96 | 1.62 | 4.48 | 9.30 |
| Goshen | ML6081B | 0.000 | 0.320 | 43H | 0.24 | 295 | 77 | 0.05 | 8.45 | Missing |
| Goshen | ML6081B | 0.320 | 0.750 | 43H | 0.24 | 250 | 82 | 0.49 | 6.13 | 11.80 |
| Goshen | ML6081B | 0.750 | 1.530 | 43H | 0.20 | 182 | 81 | 1.13 | 5.72 | 7.90 |
| Goshen | ML6100B | 0.000 | 0.080 | 47D | 0.15 | 176 | 80 | 1.24 | 5.49 | Missing |
| Goshen | ML6100B | 0.080 | 0.380 | 47D | 0.18 | 156 | 78 | 1.37 | 4.44 | Missing |
| Goshen | ML6100B | 0.380 | 0.570 | 47D | 0.14 | 173 | 80 | 1.28 | 4.11 | Missing |
| Goshen | ML6100B | 0.570 | 1.120 | 47D | 0.16 | 251 | 78 | 0.49 | 4.86 | Missing |
| Goshen | ML6100B | 1.120 | 1.160 | 47D | 0.13 | 278 | 77 | 0.31 | 4.50 | Missing |
| Goshen | ML6100B | 1.160 | 2.140 | 47D | 0.17 | 266 | 80 | 0.42 | 4.23 | Missing |
| Goshen | ML6100B | 2.140 | 5.040 | 47D | 0.24 | 275 | 75 | 0.10 | 3.67 | 5.60 |
| Goshen | ML6100B | 5.040 | 6.060 | 47D | 0.17 | 294 | 81 | 0.28 | 3.40 | 6.90 |
| Goshen | ML6100B | 6.060 | 8.090 | 47D | 0.19 | 278 | 82 | 0.39 | 3.87 | 5.60 |
| Goshen | ML6100B | 8.090 | 8.260 | 47D | 0.16 | 263 | 78 | 0.40 | 4.29 | 10.00 |
| Goshen | ML6102B | 0.000 | 0.230 | 47F | 0.26 | 380 | 75 | 0.00 | 4.34 | 3.80 |
| Goshen | ML6102B | 0.230 | 0.270 | 47F | 0.31 | 418 | 80 | 0.00 | 4.90 | 2.50 |
| Goshen | ML6109B | 0.000 | 0.100 | 50A | 0.27 | 431 | 56 | 0.00 | 6.60 | 6.60 |
| Goshen | ML6111B | 0.000 | 2.910 | 51A | 0.17 | 108 | 90 | 2.44 | 3.69 | 6.90 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | |
|--------|---------|----------|--------|-----------------|---------|---------|---------|---------|------------------------------|
| | | | | | Rut | IRI | PCI | PSI | Asphalt / Concrete Thickness |
| Goshen | ML6111B | 2.910 | 3.040 | 51A | 0.21 | 116 | 86 | 2.12 | 3.56 |
| Goshen | ML6111B | 3.040 | 3.520 | 51A | 0.21 | 160 | 85 | 1.49 | 3.54 |
| Goshen | ML6113B | 1.240 | 1.340 | 51C | 0.26 | 303 | 94 | 0.48 | 3.75 |
| Goshen | ML6113B | 1.340 | 1.520 | 51C | 0.19 | 205 | 90 | 1.19 | 3.75 |
| Goshen | ML6114B | 0.000 | 0.920 | 51D | 0.14 | 364 | 63 | 0.00 | 4.26 |
| Goshen | ML6116B | 0.000 | 5.700 | Van Tassel Rd. | 0.15 | 187 | 80 | 1.10 | 4.22 |
| Goshen | ML6116B | 5.700 | 7.560 | Van Tassel Rd. | 0.18 | 204 | 88 | 1.15 | 4.09 |
| Goshen | ML6116B | 7.560 | 11.810 | Van Tassel Rd. | 0.08 | 93 | 97 | 2.99 | 4.07 |
| Goshen | ML6116B | 11.810 | 12.820 | Van Tassel Rd. | 0.13 | 75 | 100 | 3.39 | 3.83 |
| Goshen | ML6116B | 12.820 | 14.850 | Van Tassel Rd. | 0.16 | 179 | 100 | 1.80 | 4.72 |
| Goshen | ML6116B | 14.850 | 17.950 | Van Tassel Rd. | 0.14 | 174 | 97 | 1.80 | 4.56 |
| Goshen | ML6116B | 20.800 | 21.080 | Van Tassel Rd. | Missing | Missing | Missing | Missing | 3.83 |
| Goshen | ML6116B | 21.080 | 21.470 | Van Tassel Rd. | Missing | Missing | Missing | Missing | 2.13 |
| Goshen | ML6135B | 0.000 | 1.030 | 54E | 0.26 | 303 | 86 | 0.22 | 8.92 |
| Goshen | ML6135B | 1.030 | 2.050 | 54E | 0.25 | 212 | 85 | 0.86 | 8.93 |
| Goshen | ML6136B | 0.000 | 1.740 | 55A | 0.27 | 173 | 83 | 1.16 | 3.25 |
| Goshen | ML6136B | 1.740 | 3.030 | 55A | 0.24 | 201 | 86 | 1.00 | 2.59 |
| Goshen | ML6136B | 3.030 | 5.220 | 55A | 0.23 | 192 | 90 | 1.25 | 2.57 |
| Goshen | ML6204B | 0.000 | 0.240 | 70Y | 0.22 | 298 | 86 | 0.34 | 1.91 |
| Goshen | ML6208B | 0.520 | 1.280 | 72D | 0.28 | 224 | 58 | 0.00 | 5.50 |
| Goshen | ML6208B | 1.280 | 2.530 | 72D | 0.31 | 231 | 56 | 0.00 | 4.85 |
| Goshen | ML6208B | 2.530 | 5.720 | 72D | 0.17 | 258 | 52 | 0.00 | 4.47 |
| Goshen | ML6208B | 5.720 | 6.760 | 72D | 0.29 | 208 | 47 | 0.00 | 5.38 |
| Goshen | ML6209B | 0.000 | 0.270 | 72G | 0.22 | 390 | 75 | 0.00 | 4.61 |
| Goshen | ML6213B | 0.000 | 1.020 | 74C | 0.18 | 200 | 78 | 0.89 | 4.17 |
| Goshen | ML6213B | 1.020 | 1.960 | 74C | 0.44 | 373 | 82 | 0.00 | 5.73 |
| Goshen | ML801B | 2.000 | 9.800 | | Missing | Missing | Missing | Missing | 3.16 |
| Goshen | ML9287B | 0.000 | 0.050 | Deer Creek Rd. | 0.20 | 400 | 56 | 0.00 | 3.39 |
| Goshen | ML9287B | 0.050 | 0.590 | Deer Creek Rd. | 0.14 | 166 | 57 | 0.68 | 4.22 |
| Goshen | ML9287B | 0.590 | 2.450 | Deer Creek Rd. | 0.14 | 163 | 66 | 0.98 | 3.87 |
| Goshen | ML9287B | 2.450 | 4.460 | Deer Creek Rd. | 0.22 | 207 | 75 | 0.66 | 3.48 |
| Goshen | ML9287B | 4.460 | 5.680 | Deer Creek Rd. | 0.21 | 183 | 60 | 0.48 | 3.60 |
| Goshen | ML9294B | 0.000 | 0.050 | 80B | 0.23 | 395 | 60 | 0.00 | 4.23 |
| Goshen | ML9301B | 0.000 | 0.330 | Grey Rocks Rd. | 0.19 | 130 | 84 | 1.89 | 5.03 |
| Goshen | ML9301B | 0.330 | 1.370 | Grey Rocks Rd. | 0.23 | 192 | 84 | 1.06 | 5.36 |
| Goshen | ML9301B | 1.370 | 1.890 | Grey Rocks Rd. | 0.14 | 168 | 77 | 1.25 | 4.57 |
| Goshen | ML9301B | 1.890 | 2.210 | Grey Rocks Rd. | 0.14 | 246 | 79 | 0.57 | 4.07 |
| Goshen | ML9313B | 0.000 | 0.390 | Hope Road | 0.21 | 193 | 67 | 0.58 | 3.25 |
| Goshen | ML9313B | 0.390 | 0.580 | Hope Road | 0.24 | 298 | 67 | 0.00 | 3.96 |
| Goshen | ML9316B | 0.000 | 0.010 | Radio Road | Missing | Missing | Missing | Missing | 4.09 |
| Goshen | ML9316B | 0.010 | 0.090 | Radio Road | 0.11 | 248 | 98 | 1.16 | 2.96 |
| Goshen | ML9316B | 0.090 | 0.160 | Radio Road | 0.23 | 290 | 100 | 0.77 | 3.32 |
| Goshen | ML9320B | 0.000 | 0.020 | McKenna Rd. F45 | Missing | Missing | Missing | Missing | 5.08 |
| Goshen | ML9320B | 0.020 | 0.180 | McKenna Rd. F45 | 0.16 | 201 | 98 | 1.51 | 3.97 |
| Goshen | ML9320B | 0.180 | 0.570 | McKenna Rd. F45 | 0.15 | 172 | 85 | 1.44 | 3.91 |
| Goshen | ML9321B | 0.000 | 0.250 | McKenna Rd. G45 | 0.12 | 171 | 83 | 1.41 | 4.45 |
| Goshen | ML9321B | 0.250 | 0.480 | McKenna Rd. G45 | 0.21 | 172 | 79 | 1.16 | 3.88 |
| Goshen | ML9335B | 0.000 | 0.850 | 47C | 0.22 | 253 | 97 | 0.95 | 2.19 |
| Goshen | ML9335B | 0.850 | 0.870 | 47C | Missing | Missing | Missing | Missing | 4.23 |
| Goshen | ML9344B | 0.000 | 0.450 | 47A | 0.22 | 268 | 83 | 0.43 | 6.35 |
| Goshen | ML9344B | 0.450 | 1.030 | 47A | 0.29 | 201 | 82 | 0.80 | 3.09 |
| Goshen | ML9532B | 0.000 | 2.750 | | 0.13 | 54 | 98 | 3.78 | 4.11 |
| Goshen | OT142B | 0.000 | 0.290 | | Missing | Missing | Missing | Missing | 4.70 |

Appendix 1.9: Hot Springs County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | | |
|----------------|---------|----------|--------|--------------------------------------|---------|---------|---------|---------|------------------------------|---------|
| | | | | | Rut | IRI | PCI | PSI | Asphalt / Concrete Thickness | |
| Base Thickness | | | | | | | | | | |
| Hot Springs | ML6216B | 0.000 | 10.370 | Owl Creek Road | 0.29 | 198 | 88 | 1.00 | 4.62 | 6.40 |
| Hot Springs | ML6216B | 10.370 | 14.350 | Owl Creek Road | 0.28 | 159 | 98 | 1.75 | 4.58 | 5.20 |
| Hot Springs | ML6216B | 14.350 | 16.290 | Owl Creek Road | 0.25 | 148 | 86 | 1.57 | 4.22 | 5.10 |
| Hot Springs | ML6217B | 0.000 | 0.150 | Owl Creek Hill Road/Old Cody Highway | 0.33 | 406 | 55 | 0.00 | 3.29 | 12.80 |
| Hot Springs | ML6217B | 0.150 | 1.370 | Owl Creek Hill Road/Old Cody Highway | 0.43 | 348 | 47 | 0.00 | 2.86 | 11.50 |
| Hot Springs | ML6218B | 0.000 | 0.680 | Red Lane | 0.23 | 234 | 89 | 0.84 | Missing | Missing |
| Hot Springs | ML6221B | 0.000 | 2.770 | Black Mountain Road | 0.24 | 331 | 38 | 0.00 | 4.65 | 5.40 |
| Hot Springs | ML6221B | 2.770 | 7.190 | Black Mountain Road | 0.28 | 328 | 53 | 0.00 | 3.71 | 5.20 |
| Hot Springs | ML6221B | 7.190 | 8.570 | Black Mountain Road | 0.36 | 294 | 49 | 0.00 | 3.27 | 5.00 |
| Hot Springs | ML6223B | 0.000 | 3.290 | Upper East River Road | 0.29 | 192 | 70 | 0.54 | 5.85 | Missing |
| Hot Springs | ML6225B | 0.000 | 5.396 | Upper Cottonwood Creek Road | 0.26 | 166 | 93 | 1.57 | 7.63 | 7.40 |
| Hot Springs | ML6227B | 0.000 | 1.440 | Lower Cottonwood Creek Road | 0.32 | 197 | 94 | 1.12 | 5.45 | 8.10 |
| Hot Springs | ML6229B | 0.000 | 4.380 | Hamilton Dome Road | 0.30 | 169 | 80 | 1.06 | 4.96 | 5.50 |
| Hot Springs | ML6231B | 0.000 | 4.600 | Four Mile Road | 0.27 | 156 | 100 | 1.88 | 5.82 | Missing |
| Hot Springs | ML6232B | 0.000 | 1.280 | Sand Draw Road | 0.22 | 267 | 29 | 0.00 | 1.23 | 6.80 |
| Hot Springs | ML6232B | 12.200 | 12.650 | Sand Draw Road | 0.39 | 193 | 94 | 0.95 | 4.50 | 6.80 |
| Hot Springs | ML6232B | 12.650 | 15.860 | Sand Draw Road | 0.35 | 168 | 95 | 1.39 | 4.81 | 5.60 |
| Hot Springs | ML6235B | 0.000 | 2.080 | Skelton Road | 0.26 | 197 | 79 | 0.79 | 5.21 | Missing |
| Hot Springs | ML6236B | 0.000 | 2.640 | Cowboy Mine Road | 0.27 | 207 | 68 | 0.35 | 4.47 | 4.80 |
| Hot Springs | ML6237B | 0.000 | 3.290 | Missouri Flat Road | 0.30 | 189 | 97 | 1.34 | 3.76 | 9.80 |
| Hot Springs | ML6237B | 3.290 | 5.530 | Missouri Flat Road | 0.29 | 219 | 96 | 1.04 | 3.24 | 7.10 |
| Hot Springs | ML6237B | 5.530 | 10.920 | Missouri Flat Road | 0.38 | 346 | 54 | 0.00 | 3.41 | 4.10 |
| Hot Springs | ML6239B | 0.500 | 3.400 | Sunnyside Lane Road | 0.27 | 179 | 94 | 1.42 | 7.98 | Missing |
| Hot Springs | ML6239B | 3.400 | 4.080 | Sunnyside Lane Road | 0.18 | 223 | 96 | 1.22 | 5.11 | 7.90 |
| Hot Springs | ML6239B | 4.080 | 4.600 | Sunnyside Lane Road | Missing | Missing | Missing | Missing | 5.63 | 6.60 |
| Hot Springs | ML6240B | 0.000 | 0.800 | Jones Road | 0.35 | 188 | 100 | 1.30 | 5.66 | Missing |
| Hot Springs | ML6240B | 0.800 | 2.070 | Jones Road | 0.31 | 175 | 97 | 1.46 | 3.75 | Missing |
| Hot Springs | ML6242B | 0.000 | 1.170 | Gebo Road | 0.39 | 415 | 89 | 0.00 | 1.00 | 7.80 |
| Hot Springs | ML6243B | 0.000 | 1.540 | South Yellowstone Road | 0.17 | 133 | 77 | 1.67 | 4.37 | 6.10 |
| Hot Springs | ML6244B | 0.810 | 1.130 | Lane Seven Road | 0.18 | 130 | 79 | 1.75 | 3.07 | 8.10 |
| Hot Springs | ML6246B | 0.000 | 0.600 | Lane Twelve Road | 0.25 | 233 | 72 | 0.29 | 4.34 | 3.20 |
| Hot Springs | ML6246B | 0.600 | 0.800 | Lane Twelve Road | 0.30 | 244 | 80 | 0.34 | 2.44 | 3.40 |

Appendix 1.10: Johnson County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|----------|----------|--------|-----------------------------|---------|---------|---------|---------|---------------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | | |
| Johnson | ML25403B | 0.099 | 1.600 | | Missing | Missing | Missing | Missing | 5.55 | | Missing |
| Johnson | ML6251B | 0.000 | 0.138 | Rock Creek Road | 0.23 | 152 | 75 | 1.25 | 3.97 | | 8.10 |
| Johnson | ML6251B | 0.138 | 2.720 | Rock Creek Road | 0.25 | 273 | 84 | 0.38 | 4.74 | | 6.70 |
| Johnson | ML6251B | 2.720 | 5.050 | Rock Creek Road | 0.23 | 241 | 79 | 0.48 | 5.70 | | 8.50 |
| Johnson | ML6251B | 5.050 | 6.170 | Rock Creek Road | 0.20 | 264 | 72 | 0.15 | 2.34 | | 8.80 |
| Johnson | ML6251B | 6.170 | 13.000 | Rock Creek Road | 0.35 | 354 | Missing | Missing | 3.20 | | 9.50 |
| Johnson | ML6252B | 0.000 | 1.020 | Hazelton Road | 0.22 | 254 | 85 | 0.58 | 2.41 | | 8.00 |
| Johnson | ML6252B | 1.020 | 3.640 | Hazelton Road | 0.20 | 201 | 83 | 1.00 | 1.49 | | 8.20 |
| Johnson | ML6255B | 0.000 | 1.200 | Johnson Creek Road | 0.22 | 240 | 75 | 0.39 | 1.65 | | 8.70 |
| Johnson | ML6257B | 0.000 | 1.150 | Trabing Road | 0.08 | 163 | 100 | 2.05 | 11.13 | | 1.50 |
| Johnson | ML6257B | 1.150 | 15.500 | Trabing Road | 0.15 | 152 | 72 | 1.28 | 4.41 | | 5.80 |
| Johnson | ML6265B | 0.157 | 0.680 | TTT Road | 0.24 | 337 | 52 | 0.00 | 4.08 | | 5.00 |
| Johnson | ML6266B | 0.000 | 0.940 | Tipperary Road | 0.18 | 176 | 72 | 0.96 | 3.24 | | 4.80 |
| Johnson | ML6266B | 0.940 | 1.930 | Tipperary Road | 0.21 | 208 | 68 | 0.46 | 3.26 | | 3.90 |
| Johnson | ML6266B | 1.930 | 3.210 | Tipperary Road | 0.23 | 219 | 70 | 0.40 | 2.59 | | 4.80 |
| Johnson | ML6266B | 3.210 | 5.870 | Tipperary Road | 0.23 | 270 | 72 | 0.07 | 2.09 | | 4.80 |
| Johnson | ML6266B | 5.870 | 8.920 | Tipperary Road | 0.21 | 280 | 67 | 0.00 | 1.71 | | 5.20 |
| Johnson | ML6270B | 0.000 | 6.170 | Lower Sussex Road | 0.21 | 260 | 53 | 0.00 | 1.57 | | 6.50 |
| Johnson | ML6271B | 9.660 | 12.330 | Barnum Road | 0.23 | 241 | 64 | 0.04 | 2.08 | | 9.90 |
| Johnson | ML6271B | 12.330 | 15.910 | Barnum Road | 0.25 | 292 | 55 | 0.00 | 3.53 | | 7.60 |
| Johnson | ML6272B | 0.000 | 1.240 | Lake DeSmet Road | 0.20 | 218 | 76 | 0.63 | 3.40 | | 6.70 |
| Johnson | ML6275B | 0.000 | 0.080 | French Creek Road | 0.34 | 221 | 100 | 1.03 | 5.66 | | 3.60 |
| Johnson | ML6275B | 0.080 | 1.490 | French Creek Road | 0.17 | 100 | 93 | 2.67 | 4.88 | | 5.80 |
| Johnson | ML6275B | 1.490 | 4.520 | French Creek Road | 0.12 | 112 | 94 | 2.55 | 4.68 | | 6.20 |
| Johnson | ML6275B | 4.520 | 8.000 | French Creek Road | 0.27 | 206 | 61 | 0.15 | 2.68 | | 8.00 |
| Johnson | ML6278B | 0.000 | 0.220 | Redhills Road | Missing | Missing | Missing | Missing | 4.13 | | 5.50 |
| Johnson | ML6281B | 0.000 | 0.360 | Klondike Road | 0.14 | 279 | 75 | 0.23 | 5.43 | | 9.90 |
| Johnson | ML6281B | 0.360 | 0.690 | Klondike Road | 0.13 | 274 | 78 | 0.37 | 4.61 | | 9.70 |
| Johnson | ML6281B | 0.690 | 0.860 | Klondike Road | 0.22 | 415 | 68 | 0.00 | 2.55 | | 8.60 |
| Johnson | ML6281B | 0.860 | 1.160 | Klondike Road | 0.20 | 360 | 75 | 0.00 | 1.21 | | 6.70 |
| Johnson | ML6281B | 1.160 | 12.100 | Klondike Road | Missing | Missing | Missing | Missing | 4.79 | | 13.70 |
| Johnson | ML6285B | 0.000 | 5.450 | Irigaray Road | Missing | Missing | Missing | Missing | 6.09 | | 4.10 |
| Johnson | ML6290B | 0.000 | 2.730 | TW Road | 0.19 | 183 | 84 | 1.22 | 4.37 | | 6.60 |
| Johnson | ML6290B | 2.730 | 3.380 | TW Road | 0.13 | 191 | 77 | 1.01 | 3.70 | | 6.60 |
| Johnson | ML6294B | 0.000 | 0.550 | Reno Road | 0.10 | 167 | 91 | 1.72 | 2.07 | | 10.30 |
| Johnson | ML6294B | 0.550 | 5.400 | Reno Road | 0.26 | 312 | 74 | 0.00 | 4.31 | | 5.20 |
| Johnson | ML6294B | 5.400 | 7.180 | Reno Road | 0.31 | 351 | 58 | 0.00 | 4.35 | | 5.30 |
| Johnson | ML6296B | 0.000 | 0.088 | Airport Road | 0.09 | 309 | 100 | 0.86 | No Paved Road | No Paved Road | No Paved Road |
| Johnson | ML6297B | 0.000 | 0.700 | Monument Road | 0.23 | 306 | 100 | 0.69 | 4.92 | | 3.40 |
| Johnson | ML6298B | 0.000 | 0.400 | Kearny Lane | 0.18 | 311 | 55 | 0.00 | 4.25 | | 4.20 |
| Johnson | ML6700B | 0.000 | 0.400 | Cemetery Road | 0.20 | 250 | 100 | 1.09 | 4.53 | | 6.20 |
| Johnson | ML6702B | 0.000 | 0.540 | North By-Pass/South By-Pass | 0.32 | 169 | 76 | 0.89 | 4.86 | | 8.40 |
| Johnson | ML6702B | 0.540 | 1.220 | North By-Pass/South By-Pass | 0.33 | 165 | 94 | 1.45 | 3.84 | | 11.10 |
| Johnson | ML6702B | 1.220 | 1.340 | North By-Pass/South By-Pass | 0.31 | 216 | 75 | 0.40 | 4.69 | | 9.50 |
| Johnson | ML6702B | 1.340 | 1.980 | North By-Pass/South By-Pass | 0.24 | 212 | 78 | 0.68 | 4.27 | | 7.00 |
| Johnson | ML6703B | 0.000 | 0.950 | Billy Creek Road | 0.19 | 252 | 65 | 0.05 | 6.44 | | 6.30 |
| Johnson | ML6704B | 0.000 | 1.690 | Upper Clear Creek Road | 0.25 | 247 | 69 | 0.09 | 3.40 | | 4.50 |
| Johnson | ML6711B | 0.000 | 0.300 | Hilltop Drive | 0.26 | 311 | 62 | 0.00 | 1.19 | | 6.80 |
| Johnson | ML6712B | 0.000 | 0.300 | Robinson Lane | 0.17 | 214 | 80 | 0.83 | 1.28 | | 5.80 |
| Johnson | ML9215B | 0.000 | 4.340 | Upper French Creek Road | 0.23 | 240 | 83 | 0.63 | 2.84 | | 5.20 |

Appendix 1.11: Laramie County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|----------|----------|---------|-----------------------------|---------|---------|---------|---------|---------------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | | |
| Laramie | ML1102B | 0.620 | 2.110 | | 0.14 | 128 | 73 | 1.65 | 11.43 | Missing | |
| Laramie | ML1102B | 2.110 | 2.610 | | 0.16 | 108 | 71 | 1.90 | 10.47 | Missing | |
| Laramie | ML1108B | 1.354 | 1.499 | 124-2 | 0.15 | 60 | 100 | 3.69 | 4.69 | 4.30 | |
| Laramie | ML1108B | 1.499 | 1.616 | 124-2 | 0.09 | 115 | 100 | 2.71 | 6.50 | 4.00 | |
| Laramie | ML1108B | 1.616 | 1.742 | 124-2 | 0.07 | 136 | 82 | 1.88 | 5.27 | 3.80 | |
| Laramie | ML1108B | 1.742 | 1.821 | 124-2 | 0.09 | 92 | 89 | 2.79 | 5.33 | 4.00 | |
| Laramie | ML1108B | 1.821 | 2.000 | 124-2 | 0.08 | 104 | 84 | 2.43 | 5.25 | 4.60 | |
| Laramie | ML1118B | 0.000 | 3.040 | | 0.16 | 148 | 79 | 1.54 | 4.98 | 8.30 | |
| Laramie | ML1122B | 1.000 | 2.970 | | 0.26 | 156 | 87 | 1.51 | 5.41 | 9.40 | |
| Laramie | ML1126B | 0.000 | 0.640 | | 0.13 | 92 | 87 | 2.69 | 4.72 | 4.40 | |
| Laramie | ML1127B | 0.000 | 0.640 | | 0.15 | 125 | 78 | 1.84 | 6.81 | Missing | |
| Laramie | ML13335B | 106.040 | 106.930 | | Missing | Missing | Missing | Missing | 3.57 | 11.10 | |
| Laramie | ML19985B | 95.560 | 96.060 | | Missing | Missing | Missing | Missing | 6.24 | 7.00 | |
| Laramie | ML19987B | 98.140 | 98.480 | | Missing | Missing | Missing | Missing | 6.50 | Missing | |
| Laramie | ML20152B | 101.530 | 101.730 | | Missing | Missing | Missing | Missing | 3.64 | 7.40 | |
| Laramie | ML20178B | 103.990 | 106.400 | | Missing | Missing | Missing | Missing | 5.29 | 5.70 | |
| Laramie | ML217B | 0.000 | 0.060 | | Missing | Missing | Missing | Missing | 10.60 | Missing | |
| Laramie | ML217B | 0.060 | 4.420 | | Missing | Missing | Missing | Missing | 4.20 | 11.30 | |
| Laramie | ML221B | 0.000 | 1.840 | | Missing | Missing | Missing | Missing | 4.42 | 8.10 | |
| Laramie | ML222B | 1.810 | 2.080 | 120-1 | Missing | Missing | Missing | Missing | 2.52 | 10.00 | |
| Laramie | ML222B | 2.080 | 4.080 | 120-1 | Missing | Missing | Missing | Missing | 5.07 | 8.70 | |
| Laramie | ML222B | 4.080 | 5.250 | 120-1 | Missing | Missing | Missing | Missing | 4.04 | 5.70 | |
| Laramie | ML222B | 8.290 | 8.400 | 120-1 | Missing | Missing | Missing | Missing | 2.85 | 8.90 | |
| Laramie | ML222B | 26.700 | 27.080 | 120-1 | Missing | Missing | Missing | Missing | 3.34 | 10.00 | |
| Laramie | ML4019B | 101.000 | 101.340 | | 0.10 | 319 | 100 | 0.80 | 5.35 | 8.40 | |
| Laramie | ML4019B | 101.405 | 101.663 | | 0.11 | 191 | 100 | 1.72 | No Paved Road | No Paved Road | |
| Laramie | ML4066B | 103.360 | 103.430 | | 0.09 | 325 | 81 | 0.22 | 3.88 | 6.50 | |
| Laramie | ML6719B | 0.000 | 2.960 | A-103-2 | 0.33 | 390 | 39 | 0.00 | 4.15 | 3.50 | |
| Laramie | ML6719B | 0.610 | 1.140 | A-103-2 | 0.33 | 332 | 37 | 0.00 | 4.09 | 3.80 | |
| Laramie | ML6727B | 0.000 | 1.010 | A-116-2 | 0.15 | 114 | 94 | 2.49 | 2.57 | 8.10 | |
| Laramie | ML6729B | 0.000 | 2.040 | A-118-1 | 0.21 | 76 | 87 | 2.87 | 2.65 | 8.00 | |
| Laramie | ML6736B | 0.000 | 0.280 | 123-1 | 0.18 | 207 | 70 | 0.58 | 7.80 | Missing | |
| Laramie | ML6736B | 0.280 | 1.260 | 123-1 | 0.21 | 196 | 72 | 0.70 | 5.16 | 8.60 | |
| Laramie | ML6737B | 0.000 | 0.610 | Little Bear Road | 0.16 | 128 | 85 | 1.99 | 3.01 | 6.50 | |
| Laramie | ML6737B | 4.370 | 4.650 | Little Bear Road | 0.21 | 175 | 85 | 1.31 | 1.96 | 7.60 | |
| Laramie | ML6737B | 4.650 | 6.800 | Little Bear Road | 0.20 | 168 | 82 | 1.32 | 1.98 | 7.80 | |
| Laramie | ML6738B | 0.000 | 0.250 | Parsley Blvd/Tank Farm Road | 0.13 | 200 | 87 | 1.21 | 3.96 | 6.50 | |
| Laramie | ML6742B | 1.220 | 1.690 | Walterscheid Road U4018 | 0.27 | 218 | 48 | 0.00 | 5.64 | Missing | |
| Laramie | ML6742B | 1.690 | 1.940 | Walterscheid Road U4018 | 0.34 | 243 | 55 | 0.00 | 5.00 | Missing | |
| Laramie | ML6742B | 1.940 | 2.200 | Walterscheid Road U4018 | 0.32 | 189 | 48 | 0.00 | 5.12 | Missing | |
| Laramie | ML6743B | 0.950 | 1.220 | 125-2 | 0.11 | 222 | 100 | 1.43 | 6.33 | 8.50 | |
| Laramie | ML6743B | 1.220 | 1.490 | 125-2 | 0.14 | 109 | 87 | 2.37 | 5.19 | 7.80 | |
| Laramie | ML6743B | 1.490 | 1.800 | 125-2 | 0.13 | 126 | 100 | 2.51 | 4.31 | 6.80 | |
| Laramie | ML6743B | 1.800 | 2.090 | 125-2 | 0.15 | 139 | 83 | 1.78 | 3.88 | 6.40 | |
| Laramie | ML6743B | 2.090 | 2.750 | 125-2 | 0.16 | 176 | 90 | 1.53 | 4.06 | 7.00 | |
| Laramie | ML6743B | 2.750 | 3.130 | 125-2 | 0.25 | 160 | 82 | 1.32 | 4.00 | 6.90 | |
| Laramie | ML6743B | 3.130 | 3.460 | 125-2 | 0.20 | 249 | 85 | 0.66 | 4.52 | 5.40 | |
| Laramie | ML6743B | 3.460 | 3.660 | 125-2 | 0.20 | 337 | 81 | 0.02 | 4.52 | Missing | |
| Laramie | ML6743B | 3.660 | 3.780 | 125-2 | 0.14 | 125 | 80 | 1.91 | 4.67 | Missing | |
| Laramie | ML6743B | 3.780 | 4.150 | 125-2 | 0.14 | 153 | 82 | 1.58 | 3.99 | Missing | |
| Laramie | ML6744B | 2.380 | 2.630 | Avenue C U4019 | 0.18 | 186 | 98 | 1.63 | 3.89 | 4.20 | |
| Laramie | ML6744B | 2.630 | 2.770 | Avenue C U4019 | 0.18 | 154 | 96 | 1.93 | 3.98 | 4.50 | |
| Laramie | ML6744B | 2.770 | 2.890 | Avenue C U4019 | 0.16 | 208 | 96 | 1.38 | 4.43 | 5.20 | |
| Laramie | ML6744B | 2.890 | 3.080 | Avenue C U4019 | 0.13 | 121 | 93 | 2.38 | 3.93 | 9.30 | |
| Laramie | ML6744B | 3.080 | 3.140 | Avenue C U4019 | 0.12 | 77 | 97 | 3.27 | 4.16 | 10.10 | |
| Laramie | ML6744B | 3.140 | 3.390 | Avenue C U4019 | 0.12 | 212 | 83 | 1.00 | 4.12 | 9.30 | |
| Laramie | ML6744B | 3.390 | 3.640 | Avenue C U4019 | 0.09 | 114 | 90 | 2.42 | 3.59 | 4.60 | |
| Laramie | ML6745B | 1.120 | 1.170 | 4030 | 0.57 | 139 | 83 | 0.59 | 3.65 | 5.90 | |
| Laramie | ML6745B | 1.250 | 1.400 | 4030 | 0.32 | 148 | 82 | 1.32 | 3.77 | 6.20 | |
| Laramie | ML6745B | 1.720 | 1.960 | 4030 | 0.27 | 292 | 80 | 0.10 | 4.39 | 5.70 | |
| Laramie | ML6745B | 2.120 | 2.170 | 4030 | 0.28 | 101 | 90 | 2.37 | 8.11 | 3.50 | |
| Laramie | ML6745B | 2.170 | 2.210 | 4030 | 0.29 | 70 | 89 | 2.91 | 7.65 | 4.40 | |
| Laramie | ML6745B | 2.320 | 2.690 | 4030 | 0.28 | 99 | 93 | 2.49 | 6.51 | 5.50 | |
| Laramie | ML6745B | 2.690 | 2.920 | 4030 | 0.17 | 99 | 100 | 2.90 | 4.50 | 6.70 | |
| Laramie | ML6745B | 2.920 | 3.160 | 4030 | 0.12 | 101 | 98 | 2.86 | 4.32 | 6.80 | |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|---------|----------|--------|----------------------------------|---------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Laramie | ML6745B | 3.160 | 3.290 | 4030 | 0.12 | 95 | 91 | 2.76 | 4.75 | 6.50 |
| Laramie | ML6745B | 3.290 | 3.410 | 4030 | 0.13 | 102 | 98 | 2.83 | 4.88 | 6.60 |
| Laramie | ML6745B | 3.410 | 3.890 | 4030 | 0.12 | 134 | 91 | 2.14 | 4.50 | 6.70 |
| Laramie | ML6745B | 3.890 | 4.100 | 4030 | 0.08 | 83 | 91 | 3.02 | 4.53 | 6.30 |
| Laramie | ML6745B | 4.100 | 4.860 | 4030 | 0.13 | 118 | 98 | 2.57 | 4.63 | 7.10 |
| Laramie | ML6746B | 0.000 | 0.250 | Braehill Road 128-1 | 0.11 | 136 | 87 | 2.00 | 3.24 | Missing |
| Laramie | ML6746B | 0.250 | 0.380 | Braehill Road 128-1 | 0.12 | 88 | 89 | 2.83 | 3.46 | Missing |
| Laramie | ML6746B | 0.380 | 0.510 | Braehill Road 128-1 | 0.12 | 90 | 91 | 2.85 | 3.19 | Missing |
| Laramie | ML6746B | 0.510 | 0.630 | Braehill Road 128-1 | 0.12 | 80 | 89 | 2.98 | 3.29 | Missing |
| Laramie | ML6746B | 0.630 | 0.760 | Braehill Road 128-1 | 0.12 | 76 | 89 | 3.05 | 3.48 | Missing |
| Laramie | ML6746B | 0.760 | 1.020 | Braehill Road 128-1 | 0.12 | 82 | 91 | 2.99 | 3.04 | Missing |
| Laramie | ML6746B | 1.020 | 1.100 | Braehill Road 128-1 | 0.13 | 90 | 89 | 2.78 | 2.98 | 6.00 |
| Laramie | ML6746B | 1.100 | 1.270 | Braehill Road 128-1 | 0.12 | 85 | 89 | 2.89 | 3.31 | 5.90 |
| Laramie | ML6746B | 1.270 | 1.780 | Braehill Road 128-1 | 0.12 | 93 | 89 | 2.74 | No Paved Road | No Paved Road |
| Laramie | ML6748B | 0.790 | 1.090 | South Industrial Ser. Rd. U-0275 | 0.17 | 763 | Missing | Missing | 4.07 | 4.50 |
| Laramie | ML6749B | 0.400 | 1.110 | 129-1 | 0.07 | 128 | 89 | 2.20 | 5.43 | 7.60 |
| Laramie | ML6749B | 1.110 | 1.150 | 129-1 | 0.15 | 407 | 60 | 0.00 | 5.33 | Missing |
| Laramie | ML6749B | 1.150 | 1.230 | 129-1 | 0.17 | 187 | 58 | 0.44 | 4.83 | Missing |
| Laramie | ML6749B | 1.230 | 1.390 | 129-1 | 0.19 | 227 | 55 | 0.00 | 6.09 | Missing |
| Laramie | ML6749B | 1.390 | 1.810 | 129-1 | 0.09 | 106 | 74 | 2.09 | 4.39 | 4.70 |
| Laramie | ML6749B | 1.810 | 1.970 | 129-1 | 0.10 | 82 | 85 | 2.83 | 4.27 | 6.20 |
| Laramie | ML6749B | 1.970 | 2.230 | 129-1 | 0.10 | 85 | 83 | 2.72 | 4.36 | 5.60 |
| Laramie | ML6749B | 2.230 | 2.460 | 129-1 | 0.11 | 106 | 83 | 2.33 | 4.25 | 5.90 |
| Laramie | ML6749B | 2.460 | 2.720 | 129-1 | 0.09 | 84 | 81 | 2.69 | 4.22 | 8.20 |
| Laramie | ML6749B | 2.720 | 3.000 | 129-1 | 0.09 | 85 | 83 | 2.72 | 4.08 | 7.90 |
| Laramie | ML6750B | 0.000 | 0.390 | 130-1 | 0.11 | 121 | 96 | 2.48 | 3.38 | 7.40 |
| Laramie | ML6750B | 0.390 | 1.020 | 130-1 | 0.12 | 91 | 91 | 2.82 | 3.18 | 7.40 |
| Laramie | ML6750B | 1.020 | 1.150 | 130-1 | 0.11 | 94 | 94 | 2.88 | 3.19 | 7.90 |
| Laramie | ML6750B | 1.150 | 1.400 | 130-1 | 0.13 | 86 | 94 | 3.00 | 3.35 | 7.90 |
| Laramie | ML6750B | 1.400 | 1.620 | 130-1 | 0.12 | 95 | 95 | 2.88 | 3.40 | 7.40 |
| Laramie | ML6750B | 1.620 | 1.930 | 130-1 | 0.13 | 101 | 94 | 2.73 | 3.33 | 7.40 |
| Laramie | ML6750B | 1.930 | 2.100 | 130-1 | 0.12 | 95 | 96 | 2.90 | 3.20 | 7.50 |
| Laramie | ML6750B | 2.100 | 2.150 | 130-1 | 0.10 | 84 | 93 | 3.03 | 3.40 | 8.10 |
| Laramie | ML6750B | 2.150 | 2.240 | 130-1 | 0.12 | 87 | 93 | 2.97 | 3.26 | 6.90 |
| Laramie | ML6750B | 2.240 | 2.270 | 130-1 | Missing | Missing | Missing | Missing | 3.14 | 6.10 |
| Laramie | ML6751B | 0.000 | 0.200 | Reese Road | 0.16 | 204 | 75 | 0.78 | 4.38 | 4.30 |
| Laramie | ML6751B | 0.200 | 0.220 | Reese Road | 0.16 | 126 | 83 | 1.97 | 4.59 | 4.10 |
| Laramie | ML6751B | 0.220 | 0.530 | Reese Road | 0.21 | 213 | 85 | 0.93 | 4.43 | 4.20 |
| Laramie | ML6761B | 0.000 | 2.990 | Foster Road | 0.10 | 74 | 97 | 3.36 | 7.13 | 6.40 |
| Laramie | ML6761B | 2.990 | 3.790 | Foster Road | 0.10 | 77 | 96 | 3.26 | 5.29 | 7.30 |
| Laramie | ML6763B | 0.000 | 1.320 | Bruegman Road | 0.16 | 110 | 86 | 2.29 | 1.70 | 7.50 |
| Laramie | ML6767B | 0.000 | 0.090 | Stuckey Road 140-2 | 0.14 | 204 | 96 | 1.44 | 12.10 | Missing |
| Laramie | ML6772B | 0.000 | 1.040 | Hillsdale Road West | 0.11 | 175 | 72 | 1.05 | 2.79 | 5.70 |
| Laramie | ML6772B | 1.040 | 2.050 | Hillsdale Road West | 0.18 | 166 | 70 | 1.02 | 2.70 | 3.40 |
| Laramie | ML6772B | 2.050 | 3.050 | Hillsdale Road West | 0.13 | 145 | 68 | 1.28 | 2.76 | 3.80 |
| Laramie | ML6772B | 3.050 | 3.880 | Hillsdale Road West | 0.12 | 134 | 83 | 1.89 | 2.79 | 3.70 |
| Laramie | ML6774B | 3.800 | 3.870 | Hillsdale North Road/Midway | 0.21 | 334 | 82 | 0.06 | 3.16 | 3.70 |
| Laramie | ML6774B | 3.870 | 3.920 | Hillsdale North Road/Midway | 0.17 | 191 | 92 | 1.41 | 3.14 | 4.90 |
| Laramie | ML6774B | 3.920 | 4.090 | Hillsdale North Road/Midway | 0.09 | 82 | 94 | 3.11 | 3.29 | 5.30 |
| Laramie | ML6774B | 4.090 | 5.550 | Hillsdale North Road/Midway | 0.10 | 77 | 94 | 3.17 | 3.47 | 6.00 |
| Laramie | ML6774B | 5.550 | 9.130 | Hillsdale North Road/Midway | 0.14 | 80 | 94 | 3.11 | 3.90 | 6.20 |
| Laramie | ML6774B | 9.130 | 10.130 | Hillsdale North Road/Midway | 0.13 | 81 | 92 | 3.03 | 4.12 | 6.30 |
| Laramie | ML6774B | 10.130 | 12.140 | Hillsdale North Road/Midway | 0.11 | 77 | 97 | 3.27 | 4.20 | 6.80 |
| Laramie | ML6774B | 12.140 | 15.170 | Hillsdale North Road/Midway | 0.17 | 93 | 82 | 2.45 | 1.83 | 8.80 |
| Laramie | ML6774B | 15.170 | 16.300 | Hillsdale North Road/Midway | 0.25 | 136 | 68 | 1.22 | 2.08 | 8.50 |
| Laramie | ML6774B | 16.300 | 17.210 | Hillsdale North Road/Midway | 0.19 | 113 | 70 | 1.73 | 2.02 | 8.10 |
| Laramie | ML6799B | 0.000 | 1.080 | 151-1 | 0.12 | 96 | 86 | 2.59 | 5.21 | 9.90 |
| Laramie | ML6799B | 1.080 | 2.090 | 151-1 | 0.14 | 103 | 89 | 2.54 | 6.75 | 8.80 |
| Laramie | ML6799B | 2.090 | 2.440 | 151-1 | 0.14 | 96 | 87 | 2.60 | 6.03 | 7.90 |
| Laramie | ML6799B | 2.440 | 2.490 | 151-1 | 0.13 | 83 | 85 | 2.78 | No Paved Road | No Paved Road |
| Laramie | ML6820B | 5.040 | 5.070 | A-156-2 | 0.17 | 117 | 68 | 1.65 | 2.62 | 9.10 |
| Laramie | ML6820B | 5.070 | 5.870 | A-156-2 | 0.14 | 133 | 71 | 1.52 | 4.79 | 8.40 |
| Laramie | ML6841B | 0.000 | 2.860 | Black Hills Road | 0.19 | 263 | 60 | 0.00 | 9.02 | Missing |
| Laramie | ML6841B | 2.860 | 5.890 | Black Hills Road | 0.30 | 319 | 65 | 0.00 | 7.07 | Missing |
| Laramie | ML6841B | 5.890 | 9.920 | Black Hills Road | 0.35 | 236 | 66 | 0.00 | 7.23 | 10.10 |
| Laramie | ML6841B | 9.920 | 10.350 | Black Hills Road | 0.28 | 182 | 58 | 0.29 | 10.20 | Missing |
| Laramie | ML6846B | 0.000 | 1.010 | Albin/LaGrange Road | 0.24 | 208 | 50 | 0.00 | 3.55 | 6.50 |
| Laramie | ML6846B | 1.010 | 4.090 | Albin/LaGrange Road | 0.25 | 269 | 61 | 0.00 | 2.96 | 4.40 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|---------|----------|---------|--------------------------------|------|-----|-----|------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Laramie | ML6846B | 4.090 | 10.950 | Albin/LaGrange Road | 0.24 | 175 | 62 | 0.56 | 2.74 | 4.80 |
| Laramie | ML6850B | 0.000 | 4.900 | Cemetery/Pine Bluff South Road | 0.13 | 84 | 89 | 2.90 | 3.67 | 8.10 |
| Laramie | ML6850B | 4.900 | 5.900 | Cemetery/Pine Bluff South Road | 0.11 | 86 | 89 | 2.86 | 3.70 | 7.70 |
| Laramie | ML6850B | 5.900 | 7.930 | Cemetery/Pine Bluff South Road | 0.12 | 96 | 88 | 2.65 | 3.66 | 7.20 |
| Laramie | ML6850B | 7.930 | 11.670 | Cemetery/Pine Bluff South Road | 0.14 | 95 | 88 | 2.63 | 3.59 | 7.00 |
| Laramie | ML6850B | 11.670 | 12.340 | Cemetery/Pine Bluff South Road | 0.44 | 194 | 89 | 0.65 | 4.46 | 5.00 |
| Laramie | ML6852B | 2.000 | 6.060 | State Line Road | 0.24 | 294 | 61 | 0.00 | 3.96 | 4.90 |
| Laramie | ML6852B | 6.060 | 6.330 | State Line Road | 0.33 | 334 | 58 | 0.00 | 5.24 | 3.00 |
| Laramie | ML6856B | 0.000 | 2.500 | Chalk Bluff"78" Road | 0.25 | 119 | 83 | 1.93 | 2.18 | 8.10 |
| Laramie | ML6856B | 2.500 | 2.750 | Chalk Bluff"78" Road | 0.23 | 149 | 72 | 1.21 | 2.01 | 9.90 |
| Laramie | ML6856B | 2.750 | 3.160 | Chalk Bluff"78" Road | 0.30 | 202 | 72 | 0.46 | 1.63 | 6.50 |
| Laramie | ML6856B | 3.160 | 7.250 | Chalk Bluff"78" Road | 0.25 | 151 | 57 | 0.69 | 2.40 | 5.10 |
| Laramie | ML6856B | 7.250 | 7.880 | Chalk Bluff"78" Road | 0.21 | 142 | 65 | 1.12 | 1.86 | 6.50 |
| Laramie | ML6856B | 13.020 | 16.010 | Chalk Bluff"78" Road | 0.11 | 73 | 98 | 3.38 | 6.79 | 5.20 |
| Laramie | ML6856B | 16.010 | 17.570 | Chalk Bluff"78" Road | 0.13 | 67 | 95 | 3.41 | 6.47 | 7.50 |
| Laramie | ML6856B | 17.570 | 18.580 | Chalk Bluff"78" Road | 0.12 | 59 | 100 | 3.75 | 6.69 | 6.20 |
| Laramie | ML6856B | 18.580 | 20.610 | Chalk Bluff"78" Road | 0.13 | 73 | 100 | 3.44 | 6.98 | 5.00 |
| Laramie | ML6856B | 20.610 | 21.620 | Chalk Bluff"78" Road | 0.13 | 68 | 100 | 3.55 | 6.27 | 6.80 |
| Laramie | ML6856B | 21.620 | 22.630 | Chalk Bluff"78" Road | 0.13 | 68 | 97 | 3.44 | 6.04 | 5.30 |
| Laramie | ML6856B | 22.630 | 23.400 | Chalk Bluff"78" Road | 0.12 | 66 | 100 | 3.58 | 5.83 | 5.60 |
| Laramie | ML6856B | 23.400 | 23.620 | Chalk Bluff"78" Road | 0.12 | 69 | 100 | 3.53 | 7.33 | 5.00 |
| Laramie | ML6856B | 23.620 | 23.960 | Chalk Bluff"78" Road | 0.12 | 60 | 100 | 3.73 | 6.95 | 6.70 |
| Laramie | ML6856B | 23.960 | 23.980 | Chalk Bluff"78" Road | 0.10 | 73 | 98 | 3.41 | 6.73 | 6.30 |
| Laramie | ML6856B | 23.980 | 24.240 | Chalk Bluff"78" Road | 0.12 | 65 | 96 | 3.50 | 7.11 | 6.00 |
| Laramie | ML6856B | 24.240 | 24.870 | Chalk Bluff"78" Road | 0.13 | 87 | 100 | 3.16 | 5.77 | 6.50 |
| Laramie | ML6856B | 24.870 | 25.640 | Chalk Bluff"78" Road | 0.15 | 90 | 89 | 2.75 | 1.88 | 14.50 |
| Laramie | ML6856B | 25.640 | 26.190 | Chalk Bluff"78" Road | 0.17 | 98 | 91 | 2.65 | 1.75 | 14.40 |
| Laramie | ML6867B | 0.080 | 0.100 | Prosser Road | 0.38 | 354 | 98 | 0.05 | 6.47 | Missing |
| Laramie | ML6867B | 0.100 | 0.650 | Prosser Road | 0.24 | 322 | 76 | 0.00 | 4.68 | 6.80 |
| Laramie | ML6867B | 0.650 | 0.730 | Prosser Road | 0.14 | 345 | 91 | 0.38 | 3.38 | 13.10 |
| Laramie | ML6867B | 0.850 | 1.130 | Prosser Road | 0.20 | 303 | 72 | 0.00 | 3.86 | 6.70 |
| Laramie | ML6868B | 1.000 | 1.460 | Allison Road U4056 | 0.18 | 161 | 100 | 1.98 | 5.41 | 6.60 |
| Laramie | ML6868B | 1.460 | 1.660 | Allison Road U4056 | 0.17 | 216 | 90 | 1.11 | 4.97 | 8.40 |
| Laramie | ML6868B | 1.660 | 2.000 | Allison Road U4056 | 0.17 | 270 | 86 | 0.58 | 4.46 | 5.70 |
| Laramie | ML6869B | 99.570 | 100.010 | Jefferson Road | 0.09 | 165 | 100 | 2.02 | 4.26 | 5.70 |
| Laramie | ML6869B | 100.010 | 100.360 | Jefferson Road | 0.17 | 302 | 81 | 0.24 | 3.16 | 8.30 |
| Laramie | ML6869B | 100.360 | 100.510 | Jefferson Road | 0.16 | 175 | 80 | 1.23 | 3.12 | 10.60 |
| Laramie | ML6869B | 100.510 | 100.610 | Jefferson Road | 0.17 | 204 | 76 | 0.81 | 3.59 | 8.00 |
| Laramie | ML6872B | 0.790 | 1.090 | Fox Farm Road U4015 | 0.11 | 174 | 80 | 1.31 | 7.57 | 6.60 |
| Laramie | ML6874B | 0.000 | 0.140 | Military Road | 0.17 | 169 | 87 | 1.50 | 7.51 | 9.60 |
| Laramie | ML6875B | 5.020 | 5.090 | 209-2 | 0.15 | 97 | 88 | 2.60 | 6.72 | 8.00 |
| Laramie | ML6875B | 5.090 | 6.490 | 209-2 | 0.12 | 70 | 86 | 3.09 | 4.28 | 8.40 |
| Laramie | ML6875B | 6.490 | 8.810 | 209-2 | 0.13 | 80 | 96 | 3.17 | 4.02 | 7.20 |
| Laramie | ML6875B | 8.810 | 11.150 | 209-2 | 0.13 | 91 | 95 | 2.94 | 4.47 | 6.40 |
| Laramie | ML6875B | 11.150 | 12.190 | 209-2 | 0.11 | 80 | 96 | 3.18 | 5.25 | 7.50 |
| Laramie | ML6875B | 12.190 | 13.820 | 209-2 | 0.11 | 94 | 94 | 2.87 | 5.29 | 7.60 |
| Laramie | ML6877B | 0.370 | 2.020 | 209-3 | 0.20 | 71 | 100 | 3.39 | 5.72 | 6.30 |
| Laramie | ML6877B | 2.020 | 2.370 | 209-3 | 0.17 | 79 | 100 | 3.27 | 4.43 | 10.40 |
| Laramie | ML6877B | 5.020 | 6.490 | 209-3 | 0.10 | 75 | 100 | 3.43 | No Paved Road | No Paved Road |
| Laramie | ML6879B | 0.000 | 0.090 | Crystal Lake Road | 0.21 | 429 | 58 | 0.00 | 2.48 | 8.90 |
| Laramie | ML6880B | 4.950 | 8.390 | 210-2 | 0.23 | 199 | 74 | 0.69 | 4.64 | 12.00 |
| Laramie | ML6880B | 5.145 | 5.229 | 210-2 | 0.22 | 131 | 72 | 1.47 | 5.24 | 12.80 |
| Laramie | ML6880B | 5.229 | 5.311 | 210-2 | 0.23 | 137 | 68 | 1.24 | 4.78 | 11.00 |
| Laramie | ML6880B | 5.311 | 5.634 | 210-2 | 0.29 | 132 | 72 | 1.30 | 4.72 | 12.20 |
| Laramie | ML6880B | 5.634 | 5.681 | 210-2 | 0.13 | 131 | 72 | 1.59 | 4.56 | 13.20 |
| Laramie | ML6880B | 5.681 | 5.985 | 210-2 | 0.20 | 117 | 72 | 1.71 | 4.87 | 12.70 |
| Laramie | ML6880B | 5.985 | 6.181 | 210-2 | 0.22 | 138 | 74 | 1.42 | 4.86 | 10.10 |
| Laramie | ML6880B | 6.181 | 6.373 | 210-2 | 0.23 | 151 | 70 | 1.12 | 4.91 | 8.10 |
| Laramie | ML6880B | 6.373 | 6.692 | 210-2 | 0.22 | 138 | 70 | 1.30 | 5.08 | 9.30 |
| Laramie | ML6880B | 6.692 | 7.198 | 210-2 | 0.26 | 259 | 72 | 0.09 | 4.34 | 4.20 |
| Laramie | ML6880B | 7.198 | 7.684 | 210-2 | 0.22 | 294 | 79 | 0.15 | 4.55 | 3.00 |
| Laramie | ML6880B | 7.684 | 7.830 | 210-2 | 0.24 | 220 | 80 | 0.67 | 4.23 | 2.90 |
| Laramie | ML6880B | 7.830 | 8.300 | 210-2 | 0.22 | 271 | 80 | 0.32 | 4.58 | 5.10 |
| Laramie | ML6880B | 8.300 | 8.390 | 210-2 | 0.21 | 129 | 84 | 1.87 | 2.88 | 9.60 |
| Laramie | ML6881B | 0.000 | 2.020 | A-210-4 | 0.17 | 136 | 73 | 1.50 | 4.71 | 8.50 |
| Laramie | ML6881B | 2.020 | 3.040 | A-210-4 | 0.15 | 101 | 70 | 1.99 | 4.68 | 9.60 |
| Laramie | ML6881B | 3.040 | 5.060 | A-210-4 | 0.17 | 116 | 71 | 1.74 | 4.43 | 8.60 |
| Laramie | ML6883B | 0.000 | 0.510 | 211-1 | 0.14 | 170 | 84 | 1.44 | 7.13 | 9.10 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|---------|----------|--------|------------------------------|---------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Laramie | ML6883B | 0.510 | 0.616 | 211-1 | 0.15 | 270 | 84 | 0.55 | 6.66 | Missing |
| Laramie | ML6883B | 0.616 | 0.731 | 211-1 | 0.10 | 140 | 86 | 1.91 | 5.74 | Missing |
| Laramie | ML6883B | 0.731 | 1.004 | 211-1 | 0.15 | 135 | 85 | 1.91 | 6.88 | Missing |
| Laramie | ML6883B | 1.004 | 1.193 | 211-1 | 0.12 | 148 | 85 | 1.76 | 8.32 | Missing |
| Laramie | ML6883B | 1.193 | 1.340 | 211-1 | 0.15 | 165 | 85 | 1.51 | 6.44 | Missing |
| Laramie | ML6886B | 0.000 | 1.400 | Polo Ranch Road U4089 | 0.11 | 201 | 85 | 1.16 | 4.17 | 8.60 |
| Laramie | ML6886B | 1.400 | 1.540 | Polo Ranch Road U4089 | 0.11 | 270 | 85 | 0.62 | 4.54 | 10.70 |
| Laramie | ML6887B | 0.000 | 0.370 | Welchester Drive | 0.14 | 214 | 68 | 0.51 | 3.94 | 6.80 |
| Laramie | ML6887B | 0.370 | 0.620 | Welchester Drive | 0.16 | 214 | 72 | 0.61 | 4.08 | 6.50 |
| Laramie | ML6887B | 0.620 | 0.680 | Welchester Drive | 0.12 | 162 | 70 | 1.13 | 3.47 | 3.80 |
| Laramie | ML6887B | 0.680 | 1.010 | Welchester Drive | 0.14 | 145 | 68 | 1.27 | 3.53 | 4.80 |
| Laramie | ML6893B | 7.050 | 8.870 | Old Highway Pine Bluffs West | 0.15 | 143 | 83 | 1.72 | 7.26 | Missing |
| Laramie | ML6895B | 0.000 | 1.000 | Old Highway Burns West | 0.49 | 261 | 52 | 0.00 | 2.33 | 5.00 |
| Laramie | ML6895B | 1.000 | 3.020 | Old Highway Burns West | 0.30 | 244 | 53 | 0.00 | 3.15 | 5.00 |
| Laramie | ML6895B | 3.020 | 5.030 | Old Highway Burns West | 0.23 | 245 | 62 | 0.00 | 3.34 | 4.70 |
| Laramie | ML6895B | 5.030 | 5.530 | Old Highway Burns West | 0.25 | 240 | 55 | 0.00 | 2.44 | 5.30 |
| Laramie | ML6895B | 5.530 | 6.530 | Old Highway Burns West | 0.17 | 177 | 58 | 0.54 | 3.12 | 6.30 |
| Laramie | ML6898B | 0.000 | 0.020 | East Four Mile Road U4083 | 0.11 | 733 | 89 | 0.00 | 3.51 | 9.10 |
| Laramie | ML6898B | 0.020 | 0.150 | East Four Mile Road U4083 | 0.12 | 209 | 89 | 1.20 | 3.50 | 7.10 |
| Laramie | ML6900B | 0.000 | 0.230 | Riding Club Road U4084 | 0.10 | 113 | 94 | 2.55 | 4.61 | 7.00 |
| Laramie | ML6900B | 0.230 | 0.500 | Riding Club Road U4084 | 0.11 | 96 | 94 | 2.83 | 4.46 | 6.90 |
| Laramie | ML6900B | 0.500 | 1.190 | Riding Club Road U4084 | 0.11 | 123 | 100 | 2.57 | 4.66 | 6.30 |
| Laramie | ML6900B | 1.190 | 1.350 | Riding Club Road U4084 | 0.11 | 86 | 98 | 3.14 | 4.71 | 6.30 |
| Laramie | ML6900B | 1.350 | 1.770 | Riding Club Road U4084 | 0.09 | 92 | 98 | 3.04 | 4.50 | 5.90 |
| Laramie | ML6900B | 1.770 | 1.900 | Riding Club Road U4084 | 0.10 | 87 | 100 | 3.19 | 4.48 | 5.90 |
| Laramie | ML6900B | 1.900 | 2.040 | Riding Club Road U4084 | 0.09 | 98 | 98 | 2.93 | 4.36 | 5.00 |
| Laramie | ML6900B | 2.040 | 2.150 | Riding Club Road U4084 | 0.10 | 97 | 98 | 2.96 | 4.59 | 3.90 |
| Laramie | ML6900B | 2.150 | 2.340 | Riding Club Road U4084 | 0.10 | 84 | 100 | 3.25 | 4.43 | 5.00 |
| Laramie | ML6900B | 2.340 | 2.540 | Riding Club Road U4084 | 0.09 | 87 | 98 | 3.14 | 4.37 | 6.30 |
| Laramie | ML6900B | 2.540 | 2.620 | Riding Club Road U4084 | 0.10 | 78 | 98 | 3.30 | 4.30 | 5.40 |
| Laramie | ML6900B | 2.620 | 2.660 | Riding Club Road U4084 | 0.11 | 88 | 98 | 3.10 | 4.41 | 5.90 |
| Laramie | ML6900B | 2.660 | 2.980 | Riding Club Road U4084 | 0.10 | 99 | 100 | 2.97 | 4.32 | 6.10 |
| Laramie | ML6900B | 2.980 | 3.060 | Riding Club Road U4084 | 0.09 | 91 | 98 | 3.06 | 4.26 | 7.30 |
| Laramie | ML6900B | 3.060 | 3.150 | Riding Club Road U4084 | 0.12 | 98 | 100 | 2.97 | 4.63 | 6.80 |
| Laramie | ML6900B | 3.150 | 3.160 | Riding Club Road U4084 | 0.11 | 108 | 98 | 2.76 | 4.71 | 6.40 |
| Laramie | ML6900B | 3.160 | 3.630 | Riding Club Road U4084 | 0.11 | 112 | 100 | 2.74 | 4.84 | 6.40 |
| Laramie | ML6905B | 0.000 | 0.080 | Iron Mountain Road U1100 | 0.12 | 296 | 80 | 0.30 | 4.21 | Missing |
| Laramie | ML6905B | 1.890 | 1.970 | Iron Mountain Road U1100 | 0.12 | 270 | 81 | 0.50 | 4.42 | 5.30 |
| Laramie | ML6905B | 1.970 | 2.060 | Iron Mountain Road U1100 | 0.12 | 85 | 82 | 2.68 | 4.11 | 4.50 |
| Laramie | ML6921B | 2.610 | 2.760 | Ridley Road | 0.17 | 209 | 83 | 0.96 | 3.72 | 9.30 |
| Laramie | ML6921B | 2.760 | 2.850 | Ridley Road | 0.13 | 308 | 80 | 0.22 | 3.51 | 9.90 |
| Laramie | ML6921B | 2.850 | 3.070 | Ridley Road | 0.13 | 172 | 85 | 1.46 | 3.43 | 10.60 |
| Laramie | ML6931B | 1.760 | 1.940 | Atlas Road | 0.16 | 196 | 80 | 1.02 | 3.98 | 7.10 |
| Laramie | ML6931B | 1.940 | 2.120 | Atlas Road | 0.12 | 173 | 82 | 1.36 | 4.54 | 10.00 |
| Laramie | ML6940B | 1.250 | 1.370 | Whitaker Road | 0.11 | 276 | 87 | 0.64 | 2.75 | 5.80 |
| Laramie | ML6940B | 1.370 | 1.450 | Whitaker Road | 0.14 | 315 | 98 | 0.73 | 1.67 | 5.20 |
| Laramie | ML6955B | 17.440 | 19.080 | Bristol Ridge/Hirsig Road | 0.17 | 97 | 100 | 2.94 | 5.44 | 4.00 |
| Laramie | ML6957B | 0.000 | 8.000 | Moffett Road | 0.21 | 132 | 83 | 1.82 | 2.26 | 7.40 |
| Laramie | ML6962B | 4.280 | 6.290 | Chalk Hill/Bliss Road | 0.18 | 80 | 83 | 2.72 | 2.11 | 7.90 |
| Laramie | ML6963B | 0.000 | 0.050 | Gillaspie Road | 0.19 | 198 | 81 | 0.98 | 3.20 | 6.20 |
| Laramie | ML6963B | 0.050 | 0.230 | Gillaspie Road | 0.24 | 143 | 78 | 1.44 | 1.75 | 7.60 |
| Laramie | ML6963B | 0.230 | 2.050 | Gillaspie Road | 0.24 | 122 | 81 | 1.83 | 2.20 | 7.10 |
| Laramie | ML6963B | 2.050 | 5.060 | Gillaspie Road | 0.22 | 91 | 95 | 2.82 | 3.19 | 6.90 |
| Laramie | ML7005B | 0.230 | 0.250 | Cherry Street | Missing | Missing | Missing | Missing | 1.30 | 4.60 |
| Laramie | ML7005B | 0.250 | 0.270 | Cherry Street | 0.23 | 667 | 94 | 0.00 | 2.27 | 6.20 |
| Laramie | ML7009B | 0.000 | 0.050 | Park Avenue | 0.17 | 375 | 94 | 0.32 | 4.65 | Missing |
| Laramie | ML7009B | 0.050 | 0.360 | Park Avenue | 0.09 | 194 | 100 | 1.71 | 4.71 | Missing |
| Laramie | ML7015B | 0.000 | 0.070 | Plum Street | 0.06 | 134 | 86 | 2.03 | 3.19 | 9.40 |
| Laramie | ML7015B | 0.070 | 0.160 | Plum Street | 0.13 | 195 | 86 | 1.24 | 3.18 | 4.60 |
| Laramie | ML7015B | 0.160 | 0.250 | Plum Street | 0.13 | 130 | 85 | 2.00 | 3.09 | 8.30 |
| Laramie | ML7015B | 0.250 | 0.330 | Plum Street | 0.14 | 147 | 94 | 2.02 | 3.25 | 5.20 |
| Laramie | ML7015B | 0.330 | 0.410 | Plum Street | 0.15 | 138 | 94 | 2.13 | 3.08 | 4.30 |
| Laramie | ML7015B | 0.410 | 0.450 | Plum Street | 0.11 | 97 | 94 | 2.81 | 3.07 | 4.80 |
| Laramie | ML7016B | 0.000 | 0.120 | York Avenue | 0.15 | 385 | 85 | 0.04 | 3.78 | 6.50 |
| Laramie | ML7016B | 0.120 | 0.250 | York Avenue | 0.10 | 143 | 89 | 1.96 | 3.48 | 5.20 |
| Laramie | ML7016B | 0.250 | 0.360 | York Avenue | 0.12 | 132 | 85 | 1.98 | 3.42 | 6.40 |
| Laramie | ML7016B | 0.360 | 0.380 | York Avenue | 0.17 | 285 | 98 | 0.85 | 3.34 | 7.50 |
| Laramie | ML7017B | 0.000 | 0.250 | S. Avenue B-6 | 0.12 | 220 | 89 | 1.11 | 3.67 | 5.00 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|---------|----------|---------|----------------------------|---------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Laramie | ML7017B | 0.250 | 0.500 | S. Avenue B-6 | 0.13 | 167 | 92 | 1.72 | 3.52 | 5.50 |
| Laramie | ML7018B | 0.000 | 0.040 | Angie Street | Missing | Missing | Missing | Missing | 5.11 | 6.10 |
| Laramie | ML7018B | 0.040 | 0.090 | Angie Street | 0.19 | 266 | 87 | 0.61 | 4.60 | 5.90 |
| Laramie | ML7018B | 0.090 | 0.140 | Angie Street | 0.13 | 165 | 91 | 1.71 | 4.85 | 5.60 |
| Laramie | ML7018B | 0.140 | 0.190 | Angie Street | 0.16 | 287 | 86 | 0.49 | 4.51 | 5.30 |
| Laramie | ML7018B | 0.190 | 0.230 | Angie Street | 0.16 | 333 | 85 | 0.22 | 4.22 | 5.70 |
| Laramie | ML7019B | 0.000 | 0.240 | Cedar Avenue | 0.09 | 218 | 100 | 1.48 | 4.10 | Missing |
| Laramie | ML7020B | 0.080 | 0.120 | Citrus Street | 0.12 | 463 | 85 | 0.00 | 3.70 | 4.70 |
| Laramie | ML7020B | 0.120 | 0.150 | Citrus Street | 0.10 | 319 | 82 | 0.26 | 4.44 | 7.80 |
| Laramie | ML7020B | 0.150 | 0.190 | Citrus Street | 0.08 | 168 | 84 | 1.52 | 5.11 | 9.60 |
| Laramie | ML7020B | 0.190 | 0.240 | Citrus Street | 0.08 | 186 | 85 | 1.34 | 5.04 | 7.00 |
| Laramie | ML7020B | 0.240 | 0.290 | Citrus Street | 0.11 | 220 | 85 | 1.00 | 4.97 | 6.10 |
| Laramie | ML7020B | 0.290 | 0.330 | Citrus Street | 0.10 | 233 | 85 | 0.90 | 3.97 | 4.70 |
| Laramie | ML7025B | 0.000 | 0.010 | W. Wallick Road U4095 | Missing | Missing | Missing | Missing | 3.87 | 8.50 |
| Laramie | ML7025B | 0.010 | 0.070 | W. Wallick Road U4095 | 0.16 | 159 | 70 | 1.12 | 2.87 | 9.50 |
| Laramie | ML7025B | 0.070 | 0.230 | W. Wallick Road U4095 | 0.18 | 206 | 80 | 0.89 | 3.29 | 4.30 |
| Laramie | ML7043B | 0.000 | 0.090 | Avenue B-2 | Missing | Missing | Missing | Missing | 3.72 | 6.60 |
| Laramie | ML7094B | 0.000 | 0.310 | Cowpoke Road | Missing | Missing | Missing | Missing | 2.25 | Missing |
| Laramie | ML7100B | 0.000 | 0.520 | E. Ole Maverick Road U4085 | 0.16 | 193 | 68 | 0.68 | 3.82 | Missing |
| Laramie | ML7100B | 0.520 | 0.780 | E. Ole Maverick Road U4085 | 0.14 | 141 | 70 | 1.38 | 3.79 | 6.10 |
| Laramie | ML7100B | 0.780 | 1.110 | E. Ole Maverick Road U4085 | 0.12 | 137 | 68 | 1.41 | 3.81 | 6.80 |
| Laramie | ML7100B | 1.110 | 1.240 | E. Ole Maverick Road U4085 | 0.15 | 134 | 85 | 1.92 | 3.54 | 9.50 |
| Laramie | ML7100B | 1.240 | 1.360 | E. Ole Maverick Road U4085 | 0.13 | 124 | 80 | 1.94 | 3.28 | 10.20 |
| Laramie | ML7102B | 0.000 | 0.210 | Wildflower Drive | 0.18 | 464 | 78 | 0.00 | 5.51 | 2.80 |
| Laramie | ML7140B | 104.340 | 104.380 | 575 | 0.19 | 862 | 92 | 0.00 | 3.95 | Missing |
| Laramie | ML7155B | 0.000 | 0.250 | Columbia Drive 591 | 0.12 | 189 | 98 | 1.67 | 3.52 | Missing |
| Laramie | ML7155B | 0.250 | 0.640 | Columbia Drive 591 | 0.09 | 446 | 94 | 0.19 | 3.09 | Missing |
| Laramie | ML7170B | 0.190 | 0.310 | Carla Drive U4047 | 0.10 | 239 | 98 | 1.24 | 3.49 | 6.70 |
| Laramie | ML7174B | 0.560 | 0.670 | Thomas Road | 0.15 | 360 | 85 | 0.12 | 3.47 | 5.20 |
| Laramie | ML7191B | 0.000 | 0.100 | McKinney Drive U4086 | 0.11 | 233 | 100 | 1.33 | 4.82 | 4.00 |
| Laramie | ML7192B | 103.160 | 103.230 | 628 | 0.71 | 304 | 45 | 0.00 | 3.71 | 5.30 |
| Laramie | ML7316B | 1.690 | 1.960 | 4043 | 0.29 | 160 | 68 | 0.82 | 5.03 | 9.30 |
| Laramie | ML7316B | 1.960 | 4.120 | 4043 | 0.14 | 110 | 96 | 2.63 | 7.47 | 11.10 |
| Laramie | ML7328B | 0.000 | 0.110 | Reiner Court | 0.19 | 307 | 81 | 0.18 | 4.22 | 5.00 |
| Laramie | ML7328B | 0.110 | 0.150 | Reiner Court | 0.13 | 412 | 94 | 0.24 | 2.92 | 6.50 |
| Laramie | ML7329B | 0.000 | 0.040 | S. First Avenue | 0.16 | 218 | 100 | 1.41 | 3.44 | 3.70 |
| Laramie | ML7329B | 0.040 | 0.360 | S. First Avenue | 0.13 | 177 | 89 | 1.51 | 3.22 | 5.80 |
| Laramie | ML7330B | 0.000 | 0.270 | Murray Road | 0.12 | 185 | 88 | 1.42 | 3.36 | 7.90 |
| Laramie | ML7330B | 0.270 | 0.540 | Murray Road | 0.12 | 182 | 85 | 1.35 | 3.51 | 4.20 |
| Laramie | ML7331B | 0.000 | 0.260 | Artesian Road U4098 | 0.11 | 127 | 93 | 2.30 | 3.63 | 4.00 |
| Laramie | ML7331B | 0.260 | 0.510 | Artesian Road U4098 | 0.13 | 146 | 84 | 1.73 | 3.46 | 4.90 |
| Laramie | ML7332B | 0.000 | 0.070 | Williams Street | 0.28 | 201 | 82 | 0.82 | 2.30 | 8.10 |
| Laramie | ML7332B | 0.070 | 0.210 | Williams Street | 0.19 | 171 | 84 | 1.36 | 3.66 | 7.70 |
| Laramie | ML7347B | 0.000 | 0.070 | Beverly Blvd. | 0.11 | 206 | 86 | 1.15 | 3.23 | 3.90 |
| Laramie | ML7352B | 0.000 | 0.510 | Fox Glove Drive | 0.12 | 191 | 86 | 1.29 | 3.17 | 5.10 |
| Laramie | ML7352B | 0.510 | 0.680 | Fox Glove Drive | 0.14 | 171 | 87 | 1.52 | 3.93 | 5.40 |
| Laramie | ML7360B | 0.000 | 0.020 | Conestoga Road | 0.07 | 621 | 100 | 0.13 | 3.09 | 3.40 |
| Laramie | ML7361B | 0.000 | 0.040 | Wagon Box Road | 0.17 | 756 | 63 | 0.00 | 3.06 | Missing |
| Laramie | ML7362B | 0.180 | 0.320 | Prairie Schooner Road | Missing | Missing | Missing | Missing | 3.06 | Missing |
| Laramie | ML7363B | 0.000 | 0.130 | Country West Road | 0.12 | 190 | 85 | 1.27 | 5.41 | 4.30 |
| Laramie | ML7364B | 0.000 | 0.090 | Hartford Avenue | 0.24 | 295 | 94 | 0.56 | 2.29 | 4.50 |
| Laramie | ML7366B | 0.000 | 0.220 | Rooks Avenue | 0.15 | 212 | 84 | 1.00 | 4.43 | 5.80 |
| Laramie | ML7367B | 0.000 | 0.230 | Neal Avenue | 0.17 | 259 | 86 | 0.66 | 4.34 | 6.50 |
| Laramie | ML7368B | 0.000 | 0.220 | Pine Avenue | 0.18 | 251 | 86 | 0.70 | 4.43 | 5.80 |
| Laramie | ML7369B | 0.000 | 0.100 | Steve Avenue | 0.13 | 166 | 89 | 1.65 | 4.95 | 4.70 |
| Laramie | ML7369B | 0.100 | 0.200 | Steve Avenue | 0.12 | 257 | 91 | 0.87 | 5.28 | 4.50 |
| Laramie | ML7371B | 104.650 | 104.810 | Prairie Hills Drive | 0.14 | 242 | 74 | 0.45 | 3.52 | 5.40 |
| Laramie | ML7374B | 0.000 | 0.180 | Wapiti Trail | 0.10 | 315 | 96 | 0.70 | 3.30 | 3.60 |
| Laramie | ML7374B | 0.180 | 0.260 | Wapiti Trail | 0.13 | 214 | 100 | 1.48 | 3.48 | 3.30 |
| Laramie | ML7374B | 0.260 | 0.520 | Wapiti Trail | 0.13 | 167 | 91 | 1.69 | 2.91 | 3.80 |
| Laramie | ML7375B | 0.000 | 0.110 | Arcadian Drive | 0.16 | 328 | 85 | 0.24 | 3.46 | 4.50 |
| Laramie | ML7376B | 0.000 | 0.450 | 819 | 0.09 | 148 | 87 | 1.85 | 4.90 | 4.00 |
| Laramie | ML7377B | 0.000 | 0.080 | Thoroughbred Lane | 0.13 | 266 | 87 | 0.69 | 5.88 | 6.30 |
| Laramie | ML7377B | 0.080 | 0.540 | Thoroughbred Lane | 0.12 | 174 | 84 | 1.42 | 4.75 | 3.90 |
| Laramie | ML7377B | 0.540 | 0.620 | Thoroughbred Lane | 0.09 | 148 | 84 | 1.76 | 4.27 | 3.60 |
| Laramie | ML7407B | 0.000 | 1.130 | Dayshia Lane | 0.14 | 147 | 49 | 0.67 | 3.54 | 4.80 |
| Laramie | ML7428B | 0.000 | 0.470 | HR Ranch Road | 0.15 | 149 | 89 | 1.84 | 3.76 | Missing |
| Laramie | ML9039B | 100.000 | 100.040 | | 0.09 | 186 | 100 | 1.79 | 10.47 | 7.80 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|---------|----------|---------|--------------|---------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Laramie | ML9039B | 100.040 | 103.140 | | 0.14 | 83 | 100 | 3.23 | 6.05 | 5.50 |
| Laramie | ML9357B | 0.000 | 0.550 | 883 | 0.10 | 153 | 92 | 1.91 | 4.69 | 5.40 |
| Laramie | ML9358B | 0.000 | 0.160 | 884 | 0.10 | 171 | 93 | 1.73 | 4.26 | 5.30 |
| Laramie | ML9359B | 0.000 | 0.090 | 885 | 0.11 | 247 | 93 | 1.02 | 5.00 | 4.60 |
| Laramie | ML9360B | 0.000 | 0.060 | 886 | 0.12 | 201 | 93 | 1.40 | 4.43 | 7.30 |
| Laramie | ML9361B | 0.000 | 0.070 | 887 | 0.15 | 212 | 93 | 1.26 | 4.89 | 4.10 |
| Laramie | ML9377B | 0.000 | 0.140 | 130-1 | Missing | Missing | Missing | Missing | 1.14 | 3.00 |
| Laramie | ML9382B | 0.000 | 1.550 | 124-2 | 0.13 | 86 | 89 | 2.86 | 4.19 | 3.70 |
| Laramie | ML9382B | 1.550 | 2.170 | 124-2 | 0.17 | 85 | 96 | 3.04 | 4.26 | 3.60 |
| Laramie | ML9382B | 2.170 | 2.310 | 124-2 | 0.15 | 63 | 92 | 3.39 | 4.20 | 3.10 |
| Laramie | ML9382B | 2.310 | 2.420 | 124-2 | 0.13 | 68 | 89 | 3.20 | 4.21 | 2.40 |
| Laramie | ML9382B | 2.420 | 3.560 | 124-2 | 0.12 | 67 | 87 | 3.19 | 4.10 | 2.60 |
| Laramie | ML9382B | 3.560 | 4.110 | 124-2 | 0.14 | 79 | 89 | 2.98 | 4.32 | 2.60 |
| Laramie | ML9382B | 4.110 | 4.570 | 124-2 | 0.15 | 87 | 97 | 3.03 | 4.26 | 3.10 |
| Laramie | ML9382B | 4.570 | 5.480 | 124-2 | 0.26 | 287 | 89 | 0.41 | 2.63 | 4.90 |
| Laramie | ML9382B | 5.480 | 5.500 | 124-2 | 0.31 | 184 | 75 | 0.71 | 1.47 | 4.30 |
| Laramie | ML9382B | 5.500 | 5.750 | 124-2 | 0.26 | 196 | 57 | 0.15 | 1.48 | 4.00 |
| Laramie | ML9382B | 5.750 | 7.610 | 124-2 | 0.40 | 218 | 62 | 0.00 | 2.20 | 5.30 |
| Laramie | ML9382B | 7.610 | 10.460 | 124-2 | 0.31 | 217 | 58 | 0.00 | 1.75 | 5.60 |
| Laramie | ML9382B | 10.460 | 10.840 | 124-2 | 0.19 | 269 | 53 | 0.00 | 2.96 | 5.50 |
| Laramie | ML9385B | 10.790 | 10.840 | 154-1 | 0.17 | 333 | 90 | 0.36 | 3.70 | 5.30 |
| Laramie | ML9385B | 10.840 | 11.500 | 154-1 | 0.09 | 213 | 78 | 0.86 | 7.11 | 5.80 |
| Laramie | ML9385B | 11.500 | 11.550 | 154-1 | 0.19 | 619 | 85 | 0.00 | 5.76 | Missing |
| Laramie | ML9385B | 11.550 | 11.880 | 154-1 | 0.13 | 178 | 82 | 1.29 | 5.06 | 6.40 |
| Laramie | ML9468B | 0.000 | 0.200 | Helen Avenue | 0.20 | 285 | 82 | 0.33 | 4.39 | 6.40 |
| Laramie | ML9513B | 0.000 | 0.030 | | 0.09 | 178 | 100 | 1.87 | 3.74 | 9.70 |
| Laramie | ML9540B | 0.000 | 0.530 | | 0.08 | 150 | 86 | 1.80 | 3.56 | 5.00 |
| Laramie | ML9572B | 0.000 | 1.140 | | 0.15 | 108 | 31 | 0.71 | 2.71 | 4.50 |
| Laramie | ML9586B | 0.000 | 0.040 | | 0.10 | 208 | 98 | 1.50 | 10.79 | 7.50 |
| Laramie | ML9586I | 0.043 | 0.252 | | 0.10 | 283 | 98 | 0.93 | 10.47 | 6.40 |

Appendix 1.12: Lincoln County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|---------|----------|--------|---------------------------|------|-----|-----|------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Lincoln | ML4997B | 0.000 | 0.720 | Kemmerer Landfill Road | 0.16 | 200 | 84 | 1.10 | 2.60 | 7.10 |
| Lincoln | ML7438B | 0.000 | 1.310 | Old Alpine Road | 0.11 | 145 | 86 | 1.83 | 2.21 | 6.30 |
| Lincoln | ML7441B | 0.000 | 2.200 | Stewart Trail | 0.16 | 191 | 100 | 1.66 | 3.45 | 9.40 |
| Lincoln | ML7442B | 0.000 | 1.010 | Sanderson | 0.16 | 220 | 90 | 1.09 | 2.14 | 8.00 |
| Lincoln | ML7444B | 0.000 | 2.260 | Roberts-Wolfley | 0.17 | 217 | 97 | 1.33 | 1.12 | 9.60 |
| Lincoln | ML7445B | 0.000 | 0.260 | East Etna | 0.25 | 202 | 100 | 1.41 | 1.68 | 9.30 |
| Lincoln | ML7445B | 0.260 | 1.020 | East Etna | 0.24 | 188 | 100 | 1.57 | 1.56 | 9.50 |
| Lincoln | ML7445B | 1.020 | 1.270 | East Etna | 0.25 | 176 | 96 | 1.56 | 1.34 | 7.50 |
| Lincoln | ML7445B | 1.270 | 1.500 | East Etna | 0.21 | 226 | 98 | 1.20 | 1.53 | 6.50 |
| Lincoln | ML7445B | 1.500 | 2.570 | East Etna | 0.22 | 204 | 98 | 1.39 | 1.59 | 8.00 |
| Lincoln | ML7445B | 2.570 | 2.710 | East Etna | 0.22 | 272 | 98 | 0.86 | 1.81 | 8.10 |
| Lincoln | ML7445B | 2.710 | 3.540 | East Etna | 0.28 | 219 | 96 | 1.06 | 1.69 | 11.10 |
| Lincoln | ML7446B | 0.000 | 0.710 | Creamery | 0.23 | 141 | 79 | 1.52 | 6.31 | Missing |
| Lincoln | ML7446B | 0.710 | 1.220 | Creamery | 0.20 | 169 | 81 | 1.28 | 7.16 | Missing |
| Lincoln | ML7446B | 1.220 | 1.640 | Creamery | 0.24 | 197 | 86 | 1.05 | 7.56 | Missing |
| Lincoln | ML7447B | 0.000 | 1.000 | Etna-Forest | 0.17 | 171 | 95 | 1.71 | 1.92 | 8.00 |
| Lincoln | ML7449B | 0.000 | 0.940 | State Line | 0.22 | 187 | 92 | 1.38 | 4.12 | 9.40 |
| Lincoln | ML7449B | 0.940 | 4.340 | State Line | 0.21 | 195 | 86 | 1.12 | 2.88 | 9.00 |
| Lincoln | ML7450B | 0.000 | 2.030 | Clark Lane | 0.24 | 190 | 88 | 1.19 | 2.78 | 13.70 |
| Lincoln | ML7452B | 0.000 | 1.520 | Muddy String | 0.18 | 162 | 97 | 1.85 | 3.32 | 3.80 |
| Lincoln | ML7452B | 1.520 | 2.540 | Muddy String | 0.22 | 169 | 97 | 1.71 | 3.54 | 5.50 |
| Lincoln | ML7452B | 2.540 | 3.560 | Muddy String | 0.17 | 128 | 97 | 2.33 | 2.99 | 11.50 |
| Lincoln | ML7452B | 3.560 | 4.570 | Muddy String | 0.12 | 108 | 98 | 2.74 | 3.07 | 14.80 |
| Lincoln | ML7452B | 4.570 | 5.120 | Muddy String | 0.19 | 101 | 98 | 2.78 | 3.00 | 13.20 |
| Lincoln | ML7452B | 5.120 | 5.600 | Muddy String | 0.23 | 102 | 98 | 2.69 | 3.21 | 13.60 |
| Lincoln | ML7453B | 0.000 | 2.040 | Cedar Creek | 0.24 | 102 | 95 | 2.57 | 3.41 | 6.30 |
| Lincoln | ML7454B | 0.000 | 2.340 | Perkins | 0.23 | 222 | 97 | 1.19 | 1.68 | 9.60 |
| Lincoln | ML7454B | 2.340 | 2.970 | Perkins | 0.23 | 209 | 95 | 1.23 | 2.25 | 3.00 |
| Lincoln | ML7454B | 2.970 | 3.860 | Perkins | 0.21 | 236 | 87 | 0.80 | 2.57 | 4.00 |
| Lincoln | ML7455B | 0.000 | 1.880 | Lost Creek | 0.17 | 180 | 98 | 1.69 | 2.09 | 7.50 |
| Lincoln | ML7455B | 1.880 | 2.000 | Lost Creek | 0.17 | 168 | 99 | 1.88 | 2.01 | 8.90 |
| Lincoln | ML7456B | 0.000 | 2.200 | Bedford North Road | 0.21 | 186 | 98 | 1.58 | 3.57 | 4.70 |
| Lincoln | ML7457B | 0.660 | 1.310 | Thayne Bedford | 0.17 | 146 | 93 | 1.96 | 3.68 | 5.90 |
| Lincoln | ML7457B | 1.310 | 3.250 | Thayne Bedford | 0.17 | 126 | 100 | 2.44 | 5.46 | 6.00 |
| Lincoln | ML7457B | 3.250 | 3.750 | Thayne Bedford | 0.23 | 118 | 96 | 2.38 | 4.57 | 5.20 |
| Lincoln | ML7457B | 3.750 | 3.870 | Thayne Bedford | 0.18 | 119 | 97 | 2.46 | 5.46 | 3.50 |
| Lincoln | ML7457B | 3.870 | 4.000 | Thayne Bedford | 0.16 | 102 | 100 | 2.85 | 4.75 | 2.80 |
| Lincoln | ML7457B | 4.000 | 4.120 | Thayne Bedford | 0.16 | 132 | 98 | 2.33 | 4.40 | 3.10 |
| Lincoln | ML7458B | 0.000 | 0.180 | Bedford-Turnerville | 0.09 | 179 | 99 | 1.83 | 5.04 | 2.60 |
| Lincoln | ML7458B | 0.180 | 1.010 | Bedford-Turnerville | 0.12 | 122 | 95 | 2.43 | 4.91 | 3.60 |
| Lincoln | ML7458B | 1.010 | 1.960 | Bedford-Turnerville | 0.13 | 119 | 100 | 2.61 | 4.61 | 4.20 |
| Lincoln | ML7458B | 1.960 | 4.490 | Bedford-Turnerville | 0.20 | 265 | 93 | 0.78 | 4.14 | 7.60 |
| Lincoln | ML7458B | 4.490 | 4.720 | Bedford-Turnerville | 0.14 | 252 | 87 | 0.77 | 3.86 | 8.40 |
| Lincoln | ML7458B | 4.720 | 5.510 | Bedford-Turnerville | 0.24 | 196 | 98 | 1.43 | 5.17 | 4.10 |
| Lincoln | ML7460B | 0.470 | 0.730 | Thayne-Freedom | 0.22 | 230 | 100 | 1.21 | 3.05 | 5.60 |
| Lincoln | ML7460B | 0.730 | 5.850 | Thayne-Freedom | 0.22 | 208 | 100 | 1.41 | 2.76 | 6.40 |
| Lincoln | ML7461B | 0.000 | 1.060 | Strawberry Creek | 0.18 | 165 | 97 | 1.84 | 3.42 | 5.50 |
| Lincoln | ML7461B | 1.060 | 2.980 | Strawberry Creek | 0.20 | 147 | 100 | 2.13 | 3.27 | 5.80 |
| Lincoln | ML7461B | 2.980 | 3.120 | Strawberry Creek | 0.22 | 165 | 100 | 1.86 | 3.58 | 9.00 |
| Lincoln | ML7461B | 3.120 | 3.270 | Strawberry Creek | 0.18 | 182 | 95 | 1.58 | 3.79 | 9.90 |
| Lincoln | ML7461B | 3.270 | 3.340 | Strawberry Creek | 0.20 | 214 | 97 | 1.30 | 4.06 | 7.40 |
| Lincoln | ML7461B | 3.340 | 3.610 | Strawberry Creek | 0.14 | 197 | 99 | 1.60 | 4.68 | 6.70 |
| Lincoln | ML7461B | 3.610 | 4.360 | Strawberry Creek | 0.21 | 196 | 100 | 1.54 | 3.64 | 5.80 |
| Lincoln | ML7461B | 4.360 | 5.150 | Strawberry Creek | 0.21 | 194 | 100 | 1.56 | 4.75 | 7.60 |
| Lincoln | ML7463B | 0.000 | 1.060 | Heiner-Suter Lane | 0.28 | 239 | 99 | 1.00 | 2.19 | 10.60 |
| Lincoln | ML7465B | 0.000 | 0.280 | Grover North | 0.20 | 286 | 100 | 0.86 | 4.55 | 7.20 |
| Lincoln | ML7465B | 0.280 | 0.930 | Grover North | 0.29 | 250 | 100 | 0.92 | 4.96 | 8.70 |
| Lincoln | ML7466B | 0.000 | 1.950 | Grover Narrows | 0.24 | 257 | 98 | 0.91 | 2.78 | 10.30 |
| Lincoln | ML7467B | 0.000 | 0.290 | Tom's Canyon | 0.28 | 273 | 100 | 0.79 | 5.05 | 4.20 |
| Lincoln | ML7467B | 0.290 | 1.010 | Tom's Canyon | 0.29 | 325 | 99 | 0.44 | 5.21 | 4.70 |
| Lincoln | ML7468B | 0.000 | 0.150 | Worton Lane | 0.12 | 165 | 98 | 1.94 | 4.65 | 7.00 |
| Lincoln | ML7469B | 0.000 | 2.230 | Stump Creek | 0.27 | 233 | 96 | 0.97 | 5.78 | 9.90 |
| Lincoln | ML7470B | 0.000 | 0.160 | Third Street South Auburn | 0.18 | 167 | 100 | 1.90 | 3.91 | Missing |
| Lincoln | ML7470B | 0.160 | 0.310 | Third Street South Auburn | 0.16 | 131 | 100 | 2.40 | 4.24 | Missing |
| Lincoln | ML7470B | 0.310 | 0.480 | Third Street South Auburn | 0.15 | 144 | 100 | 2.22 | 4.44 | 8.10 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|---------|----------|--------|---------------------------|---------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Lincoln | ML7470B | 0.480 | 0.500 | Third Street South Auburn | 0.13 | 115 | 96 | 2.56 | 4.05 | 7.20 |
| Lincoln | ML7470B | 0.500 | 1.890 | Third Street South Auburn | 0.17 | 198 | 99 | 1.53 | 4.39 | 8.90 |
| Lincoln | ML7470B | 1.890 | 2.330 | Third Street South Auburn | 0.17 | 222 | 97 | 1.26 | 3.99 | 10.00 |
| Lincoln | ML7470B | 2.330 | 2.360 | Third Street South Auburn | 0.17 | 278 | 94 | 0.77 | No Paved Road | No Paved Road |
| Lincoln | ML7471B | 0.000 | 0.920 | Allred | 0.22 | 130 | 100 | 2.33 | 3.62 | 7.60 |
| Lincoln | ML7471B | 0.920 | 2.030 | Allred | 0.19 | 114 | 100 | 2.62 | 3.65 | 7.10 |
| Lincoln | ML7472B | 0.540 | 0.640 | Kennington-Burton Lane | 0.10 | 117 | 96 | 2.56 | 2.78 | 7.80 |
| Lincoln | ML7472B | 0.640 | 0.710 | Kennington-Burton Lane | 0.11 | 96 | 91 | 2.75 | 3.03 | 8.60 |
| Lincoln | ML7472B | 0.710 | 1.040 | Kennington-Burton Lane | 0.12 | 128 | 98 | 2.43 | 3.19 | 7.50 |
| Lincoln | ML7472B | 1.040 | 1.790 | Kennington-Burton Lane | 0.16 | 154 | 87 | 1.69 | 4.30 | 10.70 |
| Lincoln | ML7473B | 0.060 | 1.080 | Swift Creek Lane | 0.17 | 172 | 90 | 1.56 | 3.25 | 7.20 |
| Lincoln | ML7475B | 0.000 | 0.330 | Bitter Creek | 0.26 | 234 | 100 | 1.10 | 3.04 | 3.60 |
| Lincoln | ML7475B | 0.330 | 5.170 | Bitter Creek | 0.21 | 201 | 95 | 1.34 | 4.71 | 10.10 |
| Lincoln | ML7475B | 5.170 | 6.000 | Bitter Creek | 0.26 | 180 | 100 | 1.60 | 5.18 | 11.40 |
| Lincoln | ML7475B | 6.000 | 6.130 | Bitter Creek | 0.15 | 161 | 99 | 1.98 | 5.19 | 13.50 |
| Lincoln | ML7475B | 6.130 | 6.250 | Bitter Creek | 0.17 | 150 | 98 | 2.06 | 6.05 | 11.10 |
| Lincoln | ML7475B | 6.250 | 8.300 | Bitter Creek | 0.23 | 166 | 100 | 1.83 | 7.64 | 5.10 |
| Lincoln | ML7476B | 0.000 | 2.150 | Crow Creek | 0.22 | 236 | 91 | 0.89 | 1.62 | 8.40 |
| Lincoln | ML7476B | 2.150 | 2.420 | Crow Creek | 0.22 | 207 | 55 | 0.07 | 4.37 | 7.60 |
| Lincoln | ML7476B | 2.420 | 3.550 | Crow Creek | 0.32 | 278 | 82 | 0.11 | 4.53 | 6.20 |
| Lincoln | ML7477B | 0.000 | 0.120 | Fairview North Road | 0.33 | 312 | 100 | 0.45 | 2.79 | 6.70 |
| Lincoln | ML7477B | 0.120 | 0.250 | Fairview North Road | 0.23 | 221 | 86 | 0.86 | 3.20 | 7.20 |
| Lincoln | ML7477B | 0.250 | 0.760 | Fairview North Road | 0.19 | 225 | 96 | 1.19 | 2.58 | 9.30 |
| Lincoln | ML7477B | 0.760 | 0.850 | Fairview North Road | 0.22 | 284 | 88 | 0.47 | 4.10 | 7.30 |
| Lincoln | ML7478B | 0.000 | 0.130 | Fairview South Road | 0.27 | 347 | 96 | 0.30 | 2.83 | 10.00 |
| Lincoln | ML7478B | 0.130 | 0.260 | Fairview South Road | 0.27 | 267 | 100 | 0.84 | 3.28 | 9.40 |
| Lincoln | ML7478B | 0.260 | 0.760 | Fairview South Road | 0.15 | 271 | 96 | 0.90 | 3.00 | 7.30 |
| Lincoln | ML7478B | 0.760 | 0.910 | Fairview South Road | 0.20 | 286 | 89 | 0.52 | 3.03 | 4.00 |
| Lincoln | ML7479B | 1.770 | 2.000 | Fairview Spring Creek | 0.29 | 306 | 77 | 0.00 | 3.02 | 6.60 |
| Lincoln | ML7479B | 2.000 | 3.210 | Fairview Spring Creek | 0.22 | 213 | 80 | 0.74 | 3.27 | 7.00 |
| Lincoln | ML7479B | 3.210 | 3.340 | Fairview Spring Creek | 0.19 | 328 | 100 | 0.65 | 1.20 | 11.50 |
| Lincoln | ML7479B | 3.340 | 3.470 | Fairview Spring Creek | 0.17 | 205 | 100 | 1.52 | 1.07 | 11.20 |
| Lincoln | ML7481B | 0.000 | 2.390 | Dry Creek | 0.20 | 229 | 98 | 1.20 | 2.10 | 5.60 |
| Lincoln | ML7483B | 0.000 | 1.100 | Lancaster Lane | 0.21 | 211 | 97 | 1.30 | 1.96 | 9.40 |
| Lincoln | ML7484B | 0.000 | 0.130 | Smoot-Afton | 0.17 | 205 | 100 | 1.51 | 3.16 | 7.00 |
| Lincoln | ML7484B | 0.130 | 0.260 | Smoot-Afton | 0.18 | 287 | 96 | 0.76 | 2.92 | 6.70 |
| Lincoln | ML7484B | 0.260 | 1.020 | Smoot-Afton | 0.24 | 283 | 100 | 0.80 | 3.02 | 6.10 |
| Lincoln | ML7484B | 2.220 | 2.670 | Smoot-Afton | 0.16 | 232 | 99 | 1.26 | 2.10 | 11.10 |
| Lincoln | ML7487B | 0.000 | 0.080 | Smoot | 0.20 | 523 | 100 | 0.10 | 2.88 | 8.70 |
| Lincoln | ML7487B | 0.080 | 0.210 | Smoot | 0.24 | 271 | 100 | 0.89 | 2.19 | 11.40 |
| Lincoln | ML7487B | 0.210 | 0.540 | Smoot | 0.22 | 322 | 99 | 0.60 | 3.60 | 9.60 |
| Lincoln | ML7487B | 0.540 | 0.820 | Smoot | 0.27 | 264 | 100 | 0.87 | 4.65 | 7.40 |
| Lincoln | ML7487B | 0.820 | 1.070 | Smoot | 0.25 | 330 | 100 | 0.53 | 4.58 | 6.30 |
| Lincoln | ML7488B | 0.000 | 0.880 | Smoot-Forest | 0.31 | 263 | 99 | 0.74 | 3.52 | 7.10 |
| Lincoln | ML7489B | 0.000 | 1.000 | Cottonwood Creek Road | 0.26 | 233 | 100 | 1.11 | 2.42 | 7.40 |
| Lincoln | ML7492B | 0.000 | 0.470 | Happy Valley | 0.21 | 243 | 78 | 0.47 | 1.53 | 4.90 |
| Lincoln | ML7495B | 0.000 | 0.310 | Cottonwood Drive | 0.18 | 294 | 99 | 0.81 | 1.21 | 11.10 |
| Lincoln | ML7496B | 0.000 | 0.630 | Valley View Drive | 0.20 | 316 | 99 | 0.66 | 1.60 | 7.30 |
| Lincoln | ML7499B | 0.000 | 0.500 | Etna West | 0.16 | 288 | 94 | 0.72 | 2.05 | 4.50 |
| Lincoln | ML7502B | 0.000 | 0.130 | Grover Park | 0.23 | 406 | 100 | 0.30 | 1.70 | 2.70 |
| Lincoln | ML7502B | 0.130 | 0.250 | Grover Park | 0.25 | 242 | 100 | 1.06 | 1.13 | 2.90 |
| Lincoln | ML7502B | 0.250 | 0.530 | Grover Park | 0.24 | 364 | 97 | 0.33 | 1.11 | 2.80 |
| Lincoln | ML7503B | 0.000 | 0.040 | 173S | 0.21 | 666 | 100 | 0.00 | 3.63 | 4.90 |
| Lincoln | ML7503B | 0.040 | 0.440 | 173S | 0.32 | 247 | 98 | 0.79 | 4.59 | 7.70 |
| Lincoln | ML7503B | 0.440 | 0.530 | 173S | 0.24 | 242 | 100 | 1.08 | 2.38 | 4.40 |
| Lincoln | ML7503B | 0.530 | 1.090 | 173S | 0.34 | 354 | 98 | 0.16 | 1.95 | 8.00 |
| Lincoln | ML7504B | 0.000 | 0.130 | Duffin Circle | 0.27 | 273 | 100 | 0.82 | 2.73 | 5.90 |
| Lincoln | ML7504B | 0.130 | 0.420 | Duffin Circle | 0.31 | 302 | 98 | 0.49 | 1.91 | 6.60 |
| Lincoln | ML7504B | 0.420 | 0.540 | Duffin Circle | Missing | Missing | Missing | Missing | 1.90 | 5.40 |
| Lincoln | ML7505B | 0.000 | 0.510 | Bowles Lane | 0.18 | 204 | 98 | 1.44 | 1.31 | 7.00 |
| Lincoln | ML7507B | 0.000 | 0.260 | Willow Creek Canyon Road | 0.17 | 236 | 87 | 0.85 | 1.96 | 10.80 |
| Lincoln | ML7509B | 0.000 | 0.780 | Alford Way | 0.16 | 221 | 99 | 1.35 | 1.58 | 4.80 |
| Lincoln | ML7510B | 0.000 | 0.130 | First South St | 0.24 | 230 | 96 | 1.07 | 1.04 | 7.00 |
| Lincoln | ML7510B | 0.130 | 0.260 | First South St | 0.27 | 358 | 97 | 0.29 | 0.98 | 10.40 |
| Lincoln | ML7510B | 0.260 | 0.380 | First South St | 0.24 | 347 | 95 | 0.34 | 0.98 | 4.30 |
| Lincoln | ML7511B | 0.000 | 0.130 | First West Ave | 0.20 | 235 | 100 | 1.21 | 0.97 | 7.00 |
| Lincoln | ML7511B | 0.130 | 0.260 | First West Ave | 0.23 | 322 | 97 | 0.53 | 1.32 | 10.90 |
| Lincoln | ML7520B | 0.000 | 0.120 | South Grover | 0.21 | 234 | 99 | 1.16 | 1.02 | 7.30 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|---------|----------|--------|------------------------|---------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Lincoln | ML7520B | 0.120 | 0.230 | South Grover | 0.20 | 245 | 97 | 1.05 | 1.15 | 10.60 |
| Lincoln | ML7520B | 0.230 | 0.370 | South Grover | 0.16 | 205 | 100 | 1.53 | 1.20 | 11.10 |
| Lincoln | ML7520B | 0.370 | 0.500 | South Grover | 0.19 | 168 | 100 | 1.88 | 1.03 | 9.20 |
| Lincoln | ML7521B | 0.000 | 0.100 | First Street | 0.19 | 274 | 95 | 0.80 | 3.88 | 8.10 |
| Lincoln | ML7521B | 0.100 | 0.230 | First Street | 0.19 | 238 | 98 | 1.14 | 3.57 | 10.10 |
| Lincoln | ML7522B | 0.000 | 0.120 | Second St | 0.17 | 253 | 95 | 0.96 | 0.95 | 15.40 |
| Lincoln | ML7522B | 0.120 | 0.230 | Second St | 0.16 | 258 | 94 | 0.91 | 0.97 | 16.20 |
| Lincoln | ML7523B | 0.000 | 0.110 | Fourth St | 0.21 | 316 | 100 | 0.68 | 1.01 | 8.90 |
| Lincoln | ML7523B | 0.110 | 0.230 | Fourth St | 0.30 | 386 | 100 | 0.21 | 1.06 | 9.60 |
| Lincoln | ML7524B | 0.000 | 0.110 | Fifth Street | 0.15 | 201 | 100 | 1.57 | 1.11 | 5.00 |
| Lincoln | ML7524B | 0.110 | 0.230 | Fifth Street | 0.19 | 225 | 99 | 1.29 | 1.02 | 4.40 |
| Lincoln | ML7525B | 0.000 | 0.120 | Main Street 191F | 0.18 | 236 | 100 | 1.24 | 1.03 | 13.10 |
| Lincoln | ML7525B | 0.120 | 0.240 | Main Street 191F | 0.18 | 177 | 100 | 1.79 | 1.31 | 9.80 |
| Lincoln | ML7525B | 0.240 | 0.370 | Main Street 191F | 0.15 | 234 | 98 | 1.22 | 2.62 | 8.30 |
| Lincoln | ML7525B | 0.370 | 0.500 | Main Street 191F | 0.15 | 213 | 100 | 1.47 | 1.65 | 9.90 |
| Lincoln | ML7528B | 0.000 | 0.090 | B Street 195B | 0.19 | 261 | 98 | 0.98 | 0.86 | 10.60 |
| Lincoln | ML7528B | 0.090 | 0.230 | B Street 195B | 0.22 | 259 | 97 | 0.91 | 1.30 | 9.50 |
| Lincoln | ML7529B | 0.000 | 0.120 | E Street Smoot) | 0.17 | 282 | 98 | 0.87 | 1.39 | 10.10 |
| Lincoln | ML7530B | 0.000 | 0.180 | A Street | 0.14 | 234 | 98 | 1.24 | 1.46 | 9.90 |
| Lincoln | ML7531B | 0.000 | 0.140 | B Street 196B | 0.25 | 202 | 100 | 1.42 | 1.71 | 11.40 |
| Lincoln | ML7531B | 0.140 | 0.270 | B Street 196B | 0.18 | 312 | 98 | 0.68 | 2.45 | 7.80 |
| Lincoln | ML7532B | 0.000 | 0.140 | C Street | 0.22 | 251 | 98 | 0.99 | 1.76 | 11.60 |
| Lincoln | ML7533B | 0.000 | 0.060 | First West Street | 0.16 | 305 | 100 | 0.82 | 2.26 | 8.20 |
| Lincoln | ML7533B | 0.060 | 0.140 | First West Street | 0.31 | 313 | 100 | 0.49 | 2.16 | 9.50 |
| Lincoln | ML7533B | 0.140 | 0.280 | First West Street | 0.17 | 265 | 100 | 1.03 | 2.51 | 8.90 |
| Lincoln | ML7534B | 0.000 | 0.140 | 196E | 0.12 | 273 | 98 | 0.98 | 1.73 | 8.70 |
| Lincoln | ML7534B | 0.140 | 0.430 | 196E | 0.20 | 290 | 99 | 0.81 | 2.37 | 5.20 |
| Lincoln | ML7535B | 0.000 | 0.430 | First St West | 0.17 | 186 | 100 | 1.70 | 4.88 | 9.20 |
| Lincoln | ML7535B | 0.430 | 0.580 | First St West | 0.15 | 222 | 100 | 1.39 | 5.48 | 9.30 |
| Lincoln | ML7535B | 0.580 | 0.640 | First St West | 0.14 | 225 | 98 | 1.31 | 5.67 | 8.90 |
| Lincoln | ML7535B | 0.640 | 0.730 | First St West | 0.19 | 349 | 100 | 0.57 | 5.01 | 6.30 |
| Lincoln | ML7535B | 0.730 | 0.880 | First St West | 0.17 | 189 | 98 | 1.62 | 4.87 | 12.90 |
| Lincoln | ML7536B | 0.000 | 0.140 | Second St West | 0.24 | 215 | 100 | 1.31 | 3.36 | 8.70 |
| Lincoln | ML7536B | 0.140 | 0.440 | Second St West | 0.43 | 192 | 100 | 1.02 | 2.43 | 9.30 |
| Lincoln | ML7536B | 0.440 | 0.580 | Second St West | 0.30 | 337 | 100 | 0.39 | 2.37 | 9.70 |
| Lincoln | ML7537B | 0.000 | 0.140 | Third St West | 0.28 | 297 | 100 | 0.63 | 5.67 | 6.50 |
| Lincoln | ML7537B | 0.140 | 0.440 | Third St West | 0.24 | 244 | 100 | 1.06 | 5.94 | 7.70 |
| Lincoln | ML7539B | 0.000 | 0.290 | Second St North | 0.20 | 220 | 100 | 1.34 | 5.38 | 4.80 |
| Lincoln | ML7540B | 0.000 | 0.020 | First St North | 0.28 | 727 | 91 | 0.00 | 1.45 | 15.30 |
| Lincoln | ML7540B | 0.020 | 0.170 | First St North | 0.36 | 241 | 100 | 0.82 | 1.86 | 10.80 |
| Lincoln | ML7541B | 0.000 | 0.170 | Main Street 197G | 0.24 | 225 | 100 | 1.22 | 5.76 | 8.40 |
| Lincoln | ML7541B | 0.170 | 0.310 | Main Street 197G | 0.22 | 252 | 100 | 1.05 | 4.74 | 9.10 |
| Lincoln | ML7541B | 0.310 | 0.450 | Main Street 197G | 0.24 | 216 | 98 | 1.24 | 6.06 | 7.00 |
| Lincoln | ML7542B | 0.000 | 0.150 | Second St South | 0.29 | 297 | 100 | 0.62 | 1.40 | 11.00 |
| Lincoln | ML7545B | 0.000 | 0.200 | Raymond | 0.29 | 247 | 86 | 0.53 | 1.83 | 7.80 |
| Lincoln | ML7546B | 0.000 | 2.900 | Pine Creek | 0.14 | 111 | 96 | 2.61 | 3.50 | 9.30 |
| Lincoln | ML7547B | 0.000 | 0.360 | Cokeville Stopher Road | 0.28 | 356 | 100 | 0.37 | 3.90 | 5.80 |
| Lincoln | ML7548B | 0.000 | 0.680 | Cokeville-Utah Line | 0.14 | 223 | 72 | 0.55 | 4.15 | 8.10 |
| Lincoln | ML7548B | 0.680 | 1.540 | Cokeville-Utah Line | 0.13 | 187 | 96 | 1.62 | 3.93 | 8.30 |
| Lincoln | ML7548B | 1.540 | 1.650 | Cokeville-Utah Line | 0.17 | 213 | 96 | 1.32 | 4.96 | 3.70 |
| Lincoln | ML7548B | 1.650 | 16.200 | Cokeville-Utah Line | 0.19 | 186 | 90 | 1.38 | 2.90 | 6.90 |
| Lincoln | ML7556B | 0.000 | 1.440 | Kemmerer Airport | 0.21 | 221 | 96 | 1.18 | 3.97 | 11.30 |
| Lincoln | ML7557B | 0.000 | 3.920 | Fossil Butte | 0.21 | 197 | 88 | 1.18 | 5.20 | 8.70 |
| Lincoln | ML7559B | 0.000 | 0.260 | Elkol | 0.12 | 184 | 87 | 1.39 | 3.09 | 8.30 |
| Lincoln | ML7559B | 0.260 | 0.560 | Elkol | 0.09 | 85 | 83 | 2.73 | 1.87 | 11.20 |
| Lincoln | ML7559B | 0.560 | 2.120 | Elkol | 0.14 | 102 | 86 | 2.45 | 2.30 | 9.50 |
| Lincoln | ML7559B | 2.120 | 3.200 | Elkol | 0.13 | 79 | 79 | 2.68 | 2.63 | 9.40 |
| Lincoln | ML7564B | 4.100 | 4.220 | Fontenelle Dam | Missing | Missing | Missing | Missing | 0.79 | 3.20 |
| Lincoln | ML7565B | 0.000 | 11.870 | Fontenelle Creek | 0.32 | 304 | 81 | 0.00 | 4.44 | 7.10 |
| Lincoln | ML7566B | 0.000 | 11.140 | LaBarge Creek | 0.20 | 255 | 90 | 0.75 | 4.77 | 8.00 |
| Lincoln | ML7566B | 11.140 | 11.650 | LaBarge Creek | 0.23 | 298 | 87 | 0.34 | 4.64 | 5.70 |
| Lincoln | ML7567B | 0.000 | 0.490 | Fontenelle North | 0.19 | 231 | 73 | 0.45 | 4.11 | 6.20 |
| Lincoln | ML7568B | 0.000 | 1.110 | Bucks Road | 0.26 | 316 | 96 | 0.47 | 3.51 | 6.30 |
| Lincoln | ML7569B | 0.000 | 2.510 | Aspen Springs | 0.21 | 248 | 67 | 0.09 | 3.80 | 6.00 |
| Lincoln | ML7572B | 0.000 | 0.060 | Conroy | 0.17 | 210 | 85 | 1.02 | No Paved Road | No Paved Road |
| Lincoln | ML7573B | 0.000 | 3.150 | Calhoun | 0.24 | 194 | 66 | 0.47 | 2.11 | 4.00 |
| Lincoln | ML7574B | 0.000 | 0.460 | Skull Point | 0.30 | 233 | 89 | 0.69 | 7.07 | 8.20 |
| Lincoln | ML7574B | 0.460 | 2.820 | Skull Point | 0.19 | 199 | 84 | 1.06 | 4.88 | 8.40 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|---------|----------|--------|-------------------------|------|-----|-----|------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Lincoln | ML7577B | 0.000 | 0.140 | Twin Creek-South Fork | 0.22 | 358 | 92 | 0.23 | 4.51 | 6.80 |
| Lincoln | ML7577B | 0.140 | 0.620 | Twin Creek-South Fork | 0.29 | 313 | 97 | 0.44 | 4.23 | 3.90 |
| Lincoln | ML7578B | 0.000 | 0.230 | Oakley Subdivision Road | 0.39 | 529 | 97 | 0.00 | 4.86 | 4.60 |
| Lincoln | ML7591B | 0.000 | 9.450 | Shute Creek Road | 0.11 | 72 | 97 | 3.40 | 8.12 | 5.50 |
| Lincoln | ML7592B | 0.000 | 0.730 | Twin Creek North | 0.31 | 291 | 95 | 0.46 | 4.06 | 3.60 |
| Lincoln | ML7600B | 0.000 | 0.100 | Bellview | 0.16 | 413 | 100 | 0.39 | 1.68 | 15.70 |
| Lincoln | ML7600B | 0.100 | 0.320 | Bellview | 0.23 | 301 | 95 | 0.57 | 1.40 | 7.10 |
| Lincoln | ML7600B | 0.320 | 0.500 | Bellview | 0.21 | 334 | 100 | 0.59 | 1.53 | 10.70 |
| Lincoln | ML9603B | 0.000 | 0.280 | | 0.31 | 282 | 100 | 0.66 | 2.06 | Missing |

Appendix 1.13: Natrona County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|---------|----------|--------|-------------------------|---------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Natrona | ML7608B | 0.000 | 0.030 | Arminto Road | 0.28 | 222 | 43 | 0.00 | 3.92 | 8.00 |
| Natrona | ML7608B | 0.030 | 3.830 | Arminto Road | 0.27 | 257 | 39 | 0.00 | 1.88 | 7.40 |
| Natrona | ML7608B | 3.830 | 5.630 | Arminto Road | 0.26 | 224 | 48 | 0.00 | 2.70 | 7.70 |
| Natrona | ML7608B | 5.630 | 8.270 | Arminto Road | 0.25 | 222 | 60 | 0.00 | 2.67 | 8.70 |
| Natrona | ML7608B | 8.270 | 8.300 | Arminto Road | 0.20 | 153 | 100 | 2.05 | 2.04 | 9.20 |
| Natrona | ML7608B | 8.300 | 8.400 | Arminto Road | 0.30 | 263 | 94 | 0.62 | 2.17 | 8.20 |
| Natrona | ML7609B | 0.000 | 1.020 | Buffalo Creek Road | 0.26 | 224 | 100 | 1.19 | 3.43 | 8.00 |
| Natrona | ML7611B | 0.000 | 0.290 | Notches | 0.27 | 311 | 60 | 0.00 | 4.43 | 6.70 |
| Natrona | ML7615B | 0.000 | 0.790 | Thirty-Three Mile Road | 0.28 | 204 | 62 | 0.19 | 4.45 | 12.10 |
| Natrona | ML7615B | 0.790 | 1.800 | Thirty-Three Mile Road | 0.22 | 188 | 72 | 0.77 | 4.35 | 8.60 |
| Natrona | ML7615B | 1.800 | 2.790 | Thirty-Three Mile Road | 0.24 | 231 | 66 | 0.16 | 4.08 | 10.10 |
| Natrona | ML7615B | 2.790 | 3.790 | Thirty-Three Mile Road | 0.27 | 265 | 57 | 0.00 | 3.81 | Missing |
| Natrona | ML7615B | 3.790 | 4.800 | Thirty-Three Mile Road | 0.35 | 276 | 46 | 0.00 | 6.00 | 12.20 |
| Natrona | ML7615B | 15.370 | 16.840 | Thirty-Three Mile Road | 0.30 | 179 | 82 | 0.99 | 6.08 | 11.70 |
| Natrona | ML7615B | 16.840 | 17.440 | Thirty-Three Mile Road | 0.29 | 303 | 81 | 0.01 | 6.61 | 10.30 |
| Natrona | ML7615B | 17.440 | 18.480 | Thirty-Three Mile Road | 0.36 | 247 | 60 | 0.00 | 5.13 | 12.10 |
| Natrona | ML7615B | 18.480 | 25.820 | Thirty-Three Mile Road | 0.27 | 226 | 48 | 0.00 | 6.75 | 9.10 |
| Natrona | ML7615B | 25.820 | 26.660 | Thirty-Three Mile Road | 0.29 | 232 | 47 | 0.00 | 6.46 | 7.60 |
| Natrona | ML7623B | 0.000 | 0.360 | East Salt Creek Road | 0.26 | 369 | 73 | 0.00 | 1.67 | 5.90 |
| Natrona | ML7624B | 0.230 | 0.950 | Six Mile Road | 0.17 | 229 | 91 | 1.03 | 4.45 | 6.20 |
| Natrona | ML7624B | 0.950 | 2.050 | Six Mile Road | 0.22 | 95 | 94 | 2.71 | 5.44 | 8.80 |
| Natrona | ML7624B | 2.050 | 2.700 | Six Mile Road | 0.10 | 151 | 87 | 1.80 | 8.31 | 4.70 |
| Natrona | ML7630B | 0.000 | 5.360 | Bucknum Road | 0.22 | 287 | 67 | 0.00 | 5.33 | 12.20 |
| Natrona | ML7630B | 5.360 | 5.440 | Bucknum Road | 0.19 | 166 | 74 | 1.12 | 0.85 | 12.60 |
| Natrona | ML7630B | 5.440 | 5.590 | Bucknum Road | 0.19 | 522 | 74 | 0.00 | 5.68 | 8.20 |
| Natrona | ML7630B | 5.590 | 10.000 | Bucknum Road | 0.18 | 304 | 56 | 0.00 | 4.61 | 10.00 |
| Natrona | ML7632B | 0.000 | 0.060 | Queen Street | 0.14 | 335 | 98 | 0.62 | 4.55 | Missing |
| Natrona | ML7632B | 0.060 | 0.200 | Queen Street | 0.26 | 292 | 60 | 0.00 | 5.96 | Missing |
| Natrona | ML7633B | 0.000 | 0.380 | Old Yellowstone Highway | 0.17 | 205 | 72 | 0.67 | 5.78 | 4.00 |
| Natrona | ML7633B | 0.380 | 0.400 | Old Yellowstone Highway | 0.20 | 189 | 95 | 1.48 | 4.41 | 3.60 |
| Natrona | ML7633B | 0.400 | 0.430 | Old Yellowstone Highway | 0.38 | 389 | 100 | 0.00 | 4.19 | 3.30 |
| Natrona | ML7633B | 0.430 | 0.550 | Old Yellowstone Highway | 0.22 | 250 | 95 | 0.91 | 4.28 | 4.50 |
| Natrona | ML7633B | 0.550 | 1.040 | Old Yellowstone Highway | 0.21 | 334 | 83 | 0.09 | 4.92 | 7.30 |
| Natrona | ML7633B | 1.040 | 1.390 | Old Yellowstone Highway | 0.20 | 282 | 54 | 0.00 | 6.47 | Missing |
| Natrona | ML7633B | 1.390 | 1.700 | Old Yellowstone Highway | 0.26 | 305 | 53 | 0.00 | 5.84 | Missing |
| Natrona | ML7635B | 0.000 | 0.560 | Poison Spider Road | 0.12 | 88 | 100 | 3.15 | 6.35 | 11.30 |
| Natrona | ML7635B | 0.560 | 1.790 | Poison Spider Road | 0.10 | 98 | 100 | 2.99 | 6.70 | 11.20 |
| Natrona | ML7635B | 1.790 | 4.630 | Poison Spider Road | 0.21 | 174 | 90 | 1.47 | 3.33 | 6.30 |
| Natrona | ML7635B | 4.630 | 4.820 | Poison Spider Road | 0.24 | 282 | 55 | 0.00 | 2.95 | 4.50 |
| Natrona | ML7635B | 4.820 | 7.050 | Poison Spider Road | 0.24 | 264 | 40 | 0.00 | 2.18 | 3.70 |
| Natrona | ML7635B | 7.080 | 10.130 | Poison Spider Road | 0.49 | 204 | 67 | 0.00 | 3.76 | 6.40 |
| Natrona | ML7635B | 10.130 | 11.020 | Poison Spider Road | 0.27 | 218 | 72 | 0.38 | 3.58 | 6.60 |
| Natrona | ML7635B | 11.020 | 11.920 | Poison Spider Road | 0.23 | 188 | 81 | 1.02 | 3.98 | 6.20 |
| Natrona | ML7635B | 11.920 | 19.620 | Poison Spider Road | 0.29 | 271 | 63 | 0.00 | 6.36 | 8.90 |
| Natrona | ML7636B | 0.000 | 0.600 | Zero Road | 0.36 | 192 | 79 | 0.61 | 4.67 | 8.40 |
| Natrona | ML7636B | 0.600 | 1.470 | Zero Road | 0.33 | 133 | 85 | 1.59 | 4.70 | 7.20 |
| Natrona | ML7636B | 1.470 | 2.480 | Zero Road | 0.18 | 121 | 93 | 2.32 | 4.24 | 5.80 |
| Natrona | ML7636B | 2.480 | 3.490 | Zero Road | 0.16 | 158 | 91 | 1.75 | 3.56 | 6.50 |
| Natrona | ML7636B | 3.490 | 3.510 | Zero Road | 0.15 | 150 | 93 | 1.94 | 3.89 | 6.20 |
| Natrona | ML7636B | 3.510 | 5.540 | Zero Road | 0.18 | 150 | 93 | 1.90 | 4.09 | 6.10 |
| Natrona | ML7636B | 5.540 | 9.000 | Zero Road | 0.29 | 199 | 71 | 0.47 | 3.67 | 6.40 |
| Natrona | ML7638B | 0.000 | 1.000 | Six WN Road | 0.13 | 77 | 94 | 3.18 | 5.52 | 7.20 |
| Natrona | ML7639B | 0.000 | 1.230 | Seven Mile Road | 0.22 | 217 | 98 | 1.27 | 1.41 | 4.40 |
| Natrona | ML7639B | 1.230 | 2.710 | Seven Mile Road | 0.15 | 109 | 96 | 2.63 | 5.33 | 6.80 |
| Natrona | ML7641B | 0.000 | 0.530 | Ten Mile Road | 0.20 | 154 | 96 | 1.92 | 4.88 | 8.60 |
| Natrona | ML7641B | 0.530 | 2.300 | Ten Mile Road | 0.23 | 170 | 84 | 1.30 | 5.05 | 10.00 |
| Natrona | ML7641B | 2.300 | 2.550 | Ten Mile Road | 0.21 | 159 | 85 | 1.49 | 5.07 | 8.10 |
| Natrona | ML7641B | 2.550 | 3.210 | Ten Mile Road | 0.20 | 176 | 96 | 1.65 | 5.37 | 8.10 |
| Natrona | ML7641B | 3.210 | 3.550 | Ten Mile Road | 0.21 | 161 | 94 | 1.76 | 6.62 | 7.00 |
| Natrona | ML7641B | 3.550 | 3.790 | Ten Mile Road | 0.17 | 171 | 85 | 1.41 | 4.97 | 8.80 |
| Natrona | ML7647B | 6.380 | 7.100 | Gas Hills Road | Missing | Missing | Missing | Missing | 5.05 | 6.10 |
| Natrona | ML7647B | 7.100 | 10.300 | Gas Hills Road | Missing | Missing | Missing | Missing | 5.53 | 5.70 |
| Natrona | ML7647B | 10.300 | 11.400 | Gas Hills Road | Missing | Missing | Missing | Missing | 6.28 | 7.30 |
| Natrona | ML7647B | 23.790 | 24.700 | Gas Hills Road | 0.25 | 224 | 72 | 0.37 | 3.51 | 6.50 |
| Natrona | ML7648B | 0.000 | 0.250 | Chamberlin Road | 0.20 | 134 | 95 | 2.15 | 4.28 | Missing |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|---------|---------|----------|--------|-----------------------------|------|-----|-----|------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Natrona | ML7648B | 0.250 | 0.810 | Chamberlin Road | 0.40 | 198 | 84 | 0.57 | 6.24 | Missing |
| Natrona | ML7648B | 0.810 | 1.250 | Chamberlin Road | 0.35 | 240 | 78 | 0.17 | 6.40 | Missing |
| Natrona | ML7649B | 0.000 | 0.500 | Boles Road | 0.20 | 227 | 63 | 0.16 | 3.25 | Missing |
| Natrona | ML7650B | 2.460 | 3.920 | Robertson Road | 0.16 | 133 | 92 | 2.12 | 4.77 | 8.70 |
| Natrona | ML7653B | 0.000 | 1.550 | Bessemer Road | 0.22 | 157 | 82 | 1.40 | 5.20 | 6.90 |
| Natrona | ML7653B | 1.550 | 2.080 | Bessemer Road | 0.19 | 196 | 70 | 0.67 | 4.98 | 6.00 |
| Natrona | ML7655B | 0.000 | 3.020 | Goose Egg Road | 0.30 | 295 | 46 | 0.00 | 4.29 | 5.00 |
| Natrona | ML7656B | 0.000 | 2.000 | Speas Road | 0.30 | 304 | 82 | 0.00 | 4.19 | 5.30 |
| Natrona | ML7673B | 0.000 | 0.660 | Lakeshore Drive | 0.21 | 177 | 77 | 1.05 | 7.79 | 6.70 |
| Natrona | ML7673B | 0.660 | 5.200 | Lakeshore Drive | 0.28 | 176 | 58 | 0.36 | 8.44 | 6.30 |
| Natrona | ML7674B | 0.000 | 0.950 | Kortes Road | 0.24 | 274 | 77 | 0.16 | 4.96 | Missing |
| Natrona | ML7674B | 0.950 | 7.070 | Kortes Road | 0.18 | 292 | 61 | 0.00 | 4.33 | 5.90 |
| Natrona | ML7674B | 7.070 | 11.000 | Kortes Road | 0.29 | 273 | 58 | 0.00 | 1.66 | 3.20 |
| Natrona | ML7675B | 0.000 | 3.910 | Fremont Canyon Road | 0.26 | 254 | 66 | 0.00 | 4.63 | 7.70 |
| Natrona | ML7675B | 3.910 | 6.800 | Fremont Canyon Road | 0.30 | 277 | 64 | 0.00 | 6.06 | Missing |
| Natrona | ML7676B | 0.000 | 3.590 | Pathfinder Road | 0.24 | 216 | 87 | 0.89 | 5.76 | Missing |
| Natrona | ML7676B | 3.590 | 6.260 | Pathfinder Road | 0.25 | 245 | 80 | 0.43 | 5.46 | Missing |
| Natrona | ML7679B | 0.000 | 1.040 | Grey Reef Road | 0.27 | 349 | 69 | 0.00 | 2.27 | 5.30 |
| Natrona | ML7679B | 1.040 | 1.190 | Grey Reef Road | 0.26 | 364 | 52 | 0.00 | 2.47 | 4.40 |
| Natrona | ML7679B | 1.190 | 2.260 | Grey Reef Road | 0.33 | 459 | 43 | 0.00 | 2.51 | 4.80 |
| Natrona | ML7680B | 0.000 | 0.590 | Wolf Creek Road | 0.30 | 331 | 55 | 0.00 | 7.24 | Missing |
| Natrona | ML7680B | 0.590 | 0.920 | Wolf Creek Road | 0.24 | 298 | 50 | 0.00 | 9.63 | Missing |
| Natrona | ML7681B | 0.000 | 0.260 | Squaw Creek Road | 0.24 | 284 | 55 | 0.00 | 7.57 | Missing |
| Natrona | ML7681B | 0.260 | 0.380 | Squaw Creek Road | 0.26 | 311 | 46 | 0.00 | 8.68 | Missing |
| Natrona | ML7681B | 0.380 | 1.160 | Squaw Creek Road | 0.32 | 285 | 50 | 0.00 | 6.40 | Missing |
| Natrona | ML7681B | 1.160 | 1.500 | Squaw Creek Road | 0.08 | 140 | 71 | 1.48 | No Paved Road | No Paved Road |
| Natrona | ML7684B | 0.000 | 1.320 | Micro Road | 0.16 | 221 | 69 | 0.44 | 2.64 | 6.20 |
| Natrona | ML7685B | 0.000 | 0.400 | Circle Drive | 0.17 | 214 | 83 | 0.92 | 3.90 | 4.90 |
| Natrona | ML7685B | 0.400 | 1.350 | Circle Drive | 0.11 | 166 | 80 | 1.40 | 3.82 | 5.70 |
| Natrona | ML7685B | 1.350 | 2.570 | Circle Drive | 0.13 | 192 | 80 | 1.09 | 3.88 | 5.90 |
| Natrona | ML7688B | 0.670 | 1.020 | Country Club Road | 0.22 | 278 | 56 | 0.00 | 2.25 | 3.80 |
| Natrona | ML7688B | 1.020 | 1.530 | Country Club Road | 0.20 | 293 | 58 | 0.00 | 4.29 | 5.30 |
| Natrona | ML7690B | 0.000 | 0.520 | 4135 | 0.12 | 150 | 87 | 1.80 | 8.85 | 5.10 |
| Natrona | ML7690B | 0.520 | 0.870 | 4135 | 0.16 | 146 | 87 | 1.80 | 9.54 | 5.10 |
| Natrona | ML7691B | 0.000 | 0.500 | Rotary Park Road | 0.11 | 243 | 88 | 0.90 | 4.50 | 6.60 |
| Natrona | ML7692B | 0.000 | 0.020 | Mystery Bridge Road | 0.17 | 856 | 91 | 0.00 | 8.76 | Missing |
| Natrona | ML7692B | 0.020 | 0.180 | Mystery Bridge Road | 0.18 | 395 | 50 | 0.00 | 4.88 | 10.00 |
| Natrona | ML7692B | 0.180 | 0.930 | Mystery Bridge Road | 0.29 | 303 | 58 | 0.00 | 4.61 | 7.40 |
| Natrona | ML7698B | 0.000 | 0.120 | Yellowstone Cole Creek Road | 0.17 | 144 | 85 | 1.75 | 2.36 | 8.90 |
| Natrona | ML7698B | 0.120 | 4.210 | Yellowstone Cole Creek Road | 0.16 | 133 | 86 | 1.95 | 2.31 | 7.30 |
| Natrona | ML7699B | 0.000 | 1.660 | Cole Creek Road | 0.29 | 260 | 57 | 0.00 | 6.83 | 5.60 |
| Natrona | ML7704B | 0.000 | 0.070 | West Ormsby Road | 0.17 | 205 | 82 | 0.96 | 8.28 | 11.70 |
| Natrona | ML7704B | 0.070 | 1.300 | West Ormsby Road | 0.24 | 212 | 81 | 0.77 | 5.37 | 8.10 |
| Natrona | ML9426B | 0.000 | 0.870 | Salt Creek Parkway | 0.12 | 118 | 87 | 2.25 | 4.02 | 5.50 |
| Natrona | ML9427B | 0.000 | 0.780 | McKinley Street | 0.19 | 140 | 84 | 1.74 | 5.19 | 8.30 |
| Natrona | ML9427B | 0.780 | 0.980 | McKinley Street | 0.23 | 186 | 87 | 1.21 | 4.81 | 4.40 |
| Natrona | ML9490B | 0.000 | 0.280 | | 0.16 | 164 | 85 | 1.52 | 4.46 | 9.30 |
| Natrona | ML9490B | 0.280 | 0.520 | | 0.10 | 80 | 96 | 3.21 | 4.07 | 8.80 |

Appendix 1.14: Niobrara County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | | |
|----------|---------|----------|--------|------------------------|------|-----|-----|------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | Asphalt / Concrete Thickness | Base Thickness |
| Niobrara | ML7716B | 3.320 | 3.490 | North Lance Creek Road | 0.26 | 256 | 58 | 0.00 | 4.92 | 6.10 |
| Niobrara | ML7736B | 0.090 | 2.030 | 28 Road | 0.33 | 247 | 87 | 0.45 | 2.26 | 7.00 |
| Niobrara | ML7738B | 1.570 | 1.600 | Business Route | 0.17 | 187 | 100 | 1.70 | 3.55 | 6.80 |
| Niobrara | ML7738B | 1.600 | 2.740 | Business Route | 0.35 | 188 | 98 | 1.26 | 3.28 | 6.10 |

Appendix 1.15: Park County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|--------|---------|----------|--------|--------------------------|------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Park | ML7776B | 0.000 | 1.940 | Old Highway 292 and 297 | 0.16 | 108 | 87 | 2.36 | 4.01 | 5.60 |
| Park | ML7776B | 1.940 | 2.850 | Old Highway 292 and 297 | 0.16 | 100 | 87 | 2.50 | 4.06 | 7.20 |
| Park | ML7776B | 2.850 | 3.470 | Old Highway 292 and 297 | 0.16 | 83 | 87 | 2.81 | 3.82 | 4.70 |
| Park | ML7776B | 3.470 | 4.130 | Old Highway 292 and 297 | 0.16 | 98 | 86 | 2.51 | 4.31 | 5.50 |
| Park | ML7776B | 4.130 | 5.150 | Old Highway 292 and 297 | 0.20 | 176 | 91 | 1.50 | 3.87 | 5.70 |
| Park | ML7777B | 0.000 | 0.130 | 1AF | 0.21 | 269 | 98 | 0.88 | No Paved Road | No Paved Road |
| Park | ML7783B | 0.000 | 0.270 | A-1BH | 0.23 | 178 | 98 | 1.63 | 4.69 | 3.70 |
| Park | ML7785B | 0.000 | 1.520 | A-1NG | 0.18 | 221 | 85 | 0.89 | 3.89 | 4.20 |
| Park | ML7790B | 0.000 | 1.880 | 2AB | | Missing | Missing | Missing | 5.36 | 6.70 |
| Park | ML7790B | 1.880 | 2.450 | 2AB | 0.15 | 152 | 89 | 1.80 | 4.64 | 5.20 |
| Park | ML7790B | 2.450 | 3.630 | 2AB | 0.17 | 221 | 89 | 1.03 | 4.51 | 6.60 |
| Park | ML7790B | 3.630 | 4.630 | 2AB | 0.21 | 192 | 87 | 1.19 | 4.49 | 8.60 |
| Park | ML7790B | 4.630 | 7.280 | 2AB | 0.21 | 188 | 81 | 1.05 | 4.47 | 6.00 |
| Park | ML7790B | 7.280 | 7.540 | 2AB | 0.21 | 189 | 87 | 1.22 | 4.03 | 5.50 |
| Park | ML7790B | 7.540 | 8.100 | 2AB | 0.21 | 174 | 95 | 1.63 | 2.67 | 4.10 |
| Park | ML7790B | 8.100 | 8.230 | 2AB | 0.20 | 300 | 91 | 0.50 | 2.37 | 5.40 |
| Park | ML7791B | 0.000 | 0.900 | A-2ABN | 0.19 | 225 | 87 | 0.93 | 4.92 | Missing |
| Park | ML7794B | 0.000 | 0.130 | 2ABW | 0.18 | 354 | 74 | 0.00 | 3.37 | 5.40 |
| Park | ML7796B | 0.000 | 0.600 | A-2BC | 0.20 | 226 | 98 | 1.22 | 3.61 | 7.10 |
| Park | ML7798B | 0.760 | 2.240 | West Cooper Lane Cody | 0.24 | 218 | 87 | 0.88 | 6.26 | 4.60 |
| Park | ML7800B | 0.000 | 0.950 | A-2DA | 0.21 | 223 | 98 | 1.23 | 4.01 | 5.30 |
| Park | ML7802B | 0.000 | 0.900 | A-2EC | 0.19 | 222 | 100 | 1.33 | 5.37 | 6.00 |
| Park | ML7805B | 0.920 | 1.210 | Beacon Hill Road | 0.15 | 236 | 88 | 0.91 | No Paved Road | No Paved Road |
| Park | ML7805B | 1.210 | 1.500 | Beacon Hill Road | 0.15 | 148 | 84 | 1.70 | 4.19 | 5.20 |
| Park | ML7806B | 0.000 | 0.110 | A-3CXS | 0.15 | 286 | 93 | 0.72 | 0.59 | Missing |
| Park | ML7806B | 0.110 | 1.720 | A-3CXS | 0.19 | 220 | 93 | 1.13 | 2.46 | 4.10 |
| Park | ML7807B | 0.000 | 0.500 | 3DX | 0.20 | 256 | 96 | 0.93 | 3.46 | 6.70 |
| Park | ML7807B | 0.500 | 0.760 | 3DX | 0.18 | 244 | 95 | 1.02 | 3.90 | 4.70 |
| Park | ML7807B | 0.760 | 1.890 | 3DX | 0.21 | 223 | 100 | 1.30 | 3.27 | 4.70 |
| Park | ML7808B | 0.000 | 2.940 | Oregon Basin Road 3EM | 0.21 | 228 | 95 | 1.08 | 3.57 | 6.80 |
| Park | ML7809B | 0.000 | 2.640 | Sage Creek Road | 0.17 | 199 | 93 | 1.36 | 4.01 | 6.60 |
| Park | ML7810B | 0.000 | 1.280 | Sunset Rim Road | 0.20 | 206 | 99 | 1.42 | 4.48 | 6.60 |
| Park | ML7811B | 0.000 | 2.880 | Oregon Basin Road 3FK | 0.24 | 247 | 100 | 1.04 | 5.50 | 5.40 |
| Park | ML7811B | 2.880 | 10.450 | Oregon Basin Road 3FK | 0.24 | 241 | 98 | 1.03 | 5.06 | 9.00 |
| Park | ML7811B | 10.450 | 14.640 | Oregon Basin Road 3FK | 0.24 | 264 | 97 | 0.82 | 4.16 | 7.40 |
| Park | ML7812B | 0.000 | 0.580 | A-3FX | 0.18 | 178 | 98 | 1.72 | 2.22 | 4.90 |
| Park | ML7813B | 0.000 | 1.530 | Meeteetse Creek Road | 0.18 | 215 | 91 | 1.12 | 2.21 | 5.50 |
| Park | ML7813B | 1.530 | 1.680 | Meeteetse Creek Road | 0.15 | 172 | 100 | 1.88 | 0.68 | 5.80 |
| Park | ML7816B | 0.000 | 0.260 | A-3KD | 0.18 | 363 | 97 | 0.43 | 3.47 | 6.60 |
| Park | ML7816B | 0.260 | 0.960 | A-3KD | 0.20 | 267 | 96 | 0.86 | 3.72 | 4.50 |
| Park | ML7818B | 0.000 | 2.720 | Lower Greybull Road | 0.12 | 133 | 79 | 1.78 | 6.16 | 10.10 |
| Park | ML7818B | 2.720 | 9.330 | Lower Greybull Road | 0.14 | 143 | 80 | 1.67 | 5.17 | 7.50 |
| Park | ML7818B | 9.330 | 10.100 | Lower Greybull Road | 0.10 | 132 | 81 | 1.88 | 4.72 | 8.80 |
| Park | ML7818B | 10.100 | 16.960 | Lower Greybull Road | 0.17 | 195 | 85 | 1.16 | 4.07 | 11.00 |
| Park | ML7818B | 16.960 | 17.820 | Lower Greybull Road | 0.16 | 155 | 85 | 1.63 | 4.02 | 16.10 |
| Park | ML7819B | 0.000 | 0.060 | A-3NG | 0.34 | 446 | 87 | 0.00 | 3.98 | 7.20 |
| Park | ML7825B | 0.000 | 4.880 | Wood River Road | 0.19 | 224 | 86 | 0.90 | 2.15 | 5.80 |
| Park | ML7826B | 0.000 | 0.270 | A-4EU | 0.13 | 218 | 71 | 0.57 | 1.80 | 4.70 |
| Park | ML7827B | 0.000 | 0.210 | Pitchfork Road | 0.12 | 224 | 98 | 1.35 | No Paved Road | No Paved Road |
| Park | ML7828B | 0.000 | 0.060 | Pitchfork Oil Field Road | 0.14 | 299 | 100 | 0.86 | 1.61 | 4.40 |
| Park | ML7838B | 0.000 | 0.330 | Red Pole Bridge Road | 0.26 | 210 | 82 | 0.78 | 4.79 | 4.80 |
| Park | ML7838B | 0.330 | 0.570 | Red Pole Bridge Road | 0.27 | 179 | 89 | 1.27 | 2.60 | 6.70 |
| Park | ML7840B | 0.000 | 1.470 | A-6NS | 0.23 | 242 | 98 | 1.04 | 2.64 | 5.50 |
| Park | ML7840B | 1.470 | 2.500 | A-6NS | 0.24 | 216 | 100 | 1.29 | 2.91 | 4.30 |
| Park | ML7840B | 2.500 | 5.500 | A-6NS | 0.20 | 179 | 33 | 0.00 | 0.79 | 4.00 |
| Park | ML7841B | 0.000 | 0.410 | Lakeside Road | 0.23 | 292 | 88 | 0.41 | 3.93 | 5.00 |
| Park | ML7847B | 0.000 | 1.000 | 6RT | 0.20 | 174 | 98 | 1.72 | 6.76 | Missing |
| Park | ML7849B | 0.000 | 0.930 | Bartlett Lane | 0.16 | 137 | 95 | 2.17 | 3.08 | 8.60 |
| Park | ML7851B | 0.000 | 1.400 | Diamond Basin Road | 0.25 | 175 | 91 | 1.41 | 4.29 | Missing |
| Park | ML7851B | 1.400 | 2.700 | Diamond Basin Road | 0.21 | 185 | 96 | 1.52 | 3.82 | 6.20 |
| Park | ML7851B | 2.700 | 4.110 | Diamond Basin Road | 0.16 | 195 | 96 | 1.49 | 1.46 | Missing |
| Park | ML7851B | 4.110 | 4.160 | Diamond Basin Road | 0.19 | 215 | 72 | 0.55 | 0.91 | Missing |
| Park | ML7852B | 0.000 | 0.680 | Southfork Road | 0.27 | 200 | 100 | 1.38 | 5.60 | 6.60 |
| Park | ML7852B | 0.680 | 1.190 | Southfork Road | 0.28 | 194 | 100 | 1.44 | 6.42 | 4.80 |
| Park | ML7852B | 1.190 | 1.410 | Southfork Road | 0.27 | 241 | 96 | 0.90 | 6.45 | 4.50 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|--------|---------|----------|--------|-----------------------------------|------|-----|-----|------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Park | ML7852B | 1.410 | 2.160 | Southfork Road | 0.32 | 224 | 98 | 0.99 | 4.78 | 6.90 |
| Park | ML7852B | 2.160 | 3.550 | Southfork Road | 0.24 | 196 | 98 | 1.43 | 2.39 | 5.30 |
| Park | ML7852B | 3.550 | 3.900 | Southfork Road | 0.28 | 174 | 100 | 1.65 | 2.68 | 6.40 |
| Park | ML7852B | 3.900 | 4.460 | Southfork Road | 0.34 | 189 | 96 | 1.20 | 3.10 | 6.20 |
| Park | ML7852B | 4.460 | 4.880 | Southfork Road | 0.34 | 217 | 96 | 0.92 | 4.41 | 6.80 |
| Park | ML7852B | 4.880 | 9.950 | Southfork Road | 0.31 | 210 | 99 | 1.17 | 4.17 | 7.40 |
| Park | ML7852B | 9.950 | 10.950 | Southfork Road | 0.28 | 220 | 98 | 1.11 | 5.81 | 7.80 |
| Park | ML7852B | 10.950 | 18.670 | Southfork Road | 0.33 | 215 | 99 | 1.07 | 3.81 | 6.30 |
| Park | ML7852B | 18.670 | 20.410 | Southfork Road | 0.39 | 219 | 99 | 0.86 | 2.55 | 4.40 |
| Park | ML7852B | 20.410 | 22.090 | Southfork Road | 0.30 | 217 | 99 | 1.12 | 4.58 | 4.80 |
| Park | ML7852B | 22.090 | 23.640 | Southfork Road | 0.33 | 183 | 99 | 1.38 | 4.51 | 4.60 |
| Park | ML7853B | 1.710 | 2.440 | 6WXE | 0.25 | 204 | 100 | 1.40 | 4.99 | 5.00 |
| Park | ML7853B | 2.440 | 2.560 | 6WXE | 0.33 | 227 | 49 | 0.00 | 4.00 | 5.00 |
| Park | ML7854B | 0.000 | 0.370 | A-6WXS | 0.49 | 262 | 98 | 0.15 | 3.87 | 5.20 |
| Park | ML7860B | 0.000 | 2.010 | Newton Lakes Road | 0.18 | 178 | 98 | 1.72 | 5.59 | 8.70 |
| Park | ML7866B | 0.000 | 2.060 | Clarks Fork Canyon Rd/Old Hwy 292 | 0.13 | 104 | 92 | 2.62 | 3.62 | 8.70 |
| Park | ML7866B | 2.060 | 3.460 | Clarks Fork Canyon Rd/Old Hwy 292 | 0.14 | 92 | 87 | 2.67 | 3.56 | 8.70 |
| Park | ML7866B | 3.460 | 4.060 | Clarks Fork Canyon Rd/Old Hwy 292 | 0.15 | 97 | 85 | 2.51 | 3.66 | 8.10 |
| Park | ML7866B | 4.060 | 4.570 | Clarks Fork Canyon Rd/Old Hwy 292 | 0.13 | 100 | 90 | 2.63 | 3.84 | 7.70 |
| Park | ML7866B | 4.570 | 5.250 | Clarks Fork Canyon Rd/Old Hwy 292 | 0.13 | 103 | 87 | 2.48 | 3.88 | 7.20 |
| Park | ML7866B | 5.250 | 8.100 | Clarks Fork Canyon Rd/Old Hwy 292 | 0.13 | 106 | 91 | 2.55 | 3.53 | 8.60 |
| Park | ML7867B | 0.000 | 0.280 | A-8VE | 0.20 | 198 | 100 | 1.54 | No Paved Road | No Paved Road |
| Park | ML7867B | 0.280 | 0.580 | A-8VE | 0.22 | 172 | 100 | 1.78 | 6.56 | Missing |
| Park | ML7867B | 0.580 | 1.090 | A-8VE | 0.19 | 178 | 100 | 1.76 | 6.25 | 4.40 |
| Park | ML7867B | 1.090 | 1.800 | A-8VE | 0.19 | 137 | 97 | 2.19 | 4.89 | 4.90 |
| Park | ML7867B | 1.800 | 2.090 | A-8VE | 0.28 | 198 | 98 | 1.33 | 4.27 | 7.30 |
| Park | ML7867B | 2.090 | 2.860 | A-8VE | 0.25 | 216 | 98 | 1.23 | 4.62 | 2.90 |
| Park | ML7867B | 2.860 | 3.150 | A-8VE | 0.28 | 188 | 100 | 1.48 | 4.64 | 3.50 |
| Park | ML7867B | 3.150 | 3.790 | A-8VE | 0.29 | 182 | 98 | 1.46 | 3.98 | 3.20 |
| Park | ML7867B | 3.790 | 4.260 | A-8VE | 0.23 | 169 | 98 | 1.73 | 4.47 | 3.00 |
| Park | ML7867B | 4.260 | 4.550 | A-8VE | 0.24 | 269 | 98 | 0.84 | 4.35 | 7.70 |
| Park | ML7867B | 4.550 | 6.310 | A-8VE | 0.27 | 225 | 99 | 1.13 | 3.55 | 6.30 |
| Park | ML7867B | 6.310 | 7.000 | A-8VE | 0.23 | 222 | 87 | 0.88 | 5.02 | 5.20 |
| Park | ML7867B | 7.000 | 8.310 | A-8VE | 0.27 | 207 | 98 | 1.25 | 4.54 | 5.60 |
| Park | ML7867B | 8.310 | 8.860 | A-8VE | 0.26 | 151 | 98 | 1.89 | 3.93 | 6.00 |
| Park | ML7867B | 8.860 | 8.890 | A-8VE | 0.23 | 350 | 98 | 0.43 | 4.12 | 3.80 |
| Park | ML7869B | 2.750 | 2.810 | A-8WC | 0.26 | 256 | 100 | 0.95 | 3.52 | 5.70 |
| Park | ML7877B | 0.080 | 0.210 | Lewis Ave. | 0.13 | 167 | 88 | 1.60 | 3.69 | Missing |
| Park | ML7878B | 0.000 | 0.190 | Carbon Street | 0.18 | 163 | 89 | 1.62 | 3.91 | Missing |
| Park | ML7879B | 0.000 | 0.150 | Natrona Street | 0.20 | 256 | 90 | 0.75 | 4.31 | Missing |
| Park | ML7880B | 0.000 | 0.040 | Fremont Street | 0.16 | 383 | 93 | 0.27 | 2.49 | Missing |
| Park | ML7882B | 0.000 | 0.910 | Road 1A | 0.26 | 196 | 96 | 1.34 | 6.34 | 3.50 |
| Park | ML7882B | 0.910 | 1.050 | Road 1A | 0.26 | 194 | 98 | 1.41 | 3.80 | 4.90 |
| Park | ML7882B | 1.050 | 1.280 | Road 1A | 0.27 | 272 | 87 | 0.43 | 5.55 | 6.80 |
| Park | ML7882B | 1.280 | 1.700 | Road 1A | 0.23 | 178 | 87 | 1.31 | 4.37 | 7.50 |
| Park | ML7886B | 0.000 | 0.190 | Road 2B | 0.14 | 144 | 90 | 1.94 | 6.97 | 9.90 |
| Park | ML7890B | 0.000 | 0.500 | Road 3B | 0.25 | 187 | 94 | 1.38 | 4.82 | Missing |
| Park | ML7892B | 0.000 | 0.130 | Road 4A | 0.12 | 147 | 93 | 2.01 | 4.15 | 3.80 |
| Park | ML7892B | 0.130 | 0.170 | Road 4A | 0.14 | 189 | 100 | 1.71 | 4.29 | 3.10 |
| Park | ML7892B | 0.170 | 0.310 | Road 4A | 0.22 | 370 | 98 | 0.38 | 3.93 | 5.00 |
| Park | ML7892B | 0.310 | 0.960 | Road 4A | 0.20 | 189 | 95 | 1.48 | 5.46 | 4.20 |
| Park | ML7892B | 0.960 | 1.470 | Road 4A | 0.15 | 169 | 91 | 1.65 | 6.10 | 3.90 |
| Park | ML7892B | 1.470 | 1.970 | Road 4A | 0.23 | 184 | 88 | 1.28 | 5.37 | 3.40 |
| Park | ML7893B | 1.010 | 1.500 | Road 4B | 0.38 | 193 | 100 | 1.19 | 5.05 | 9.30 |
| Park | ML7894B | 0.000 | 0.520 | Road 4C | 0.40 | 200 | 100 | 1.03 | 4.49 | 9.40 |
| Park | ML7897B | 1.470 | 1.510 | R5A | 0.22 | 174 | 95 | 1.61 | No Paved Road | No Paved Road |
| Park | ML7897B | 1.510 | 1.900 | R5A | 0.20 | 275 | 98 | 0.87 | 3.94 | 3.30 |
| Park | ML7897B | 1.900 | 2.410 | R5A | 0.25 | 177 | 96 | 1.56 | 3.57 | 3.50 |
| Park | ML7897B | 2.410 | 2.910 | R5A | 0.26 | 174 | 91 | 1.41 | 3.75 | 3.70 |
| Park | ML7897B | 2.910 | 3.920 | R5A | 0.21 | 197 | 95 | 1.39 | 4.44 | 4.90 |
| Park | ML7898B | 0.000 | 0.620 | Road 5 | 0.16 | 230 | 89 | 0.98 | 4.23 | Missing |
| Park | ML7898B | 0.620 | 1.240 | Road 5 | 0.15 | 223 | 95 | 1.23 | 5.44 | Missing |
| Park | ML7898B | 1.240 | 2.250 | Road 5 | 0.16 | 206 | 97 | 1.42 | 5.57 | Missing |
| Park | ML7901B | 0.470 | 0.510 | Road 6A | 0.37 | 157 | 100 | 1.59 | 3.97 | 2.60 |
| Park | ML7901B | 0.510 | 1.010 | Road 6A | 0.18 | 167 | 94 | 1.73 | 4.53 | 3.00 |
| Park | ML7901B | 1.010 | 1.130 | Road 6A | 0.19 | 204 | 98 | 1.44 | 4.74 | 2.50 |
| Park | ML7901B | 1.130 | 2.000 | Road 6A | 0.17 | 149 | 85 | 1.69 | 4.32 | 3.50 |
| Park | ML7901B | 2.000 | 2.050 | Road 6A | 0.37 | 589 | 97 | 0.00 | 4.08 | 4.20 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|--------|---------|----------|--------|-------------------------------|------|-----|-----|------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Park | ML7901B | 2.050 | 2.520 | Road 6A | 0.38 | 150 | 94 | 1.47 | 5.27 | 4.00 |
| Park | ML7901B | 2.520 | 3.030 | Road 6A | 0.42 | 152 | 98 | 1.45 | 5.02 | 3.40 |
| Park | ML7904B | 3.270 | 3.620 | Road 7 | 0.27 | 179 | 85 | 1.15 | 3.72 | 4.20 |
| Park | ML7904B | 3.620 | 4.630 | Road 7 | 0.25 | 204 | 85 | 0.95 | 2.79 | 8.80 |
| Park | ML7904B | 4.630 | 5.020 | Road 7 | 0.23 | 221 | 85 | 0.81 | 3.05 | 8.40 |
| Park | ML7906B | 0.000 | 0.150 | Road 7HB | 0.28 | 267 | 100 | 0.82 | 4.07 | Missing |
| Park | ML7907B | 2.880 | 3.030 | R8 | 0.22 | 212 | 100 | 1.38 | 3.72 | 6.20 |
| Park | ML7907B | 3.030 | 3.780 | R8 | 0.18 | 190 | 100 | 1.64 | 4.60 | 5.70 |
| Park | ML7907B | 3.780 | 4.040 | R8 | 0.18 | 254 | 100 | 1.10 | 3.33 | 4.40 |
| Park | ML7907B | 4.040 | 4.530 | R8 | 0.23 | 242 | 85 | 0.65 | 4.53 | 5.80 |
| Park | ML7907B | 4.530 | 4.860 | R8 | 0.20 | 351 | 89 | 0.21 | 3.02 | 4.10 |
| Park | ML7907B | 4.860 | 4.890 | R8 | 0.11 | 512 | 98 | 0.17 | 2.88 | 3.90 |
| Park | ML7907B | 4.890 | 5.050 | R8 | 0.22 | 309 | 84 | 0.21 | 4.89 | 5.80 |
| Park | ML7907B | 5.050 | 5.300 | R8 | 0.23 | 295 | 96 | 0.64 | 4.87 | Missing |
| Park | ML7907B | 5.420 | 5.550 | R8 | 0.23 | 235 | 93 | 0.95 | 4.49 | 6.90 |
| Park | ML7907B | 5.550 | 5.830 | R8 | 0.19 | 198 | 87 | 1.16 | 5.46 | 7.50 |
| Park | ML7907B | 5.830 | 6.050 | R8 | 0.19 | 167 | 87 | 1.50 | 4.59 | 4.90 |
| Park | ML7907B | 6.050 | 7.060 | R8 | 0.19 | 189 | 85 | 1.20 | 4.28 | 7.50 |
| Park | ML7909B | 0.000 | 0.250 | Road 8 1/2 | 0.15 | 190 | 93 | 1.48 | 4.31 | 7.30 |
| Park | ML7909B | 0.250 | 0.510 | Road 8 1/2 | 0.16 | 198 | 90 | 1.29 | 4.26 | 9.60 |
| Park | ML7909B | 0.510 | 1.510 | Road 8 1/2 | 0.19 | 174 | 94 | 1.62 | 4.11 | 9.00 |
| Park | ML7911B | 0.000 | 0.500 | Road 9HA / MT View | 0.25 | 212 | 87 | 0.91 | 5.17 | 9.20 |
| Park | ML7912B | 3.250 | 4.300 | R10A | 0.22 | 203 | 89 | 1.12 | 4.11 | 6.80 |
| Park | ML7912B | 4.300 | 5.050 | R10A | 0.23 | 174 | 87 | 1.33 | 5.29 | 4.40 |
| Park | ML7912B | 5.050 | 5.310 | R10A | 0.15 | 135 | 86 | 1.93 | 5.38 | 5.10 |
| Park | ML7912B | 5.310 | 5.810 | R10A | 0.20 | 273 | 84 | 0.46 | 4.38 | 4.10 |
| Park | ML7912B | 5.810 | 6.060 | R10A | 0.17 | 232 | 98 | 1.22 | 3.71 | 5.20 |
| Park | ML7912B | 6.060 | 6.310 | R10A | 0.18 | 237 | 98 | 1.16 | 3.75 | 4.80 |
| Park | ML7912B | 6.310 | 6.960 | R10A | 0.25 | 235 | 98 | 1.05 | 4.21 | 5.70 |
| Park | ML7912B | 6.960 | 7.000 | R10A | 0.20 | 528 | 94 | 0.00 | 4.31 | 4.10 |
| Park | ML7912B | 7.000 | 7.110 | R10A | 0.29 | 271 | 88 | 0.42 | 4.61 | 5.90 |
| Park | ML7912B | 7.110 | 7.320 | R10A | 0.30 | 168 | 86 | 1.25 | 4.84 | 5.00 |
| Park | ML7912B | 7.320 | 8.330 | R10A | 0.18 | 171 | 81 | 1.29 | 4.76 | Missing |
| Park | ML7912B | 8.330 | 8.840 | R10A | 0.18 | 148 | 83 | 1.63 | 4.19 | Missing |
| Park | ML7915B | 0.000 | 1.010 | Road 11B | 0.20 | 171 | 86 | 1.40 | 4.84 | Missing |
| Park | ML7915B | 1.010 | 2.020 | Road 11B | 0.21 | 220 | 88 | 0.96 | 5.28 | Missing |
| Park | ML7915B | 2.020 | 3.030 | Road 11B | 0.25 | 234 | 86 | 0.70 | 4.78 | Missing |
| Park | ML7915B | 3.030 | 4.040 | Road 11B | 0.27 | 214 | 84 | 0.78 | 5.43 | 8.20 |
| Park | ML7915B | 4.040 | 5.050 | Road 11B | 0.15 | 156 | 82 | 1.53 | 4.67 | Missing |
| Park | ML7915B | 5.050 | 5.080 | Road 11B | 0.10 | 563 | 100 | 0.16 | 4.76 | Missing |
| Park | ML7916B | 0.000 | 0.050 | Road 11C | 0.19 | 478 | 89 | 0.00 | 5.70 | Missing |
| Park | ML7916B | 0.050 | 0.070 | Road 11C | 0.19 | 576 | 100 | 0.05 | 5.91 | Missing |
| Park | ML7916B | 0.070 | 1.020 | Road 11C | 0.19 | 137 | 91 | 2.01 | 5.00 | Missing |
| Park | ML7919B | 0.000 | 0.500 | R12B | 0.18 | 146 | 85 | 1.73 | 4.51 | 8.60 |
| Park | ML7919B | 0.500 | 1.010 | R12B | 0.21 | 137 | 87 | 1.85 | 4.14 | 7.30 |
| Park | ML7919B | 1.010 | 1.470 | R12B | 0.25 | 187 | 90 | 1.26 | 4.28 | 10.00 |
| Park | ML7919B | 1.470 | 1.520 | R12B | 0.18 | 618 | 91 | 0.00 | 5.22 | Missing |
| Park | ML7919B | 1.520 | 2.020 | R12B | 0.18 | 164 | 93 | 1.73 | 4.53 | 9.50 |
| Park | ML7919B | 2.020 | 2.520 | R12B | 0.18 | 135 | 88 | 1.96 | 4.28 | 10.70 |
| Park | ML7922B | 0.000 | 0.490 | Road 13B | 0.14 | 102 | 74 | 2.10 | 3.65 | 4.60 |
| Park | ML7923B | 0.000 | 0.420 | Road 13C | 0.19 | 198 | 87 | 1.17 | 3.87 | 10.80 |
| Park | ML7924B | 0.000 | 0.070 | Road 13D | 0.14 | 748 | 100 | 0.00 | No Paved Road | No Paved Road |
| Park | ML7925B | 0.000 | 0.490 | Road 14A | 0.24 | 214 | 86 | 0.90 | 2.86 | 5.30 |
| Park | ML7925B | 0.490 | 1.010 | Road 14A | 0.22 | 174 | 99 | 1.73 | 4.57 | 6.20 |
| Park | ML7925B | 1.010 | 1.520 | Road 14A | 0.22 | 147 | 94 | 1.91 | 2.88 | 3.50 |
| Park | ML7925B | 1.520 | 2.220 | Road 14A | 0.21 | 155 | 93 | 1.79 | 4.47 | 12.70 |
| Park | ML7930B | 1.070 | 1.270 | R17 | 0.27 | 303 | 98 | 0.58 | 4.16 | 9.00 |
| Park | ML7930B | 1.270 | 2.100 | R17 | 0.23 | 200 | 98 | 1.41 | 3.97 | 6.20 |
| Park | ML7931B | 0.000 | 0.180 | Badger Basin Road/Old Hwy 294 | 0.16 | 163 | 98 | 1.92 | 3.66 | 6.00 |
| Park | ML7931B | 0.180 | 0.700 | Badger Basin Road/Old Hwy 294 | 0.08 | 87 | 98 | 3.14 | 3.96 | 8.60 |
| Park | ML7934B | 0.000 | 1.590 | Road 19C | 0.20 | 183 | 98 | 1.62 | 5.10 | 7.80 |
| Park | ML7934B | 1.590 | 1.620 | Road 19C | 0.22 | 721 | 100 | 0.00 | 4.68 | Missing |
| Park | ML7938B | 0.000 | 0.560 | Road 20C | 0.12 | 166 | 87 | 1.59 | 5.86 | Missing |
| Park | ML7938B | 0.560 | 0.930 | Road 20C | 0.14 | 155 | 89 | 1.77 | 6.29 | Missing |
| Park | ML7938B | 0.930 | 1.830 | Road 20C | 0.16 | 158 | 89 | 1.72 | 5.18 | Missing |
| Park | ML7938B | 1.830 | 2.590 | Road 20C | 0.16 | 162 | 98 | 1.94 | 5.07 | Missing |
| Park | ML7938B | 2.590 | 3.600 | Road 20C | 0.16 | 206 | 87 | 1.12 | 6.30 | Missing |
| Park | ML7938B | 3.600 | 3.880 | Road 20C | 0.21 | 181 | 96 | 1.57 | 4.11 | 6.00 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|--------|---------|----------|--------|--------------------------|------|-----|-----|------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Park | ML7945B | 0.000 | 0.710 | Airport Road/lane 01 1/2 | 0.24 | 216 | 89 | 0.96 | 3.88 | 5.20 |
| Park | ML7950B | 0.000 | 1.530 | Lane 5 | 0.18 | 203 | 88 | 1.14 | 7.98 | 10.10 |
| Park | ML7950B | 1.530 | 2.540 | Lane 5 | 0.24 | 177 | 93 | 1.48 | 7.12 | 4.10 |
| Park | ML7950B | 2.540 | 3.550 | Lane 5 | 0.19 | 151 | 86 | 1.67 | 6.49 | 8.10 |
| Park | ML7952B | 3.030 | 4.050 | Lane 6 | 0.19 | 207 | 94 | 1.29 | 4.67 | 4.20 |
| Park | ML7955B | 3.470 | 4.480 | Lane 7B | 0.21 | 204 | 93 | 1.25 | 5.48 | 4.70 |
| Park | ML7955B | 4.480 | 5.490 | Lane 7B | 0.16 | 166 | 84 | 1.46 | 4.72 | 8.30 |
| Park | ML7961B | 2.040 | 3.050 | Lane 8 1/2 | 0.42 | 161 | 98 | 1.35 | 4.46 | 7.50 |
| Park | ML7962B | 1.760 | 2.010 | 4909 | 0.22 | 248 | 87 | 0.69 | 4.01 | 9.90 |
| Park | ML7962B | 2.010 | 2.270 | 4909 | 0.16 | 171 | 86 | 1.47 | 5.51 | Missing |
| Park | ML7962B | 2.270 | 2.710 | 4909 | 0.23 | 198 | 87 | 1.09 | 6.00 | 13.80 |
| Park | ML7963B | 0.460 | 0.750 | L9 | 0.18 | 157 | 91 | 1.75 | 4.49 | 8.70 |
| Park | ML7963B | 0.750 | 0.970 | L9 | 0.26 | 128 | 96 | 2.15 | 3.59 | Missing |
| Park | ML7963B | 0.970 | 1.770 | L9 | 0.23 | 137 | 92 | 1.95 | 3.61 | 9.20 |
| Park | ML7963B | 1.770 | 2.770 | L9 | 0.22 | 118 | 96 | 2.38 | 3.80 | Missing |
| Park | ML7963B | 2.770 | 2.840 | L9 | 0.18 | 221 | 96 | 1.24 | 3.84 | Missing |
| Park | ML7963B | 2.840 | 4.510 | L9 | 0.12 | 93 | 99 | 3.03 | 3.56 | 9.10 |
| Park | ML7963B | 4.510 | 6.020 | L9 | 0.13 | 84 | 100 | 3.21 | 3.86 | 9.20 |
| Park | ML7963B | 6.020 | 6.340 | L9 | 0.11 | 69 | 100 | 3.54 | 3.23 | 10.10 |
| Park | ML7963B | 6.340 | 7.380 | L9 | 0.12 | 65 | 100 | 3.61 | 3.56 | 10.70 |
| Park | ML7963B | 7.380 | 8.350 | L9 | 0.12 | 68 | 100 | 3.54 | 3.57 | 11.00 |
| Park | ML7964B | 0.000 | 0.110 | Lane 9A | 0.26 | 187 | 79 | 0.91 | 3.26 | 6.10 |
| Park | ML7964B | 0.110 | 0.270 | Lane 9A | 0.28 | 217 | 94 | 1.02 | 4.17 | 5.30 |
| Park | ML7964B | 0.270 | 1.220 | Lane 9A | 0.21 | 196 | 96 | 1.41 | 4.53 | 4.50 |
| Park | ML7964B | 1.220 | 2.270 | Lane 9A | 0.21 | 178 | 98 | 1.68 | 4.37 | 5.80 |
| Park | ML7964B | 2.270 | 3.220 | Lane 9A | 0.18 | 170 | 95 | 1.72 | 4.81 | 7.30 |
| Park | ML7964B | 3.220 | 4.330 | Lane 9A | 0.26 | 223 | 94 | 1.03 | 3.61 | 3.40 |
| Park | ML7964B | 4.330 | 5.340 | Lane 9A | 0.12 | 138 | 91 | 2.08 | 4.90 | 7.20 |
| Park | ML7964B | 5.340 | 6.340 | Lane 9A | 0.25 | 159 | 89 | 1.56 | 5.62 | Missing |
| Park | ML7964B | 6.340 | 7.080 | Lane 9A | 0.38 | 152 | 89 | 1.29 | 6.52 | 6.90 |
| Park | ML7964B | 7.080 | 7.350 | Lane 9A | 0.37 | 215 | 94 | 0.82 | 6.25 | 7.70 |
| Park | ML7965B | 0.000 | 1.060 | Lane 9B | 0.15 | 169 | 94 | 1.74 | 3.83 | 8.60 |
| Park | ML7965B | 1.060 | 1.240 | Lane 9B | 0.18 | 174 | 96 | 1.70 | 3.95 | 5.30 |
| Park | ML7965B | 1.240 | 2.110 | Lane 9B | 0.17 | 176 | 96 | 1.69 | 3.59 | 5.00 |
| Park | ML7965B | 2.110 | 2.260 | Lane 9B | 0.20 | 188 | 96 | 1.52 | 5.11 | Missing |
| Park | ML7965B | 2.260 | 3.270 | Lane 9B | 0.22 | 208 | 96 | 1.29 | 4.59 | 8.10 |
| Park | ML7965B | 3.270 | 4.280 | Lane 9B | 0.22 | 212 | 96 | 1.25 | 5.12 | 5.00 |
| Park | ML7969B | 0.110 | 0.410 | L9HB | 0.23 | 239 | 93 | 0.92 | 4.11 | Missing |
| Park | ML7969B | 0.410 | 0.610 | L9HB | 0.21 | 174 | 87 | 1.38 | 5.84 | Missing |
| Park | ML7969B | 0.610 | 0.860 | L9HB | 0.11 | 246 | 96 | 1.12 | 5.33 | 6.50 |
| Park | ML7972B | 0.000 | 1.000 | Lane 10B | 0.25 | 227 | 96 | 1.05 | 3.86 | 7.80 |
| Park | ML7972B | 1.000 | 2.020 | Lane 10B | 0.18 | 182 | 97 | 1.64 | 2.50 | 5.20 |
| Park | ML7972B | 2.020 | 3.030 | Lane 10B | 0.19 | 167 | 93 | 1.66 | 2.07 | 5.20 |
| Park | ML7972B | 3.030 | 3.530 | Lane 10B | 0.20 | 165 | 90 | 1.60 | 5.40 | 3.80 |
| Park | ML7972B | 3.530 | 4.030 | Lane 10B | 0.15 | 142 | 87 | 1.87 | 4.73 | 3.60 |
| Park | ML7972B | 4.030 | 4.530 | Lane 10B | 0.16 | 177 | 88 | 1.47 | 4.50 | 2.90 |
| Park | ML7972B | 4.530 | 5.040 | Lane 10B | 0.17 | 165 | 87 | 1.54 | 4.61 | 3.20 |
| Park | ML7972B | 5.040 | 6.020 | Lane 10B | 0.16 | 139 | 87 | 1.90 | 4.42 | 3.40 |
| Park | ML7974B | 0.000 | 1.200 | Lane 10D | 0.21 | 205 | 98 | 1.40 | 4.51 | Missing |
| Park | ML7974B | 1.200 | 2.210 | Lane 10D | 0.21 | 171 | 96 | 1.68 | 7.56 | Missing |
| Park | ML7974B | 2.210 | 3.220 | Lane 10D | 0.18 | 167 | 98 | 1.84 | 7.89 | 8.50 |
| Park | ML7974B | 3.220 | 4.230 | Lane 10D | 0.18 | 180 | 87 | 1.37 | 5.16 | 6.20 |
| Park | ML7976B | 0.000 | 1.130 | Lane 10HA | 0.22 | 182 | 92 | 1.41 | 4.24 | 8.40 |
| Park | ML7977B | 0.000 | 1.000 | Lane 10HB | 0.16 | 198 | 90 | 1.29 | 5.67 | 6.50 |
| Park | ML7979B | 0.000 | 1.420 | Lane 11A | 0.21 | 213 | 90 | 1.06 | 4.29 | 6.60 |
| Park | ML7980B | 0.290 | 1.270 | Lane 11B | 0.44 | 211 | 96 | 0.68 | 3.75 | 9.70 |
| Park | ML7980B | 1.270 | 2.280 | Lane 11B | 0.44 | 204 | 96 | 0.76 | 4.05 | 4.60 |
| Park | ML7980B | 2.280 | 3.290 | Lane 11B | 0.48 | 209 | 96 | 0.54 | 4.18 | 6.80 |
| Park | ML7980B | 3.290 | 3.790 | Lane 11B | 0.48 | 201 | 87 | 0.36 | 3.63 | 9.50 |
| Park | ML7980B | 3.790 | 4.290 | Lane 11B | 0.36 | 228 | 98 | 0.84 | 4.94 | 9.50 |
| Park | ML7980B | 4.290 | 4.900 | Lane 11B | 0.18 | 136 | 95 | 2.16 | 3.92 | Missing |
| Park | ML7980B | 4.900 | 5.300 | Lane 11B | 0.17 | 155 | 93 | 1.86 | 4.39 | 8.50 |
| Park | ML7980B | 5.300 | 6.310 | Lane 11B | 0.15 | 163 | 91 | 1.72 | 4.47 | 8.30 |
| Park | ML7980B | 6.310 | 7.320 | Lane 11B | 0.15 | 178 | 94 | 1.62 | 4.52 | 5.30 |
| Park | ML7980B | 7.320 | 8.330 | Lane 11B | 0.15 | 154 | 88 | 1.73 | 4.40 | 4.40 |
| Park | ML7981B | 0.000 | 0.040 | Lane 11C | 0.14 | 646 | 98 | 0.00 | 4.34 | 3.20 |
| Park | ML7981B | 0.040 | 1.790 | Lane 11C | 0.15 | 138 | 94 | 2.12 | 4.11 | 5.60 |
| Park | ML7981B | 1.790 | 2.680 | Lane 11C | 0.13 | 156 | 78 | 1.44 | 4.79 | 6.80 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | Asphalt / Concrete Thickness | Base Thickness |
|--------|---------|----------|--------|-----------------|---------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | |
| Park | ML7981B | 2.680 | 3.830 | Lane 11C | 0.12 | 142 | 85 | 1.83 | 5.92 | 5.00 |
| Park | ML7981B | 3.830 | 5.020 | Lane 11C | 0.22 | 223 | 89 | 0.95 | 4.07 | 4.00 |
| Park | ML7981B | 5.020 | 5.890 | Lane 11C | 0.20 | 191 | 85 | 1.15 | 2.87 | 3.90 |
| Park | ML7981B | 5.890 | 6.190 | Lane 11C | 0.17 | 166 | 97 | 1.83 | 5.02 | 3.50 |
| Park | ML7985B | 0.000 | 1.010 | Lane 11HB | 0.45 | 199 | 98 | 0.82 | 4.15 | 6.30 |
| Park | ML7985B | 1.010 | 2.020 | Lane 11HB | 0.44 | 221 | 98 | 0.67 | 4.40 | Missing |
| Park | ML7985B | 2.020 | 3.020 | Lane 11HB | 0.22 | 157 | 90 | 1.66 | 5.83 | Missing |
| Park | ML7985B | 3.020 | 4.030 | Lane 11HB | 0.15 | 174 | 81 | 1.29 | 4.72 | 9.10 |
| Park | ML7985B | 4.030 | 5.040 | Lane 11HB | 0.15 | 128 | 87 | 2.07 | 4.77 | 6.70 |
| Park | ML7985B | 5.040 | 6.050 | Lane 11HB | 0.18 | 120 | 87 | 2.15 | 4.36 | 7.70 |
| Park | ML7989B | 0.000 | 2.000 | Lane 12C | 0.19 | 172 | 91 | 1.55 | 3.87 | 5.10 |
| Park | ML7991B | 0.000 | 0.010 | Old Highway 295 | Missing | Missing | Missing | Missing | 3.90 | 7.60 |
| Park | ML7991B | 0.010 | 1.020 | Old Highway 295 | 0.16 | 206 | 91 | 1.25 | 3.73 | 10.20 |
| Park | ML7991B | 1.020 | 2.520 | Old Highway 295 | 0.18 | 162 | 90 | 1.65 | 3.49 | 10.50 |
| Park | ML7991B | 2.520 | 3.530 | Old Highway 295 | 0.16 | 140 | 86 | 1.86 | 3.33 | 12.10 |
| Park | ML7991B | 3.530 | 4.020 | Old Highway 295 | 0.21 | 157 | 90 | 1.67 | 3.88 | 10.70 |
| Park | ML7993B | 0.480 | 1.160 | L13HB | 0.18 | 163 | 98 | 1.88 | 5.37 | 5.40 |
| Park | ML7993B | 1.160 | 1.480 | L13HB | 0.24 | 175 | 98 | 1.65 | 5.40 | Missing |
| Park | ML7994B | 2.690 | 3.730 | Lane 14A | 0.38 | 174 | 100 | 1.38 | 4.04 | 10.40 |
| Park | ML7995B | 0.000 | 2.230 | Lane 14B | 0.17 | 179 | 93 | 1.57 | 4.18 | 7.40 |
| Park | ML7995B | 2.230 | 4.000 | Lane 14B | 0.18 | 220 | 90 | 1.07 | 4.14 | Missing |
| Park | ML7995B | 4.000 | 4.050 | Lane 14B | 0.17 | 309 | 90 | 0.48 | 6.25 | Missing |
| Park | ML7999B | 0.000 | 0.830 | Lane 15B | 0.19 | 180 | 86 | 1.32 | 4.13 | 3.50 |
| Park | ML8000B | 0.000 | 0.020 | Lane 16 | 0.16 | 821 | 100 | 0.00 | 5.09 | Missing |
| Park | ML8000B | 0.020 | 0.770 | Lane 16 | 0.18 | 197 | 96 | 1.46 | 7.50 | Missing |
| Park | ML8000B | 0.770 | 1.120 | Lane 16 | 0.11 | 150 | 98 | 2.13 | 5.71 | Missing |
| Park | ML8005B | 0.000 | 0.030 | Lane 19 | 0.10 | 510 | 100 | 0.24 | 4.88 | Missing |
| Park | ML8005B | 0.030 | 0.430 | Lane 19 | 0.14 | 137 | 98 | 2.28 | 5.09 | 8.50 |
| Park | ML8007B | 0.000 | 0.060 | Lane 20 | 0.19 | 371 | 98 | 0.42 | 3.80 | Missing |
| Park | ML8007B | 0.060 | 0.530 | Lane 20 | 0.22 | 173 | 98 | 1.71 | 4.10 | 4.90 |
| Park | ML8009B | 0.000 | 4.630 | XUX | 0.62 | 487 | 40 | 0.00 | 6.04 | 10.30 |
| Park | ML9453B | 3.760 | 4.300 | L8A | 0.23 | 207 | 100 | 1.40 | 6.79 | 9.00 |
| Park | ML9453B | 4.300 | 4.750 | L8A | 0.23 | 218 | 100 | 1.29 | 5.24 | 11.00 |
| Park | ML9453B | 4.750 | 5.460 | L8A | 0.16 | 168 | 96 | 1.80 | 6.59 | 10.60 |
| Park | ML9453B | 5.460 | 5.760 | L8A | 0.21 | 230 | 100 | 1.24 | 7.44 | 9.40 |
| Park | ML9453B | 5.760 | 6.240 | L8A | 0.23 | 215 | 91 | 1.05 | 9.51 | Missing |
| Park | ML9453B | 6.520 | 6.750 | L8A | 0.22 | 212 | 95 | 1.22 | 7.85 | Missing |
| Park | ML9453B | 7.010 | 7.280 | L8A | 0.15 | 110 | 98 | 2.68 | 11.10 | Missing |
| Park | ML9453B | 7.280 | 7.770 | L8A | 0.16 | 160 | 98 | 1.95 | 9.74 | Missing |
| Park | ML9453B | 7.770 | 8.030 | L8A | 0.19 | 146 | 100 | 2.15 | 5.01 | 5.30 |
| Park | ML9453B | 8.030 | 8.790 | L8A | 0.22 | 154 | 100 | 2.01 | 4.86 | 6.00 |
| Park | ML9453B | 8.790 | 9.560 | L8A | 0.21 | 222 | 100 | 1.30 | 5.45 | 5.50 |
| Park | ML9453B | 9.560 | 9.800 | L8A | 0.25 | 233 | 100 | 1.14 | 4.69 | 4.00 |
| Park | ML9453B | 9.800 | 10.280 | L8A | 0.20 | 181 | 100 | 1.70 | 5.86 | 8.90 |
| Park | ML9453B | 10.280 | 10.710 | L8A | 0.23 | 193 | 100 | 1.54 | 5.62 | 7.30 |
| Park | ML9454B | 0.000 | 0.310 | 3EMS | 0.18 | 256 | 100 | 1.08 | 5.15 | 3.90 |

Appendix 1.16: Platte County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | |
|--------|---------|----------|--------|----------------------------|---------|---------|---------|---------|------------------------------|
| | | | | | Rut | IRI | PCI | PSI | Asphalt / Concrete Thickness |
| Platte | ML211B | 63.000 | 63.010 | | Missing | Missing | Missing | Missing | 2.27 |
| Platte | ML5082B | 17.670 | 22.310 | Fletcher Park Road | 0.32 | 239 | 76 | 0.20 | 3.80 |
| Platte | ML5082B | 22.310 | 23.200 | Fletcher Park Road | 0.23 | 241 | 53 | 0.00 | 3.84 |
| Platte | ML5082B | 23.200 | 23.480 | Fletcher Park Road | 0.20 | 122 | 78 | 1.83 | 2.41 |
| Platte | ML5082B | 23.480 | 25.300 | Fletcher Park Road | 0.23 | 178 | 70 | 0.77 | 4.19 |
| Platte | ML5083B | 33.640 | 34.350 | Palmer Canyon Road | 0.30 | 214 | 54 | 0.00 | 1.78 |
| Platte | ML5083B | 34.350 | 43.790 | Palmer Canyon Road | 0.32 | 177 | 67 | 0.52 | 3.49 |
| Platte | ML5083B | 43.790 | 44.030 | Palmer Canyon Road | 0.21 | 225 | 62 | 0.13 | 3.78 |
| Platte | ML5083B | 44.030 | 45.370 | Palmer Canyon Road | 0.26 | 165 | 73 | 0.96 | 3.82 |
| Platte | ML5083B | 45.370 | 46.370 | Palmer Canyon Road | 0.37 | 158 | 68 | 0.63 | 3.97 |
| Platte | ML5083B | 46.370 | 47.400 | Palmer Canyon Road | 0.29 | 181 | 81 | 0.98 | 4.90 |
| Platte | ML5083B | 47.400 | 48.410 | Palmer Canyon Road | 0.27 | 190 | 77 | 0.79 | 4.79 |
| Platte | ML5083B | 48.410 | 49.410 | Palmer Canyon Road | 0.26 | 197 | 56 | 0.12 | 4.68 |
| Platte | ML5084B | 20.780 | 24.640 | Tunnel Road | 0.23 | 192 | 66 | 0.52 | 2.20 |
| Platte | ML8018B | 25.300 | 26.260 | West Hightower Road | 0.24 | 195 | 71 | 0.61 | 3.50 |
| Platte | ML8018B | 26.260 | 26.500 | West Hightower Road | 0.14 | 120 | 84 | 2.11 | 3.95 |
| Platte | ML8022B | 0.070 | 0.180 | C Street | 0.19 | 273 | 62 | 0.00 | 6.21 |
| Platte | ML8022B | 0.180 | 1.450 | C Street | 0.27 | 278 | 79 | 0.14 | 6.12 |
| Platte | ML8022B | 1.450 | 6.050 | C Street | 0.20 | 204 | 84 | 1.00 | 5.17 |
| Platte | ML8022B | 6.050 | 7.040 | C Street | 0.18 | 218 | 100 | 1.38 | 4.34 |
| Platte | ML8022B | 7.040 | 13.560 | C Street | 0.25 | 241 | 59 | 0.00 | 5.10 |
| Platte | ML8022B | 13.560 | 15.680 | C Street | 0.40 | 280 | 56 | 0.00 | 3.38 |
| Platte | ML8024B | 0.000 | 1.280 | Old Highway 26 | 0.16 | 144 | 63 | 1.09 | 3.51 |
| Platte | ML8030B | 0.000 | 0.550 | East Oak Road | 0.23 | 131 | 78 | 1.63 | 5.80 |
| Platte | ML8030B | 0.550 | 1.010 | East Oak Road | 0.18 | 158 | 49 | 0.48 | 6.57 |
| Platte | ML8030B | 1.010 | 1.530 | East Oak Road | 0.21 | 173 | 81 | 1.22 | 4.63 |
| Platte | ML8032B | 0.000 | 0.150 | Horseshoe Creek Road | 0.13 | 225 | 78 | 0.72 | 5.43 |
| Platte | ML8032B | 0.150 | 2.850 | Horseshoe Creek Road | 0.23 | 233 | 81 | 0.61 | 5.09 |
| Platte | ML8032B | 2.850 | 3.620 | Horseshoe Creek Road | 0.32 | 258 | 93 | 0.57 | 4.28 |
| Platte | ML8034B | 0.000 | 0.550 | Tank Farm Road | 0.30 | 324 | 41 | 0.00 | 2.82 |
| Platte | ML8034B | 0.550 | 2.520 | Tank Farm Road | 0.29 | 285 | 62 | 0.00 | 2.16 |
| Platte | ML8035B | 0.000 | 0.060 | Grayrocks/Power Plant Road | 0.15 | 381 | 59 | 0.00 | 1.82 |
| Platte | ML8035B | 0.060 | 0.090 | Grayrocks/Power Plant Road | 0.17 | 441 | 100 | 0.30 | 2.73 |
| Platte | ML8035B | 0.090 | 1.200 | Grayrocks/Power Plant Road | 0.17 | 68 | 97 | 3.39 | 3.57 |
| Platte | ML8035B | 1.200 | 2.300 | Grayrocks/Power Plant Road | 0.17 | 69 | 93 | 3.25 | 3.65 |
| Platte | ML8035B | 2.300 | 3.270 | Grayrocks/Power Plant Road | 0.16 | 65 | 88 | 3.21 | 3.59 |
| Platte | ML8035B | 3.270 | 4.330 | Grayrocks/Power Plant Road | 0.21 | 115 | 97 | 2.48 | 3.21 |
| Platte | ML8035B | 4.330 | 6.120 | Grayrocks/Power Plant Road | 0.19 | 147 | 82 | 1.60 | 3.47 |
| Platte | ML8035B | 6.120 | 17.450 | Grayrocks/Power Plant Road | 0.25 | 152 | 89 | 1.63 | 3.40 |
| Platte | ML8039B | 0.000 | 1.050 | North Red Fox Road | 0.14 | 186 | 85 | 1.29 | 1.03 |
| Platte | ML8055B | 0.000 | 0.610 | West Fairview Road | 0.37 | 170 | 72 | 0.62 | 4.36 |
| Platte | ML8055B | 0.610 | 0.800 | West Fairview Road | 0.33 | 114 | 91 | 2.06 | 4.05 |
| Platte | ML8055B | 0.800 | 1.520 | West Fairview Road | 0.30 | 120 | 90 | 2.00 | 4.32 |
| Platte | ML8055B | 1.550 | 1.620 | West Fairview Road | 0.26 | 211 | 96 | 1.18 | 6.46 |
| Platte | ML8055B | 1.620 | 1.830 | West Fairview Road | 0.30 | 157 | 80 | 1.19 | 4.55 |
| Platte | ML8055B | 1.830 | 2.630 | West Fairview Road | 0.31 | 125 | 92 | 1.97 | 4.01 |
| Platte | ML8055B | 2.630 | 2.850 | West Fairview Road | 0.37 | 124 | 93 | 1.85 | 3.98 |
| Platte | ML8055B | 2.850 | 3.640 | West Fairview Road | 0.32 | 120 | 90 | 1.96 | 3.81 |
| Platte | ML8055B | 3.640 | 4.660 | West Fairview Road | 0.24 | 127 | 89 | 2.01 | 3.67 |
| Platte | ML8063B | 0.000 | 0.100 | Diamond Road | 0.19 | 282 | 65 | 0.00 | 2.73 |
| Platte | ML8063B | 0.100 | 7.060 | Diamond Road | 0.19 | 110 | 79 | 2.05 | 2.40 |
| Platte | ML8066B | 0.000 | 0.230 | South Guernsey Road | 0.22 | 246 | 56 | 0.00 | 3.32 |
| Platte | ML8066B | 0.230 | 3.410 | South Guernsey Road | 0.24 | 189 | 78 | 0.89 | 2.30 |
| Platte | ML8066B | 3.410 | 3.680 | South Guernsey Road | 0.25 | 240 | 98 | 1.01 | 2.61 |
| Platte | ML8066B | 3.680 | 6.210 | South Guernsey Road | 0.35 | 173 | 84 | 1.00 | 2.35 |
| Platte | ML8066B | 6.210 | 9.150 | South Guernsey Road | 0.27 | 146 | 100 | 1.99 | 4.33 |
| Platte | ML8066B | 9.150 | 11.094 | South Guernsey Road | 0.28 | 128 | 98 | 2.18 | 3.40 |
| Platte | ML8066B | 11.094 | 11.832 | South Guernsey Road | 0.24 | 121 | 100 | 2.42 | 2.98 |
| Platte | ML8068B | 0.000 | 2.460 | J.J. Road | 0.28 | 199 | 81 | 0.79 | 3.14 |
| Platte | ML8069B | 0.000 | 7.910 | Deer Creek Road | 0.16 | 99 | 82 | 2.36 | 3.84 |
| Platte | ML8069B | 7.910 | 8.920 | Deer Creek Road | 0.20 | 196 | 82 | 1.01 | 4.17 |
| Platte | ML8071B | 0.000 | 7.220 | Fish Creek Road | 0.28 | 156 | 96 | 1.72 | 6.34 |
| Platte | ML8090B | 3.050 | 4.070 | Grange Road | 0.30 | 157 | 83 | 1.29 | 2.99 |
| Platte | ML8090B | 4.070 | 5.080 | Grange Road | 0.28 | 152 | 84 | 1.42 | 2.80 |
| Platte | ML8090B | 5.080 | 6.100 | Grange Road | 0.21 | 131 | 71 | 1.46 | 2.55 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | |
|--------|---------|----------|--------|---------------------|---------|---------|---------|---------|------------------------------|
| | | | | | Rut | IRI | PCI | PSI | Asphalt / Concrete Thickness |
| Platte | ML8090B | 6.100 | 7.100 | Grange Road | 0.25 | 155 | 84 | 1.46 | 2.35 |
| Platte | ML8090B | 7.100 | 8.120 | Grange Road | 0.30 | 156 | 86 | 1.38 | 2.62 |
| Platte | ML8090B | 8.120 | 9.140 | Grange Road | 0.27 | 145 | 71 | 1.14 | 2.96 |
| Platte | ML8093B | 0.000 | 1.070 | Dickinson Hill Road | 0.17 | 117 | 84 | 2.11 | 4.10 |
| Platte | ML8093B | 1.070 | 3.580 | Dickinson Hill Road | 0.16 | 94 | 87 | 2.59 | 3.58 |
| Platte | ML8099B | 0.000 | 0.570 | Quarry Road | 0.12 | 152 | 55 | 0.81 | 3.35 |
| Platte | ML8099B | 0.570 | 1.160 | Quarry Road | 0.11 | 164 | 58 | 0.75 | 3.66 |
| Platte | ML8100B | 0.000 | 0.060 | Plesant Valley Road | 0.10 | 207 | 85 | 1.13 | 3.93 |
| Platte | ML8100B | 0.060 | 0.120 | Plesant Valley Road | 0.36 | 400 | 73 | 0.00 | 4.10 |
| Platte | ML8100B | 0.120 | 0.140 | Plesant Valley Road | Missing | Missing | Missing | Missing | 3.31 |
| Platte | ML8113B | 13.470 | 14.810 | Patton Creek Road | 0.17 | 149 | 81 | 1.55 | 2.87 |
| Platte | ML8119B | 0.000 | 1.290 | Lake Side Drive | 0.18 | 233 | 57 | 0.00 | 4.64 |
| Platte | ML8119B | 1.290 | 2.510 | Lake Side Drive | 0.18 | 276 | 72 | 0.09 | 4.19 |
| Platte | ML8123B | 0.000 | 3.290 | Bordeaux Road | 0.28 | 282 | 86 | 0.31 | 8.98 |
| Platte | ML8123B | 3.290 | 4.320 | Bordeaux Road | 0.34 | 325 | 89 | 0.02 | 10.83 |
| Platte | ML8123B | 4.320 | 5.650 | Bordeaux Road | 0.30 | 290 | 92 | 0.38 | 10.79 |
| Platte | ML8123B | 9.390 | 12.340 | Bordeaux Road | 0.22 | 97 | 82 | 2.32 | 3.58 |
| Platte | ML8124B | 0.000 | 1.010 | Pioneer Road | 0.29 | 179 | 85 | 1.11 | 3.33 |
| Platte | ML8124B | 1.010 | 7.080 | Pioneer Road | 0.21 | 128 | 90 | 2.06 | 3.87 |
| Platte | ML8124B | 7.080 | 9.100 | Pioneer Road | 0.21 | 103 | 97 | 2.67 | 2.47 |
| Platte | ML8142B | 0.070 | 0.890 | Richeau Road | 0.22 | 101 | 89 | 2.46 | 2.39 |
| Platte | ML8144B | 0.000 | 1.020 | Preuit Road | 0.18 | 176 | 91 | 1.52 | 0.95 |
| Platte | ML8144B | 1.020 | 2.050 | Preuit Road | 0.25 | 192 | 86 | 1.09 | 1.10 |
| Platte | ML8144B | 2.050 | 2.740 | Preuit Road | 0.18 | 164 | 52 | 0.49 | 4.20 |
| Platte | ML8146B | 0.000 | 0.450 | Rompoon Road | 0.40 | 181 | 93 | 1.02 | 5.14 |
| Platte | ML8149B | 0.000 | 0.030 | East Fairview Road | 0.16 | 994 | 68 | 0.00 | 1.06 |
| Platte | ML8149B | 0.030 | 0.220 | East Fairview Road | 0.16 | 213 | 98 | 1.40 | 3.44 |
| Platte | ML8149B | 0.220 | 0.410 | East Fairview Road | 0.18 | 154 | 95 | 1.91 | 3.91 |
| Platte | ML8149B | 0.410 | 1.250 | East Fairview Road | 0.17 | 141 | 97 | 2.15 | 3.83 |
| Platte | ML8149B | 1.250 | 1.390 | East Fairview Road | 0.17 | 134 | 97 | 2.25 | 3.75 |
| Platte | ML8149B | 1.390 | 2.270 | East Fairview Road | 0.16 | 151 | 97 | 2.03 | 3.95 |
| Platte | ML8149B | 2.270 | 2.410 | East Fairview Road | 0.22 | 175 | 95 | 1.59 | 4.21 |
| Platte | ML8149B | 2.410 | 4.290 | East Fairview Road | 0.20 | 165 | 94 | 1.70 | 3.94 |
| Platte | ML8150B | 0.000 | 1.080 | Front Road | 0.19 | 164 | 72 | 1.09 | 4.59 |
| Platte | ML8150B | 1.080 | 1.590 | Front Road | 0.21 | 213 | 65 | 0.34 | 5.57 |
| Platte | ML8150B | 1.590 | 2.020 | Front Road | 0.22 | 202 | 79 | 0.83 | 5.16 |
| Platte | ML8150B | 2.020 | 2.100 | Front Road | 0.15 | 224 | 100 | 1.37 | 3.96 |
| Platte | ML9471B | 3.040 | 5.790 | | 0.29 | 184 | 94 | 1.32 | 5.88 |
| | | | | | | | | | 11.00 |

Appendix 1.17: Sheridan County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | |
|----------|---------|----------|--------|------------------------|---------|---------|---------|---------|------------------------------|
| | | | | | Rut | IRI | PCI | PSI | Asphalt / Concrete Thickness |
| Sheridan | ML330B | 1.109 | 1.633 | Soldier Creek Road 74 | Missing | Missing | Missing | Missing | 3.50 |
| Sheridan | ML330B | 1.633 | 2.660 | Soldier Creek Road 74 | Missing | Missing | Missing | Missing | 3.02 |
| Sheridan | ML8160B | 0.000 | 0.050 | Bird Farm Road | 0.11 | 425 | 75 | 0.00 | 3.01 |
| Sheridan | ML8160B | 0.050 | 0.100 | Bird Farm Road | 0.10 | 197 | 100 | 1.67 | 3.99 |
| Sheridan | ML8160B | 0.100 | 0.910 | Bird Farm Road | 0.18 | 114 | 87 | 2.23 | 4.17 |
| Sheridan | ML8160B | 0.910 | 1.710 | Bird Farm Road | 0.20 | 124 | 98 | 2.39 | 4.36 |
| Sheridan | ML8160B | 1.710 | 1.860 | Bird Farm Road | 0.14 | 105 | 100 | 2.82 | 4.32 |
| Sheridan | ML8160B | 1.860 | 3.290 | Bird Farm Road | 0.12 | 97 | 99 | 2.95 | 4.29 |
| Sheridan | ML8169B | 0.410 | 0.700 | 4430 | 0.08 | 142 | 100 | 2.32 | 7.61 |
| Sheridan | ML8170B | 0.000 | 1.520 | Old Airport Access Rd | 0.39 | 276 | 98 | 0.40 | 2.25 |
| Sheridan | ML8172B | 0.000 | 1.520 | Swain Road | 0.20 | 86 | 93 | 2.87 | 3.50 |
| Sheridan | ML8174B | 0.000 | 1.520 | Metz Road | 0.20 | 107 | 96 | 2.57 | 3.40 |
| Sheridan | ML8176B | 3.160 | 3.270 | Barker Road | 0.12 | 164 | 84 | 1.53 | 4.67 |
| Sheridan | ML8176B | 3.270 | 3.310 | Barker Road | 0.10 | 130 | 84 | 2.00 | 4.85 |
| Sheridan | ML8177B | 0.000 | 0.440 | Woodland Park Road | 0.17 | 286 | 96 | 0.78 | 5.5 |
| Sheridan | ML8177B | 0.440 | 0.710 | Woodland Park Road | 0.22 | 161 | 96 | 1.80 | 4.40 |
| Sheridan | ML8178B | 0.000 | 0.090 | Wolf Creek Road | 0.09 | 278 | 98 | 0.98 | 4.61 |
| Sheridan | ML8178B | 0.090 | 0.130 | Wolf Creek Road | 0.14 | 563 | 98 | 0.07 | 2.66 |
| Sheridan | ML8183B | 0.000 | 1.030 | Paradise Park Road | 0.19 | 108 | 96 | 2.59 | 3.90 |
| Sheridan | ML8183B | 1.030 | 1.520 | Paradise Park Road | 0.19 | 81 | 96 | 3.08 | 6.34 |
| Sheridan | ML8186B | 0.000 | 0.220 | Abattoir Rd | 0.15 | 220 | 63 | 0.29 | 2.86 |
| Sheridan | ML8190B | 0.000 | 0.070 | Coal Bank Road | 0.17 | 567 | 38 | 0.00 | 6.28 |
| Sheridan | ML8191B | 1.073 | 1.744 | Downer's Addition | 0.12 | 110 | 98 | 2.71 | 4.61 |
| Sheridan | ML8194B | 0.000 | 0.280 | | 0.18 | 111 | 100 | 2.67 | 4.87 |
| Sheridan | ML8194B | 0.280 | 0.345 | | 0.19 | 133 | 98 | 2.26 | 4.89 |
| Sheridan | ML8194B | 0.345 | 0.675 | | 0.18 | 137 | 100 | 2.29 | 4.99 |
| Sheridan | ML8194B | 0.675 | 1.095 | | 0.21 | 119 | 98 | 2.46 | 5.12 |
| Sheridan | ML8196B | 0.000 | 0.840 | Kittering Road | 0.14 | 278 | 54 | 0.00 | 6.03 |
| Sheridan | ML8196B | 0.840 | 0.860 | Kittering Road | Missing | Missing | Missing | Missing | 5.15 |
| Sheridan | ML8202B | 0.000 | 0.240 | Beaver Creek Road | 0.08 | 181 | 89 | 1.52 | 5.32 |
| Sheridan | ML8202B | 9.890 | 10.150 | Beaver Creek Road | 0.16 | 336 | 46 | 0.00 | 2.44 |
| Sheridan | ML8206B | 0.000 | 0.060 | Tongue Canyon Road | 0.18 | 159 | 98 | 1.94 | No Paved Road |
| Sheridan | ML8206B | 0.060 | 0.200 | Tongue Canyon Road | 0.11 | 227 | 77 | 0.69 | No Paved Road |
| Sheridan | ML8206B | 0.200 | 0.330 | Tongue Canyon Road | 0.09 | 151 | 92 | 1.95 | No Paved Road |
| Sheridan | ML8214B | 0.000 | 0.890 | Brinton Road | 0.21 | 262 | 87 | 0.61 | 4.01 |
| Sheridan | ML8214B | 0.890 | 2.700 | Brinton Road | 0.19 | 186 | 92 | 1.43 | 4.10 |
| Sheridan | ML8214B | 2.700 | 3.050 | Brinton Road | 0.22 | 156 | 85 | 1.53 | 2.73 |
| Sheridan | ML8226B | 0.000 | 0.570 | Golf Course Road | 0.30 | 256 | 59 | 0.00 | 3.06 |
| Sheridan | ML8229B | 0.000 | 0.170 | 120A | 0.25 | 837 | 32 | 0.00 | 4.50 |
| Sheridan | ML8233B | 0.000 | 0.400 | 17Th Street-Higby Road | 0.10 | 359 | 45 | 0.00 | 5.41 |
| Sheridan | ML8233B | 0.400 | 0.690 | 17Th Street-Higby Road | 0.14 | 300 | 45 | 0.00 | 5.98 |
| Sheridan | ML8236B | 1.570 | 1.850 | Upper Prairie Dog Rod | 0.14 | 157 | 80 | 1.48 | 3.53 |
| Sheridan | ML8238B | 0.000 | 0.291 | Meade Creek Road | 0.09 | 133 | 85 | 1.99 | 5.54 |
| Sheridan | ML8241B | 0.530 | 0.794 | East Ridge Road | 0.07 | 101 | 100 | 2.96 | 4.51 |
| Sheridan | ML8241B | 0.794 | 0.870 | East Ridge Road | 0.07 | 143 | 100 | 2.31 | 4.25 |
| Sheridan | ML8242B | 0.000 | 0.260 | Twin Creek Road | 0.21 | 229 | 46 | 0.00 | 4.73 |
| Sheridan | ML8263B | 0.000 | 0.800 | Acme Road | 0.18 | 194 | 98 | 1.55 | 4.42 |
| Sheridan | ML8263B | 0.800 | 0.950 | Acme Road | 0.17 | 176 | 61 | 0.64 | 2.26 |
| Sheridan | ML8263B | 0.950 | 1.530 | Acme Road | 0.25 | 305 | 56 | 0.00 | 5.25 |
| Sheridan | ML8263B | 1.530 | 1.640 | Acme Road | 0.29 | 251 | 47 | 0.00 | 3.68 |
| Sheridan | ML8268B | 0.000 | 0.580 | Absaraka Rd Extension | 0.16 | 286 | 84 | 0.44 | 2.21 |
| Sheridan | ML9397B | 0.000 | 0.380 | Airport Road | 0.19 | 355 | 83 | 0.03 | 3.67 |
| Sheridan | ML9397B | 0.380 | 0.690 | Airport Road | 0.18 | 353 | 84 | 0.08 | 7.78 |
| | | | | | | | | | 7.40 |

Appendix 1.18: Sublette County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | |
|----------|----------|----------|---------|-----------------------------|---------|---------|---------|------|------------------------------|
| | | | | | Rut | IRI | PCI | PSI | Asphalt / Concrete Thickness |
| Sublette | ML25723B | 100.255 | 100.547 | | Missing | Missing | Missing | 4.67 | 11.50 |
| Sublette | ML8279B | 0.000 | 0.040 | Riverside Subdivision Road | 0.06 | 193 | 98 | 1.67 | 4.49 |
| Sublette | ML8288B | 0.000 | 0.980 | Middle Piney Road | 0.28 | 147 | 85 | 1.51 | 9.04 |
| Sublette | ML8288B | 0.980 | 5.290 | Middle Piney Road | 0.24 | 185 | 89 | 1.29 | 6.02 |
| Sublette | ML8289B | 0.000 | 6.210 | Daniel/Merna Road | 0.11 | 69 | 95 | 3.38 | 5.05 |
| Sublette | ML8289B | 6.210 | 9.270 | Daniel/Merna Road | 0.08 | 49 | 93 | 3.80 | 4.99 |
| Sublette | ML8289B | 9.270 | 11.420 | Daniel/Merna Road | 0.09 | 52 | 92 | 3.68 | 4.89 |
| Sublette | ML8294B | 0.000 | 3.330 | Cottonwood/Ryegrass Road | 0.14 | 125 | 88 | 2.15 | 4.01 |
| Sublette | ML8295B | 0.000 | 0.760 | Big Sandy/Elkhorn Road | 0.22 | 87 | 87 | 2.65 | 4.73 |
| Sublette | ML8295B | 0.760 | 2.440 | Big Sandy/Elkhorn Road | 0.23 | 74 | 99 | 3.25 | 4.70 |
| Sublette | ML8296B | 0.000 | 1.180 | Willow Lake Road | 0.16 | 129 | 89 | 2.09 | 5.62 |
| Sublette | ML8298B | 0.000 | 0.110 | Fayette/Pole Creek Road | 0.10 | 176 | 88 | 1.53 | 5.50 |
| Sublette | ML8298B | 0.110 | 3.150 | Fayette/Pole Creek Road | 0.10 | 82 | 88 | 2.91 | 5.32 |
| Sublette | ML8298B | 3.150 | 3.210 | Fayette/Pole Creek Road | 0.08 | 82 | 94 | 3.12 | 4.48 |
| Sublette | ML8298B | 3.210 | 3.380 | Fayette/Pole Creek Road | 0.09 | 76 | 87 | 3.03 | 4.47 |
| Sublette | ML8298B | 3.380 | 4.030 | Fayette/Pole Creek Road | 0.10 | 83 | 87 | 2.87 | 5.16 |
| Sublette | ML8298B | 4.030 | 4.080 | Fayette/Pole Creek Road | 0.09 | 120 | 94 | 2.46 | 4.37 |
| Sublette | ML8300B | 0.970 | 1.170 | Pinedale South Road | 0.13 | 186 | 83 | 1.24 | 3.48 |
| Sublette | ML8300B | 1.170 | 1.550 | Pinedale South Road | 0.38 | 564 | 98 | 0.00 | 2.83 |
| Sublette | ML8300B | 1.550 | 2.660 | Pinedale South Road | 0.34 | 337 | 91 | 0.01 | 2.99 |
| Sublette | ML8300B | 2.660 | 3.660 | Pinedale South Road | 0.40 | 381 | 82 | 0.00 | No Paved Road |
| Sublette | ML8307B | 0.000 | 5.140 | Big Piney/Calpet Road | 0.07 | 55 | 98 | 3.80 | 4.46 |
| Sublette | ML8307B | 5.140 | 16.500 | Big Piney/Calpet Road | 0.08 | 62 | 96 | 3.59 | 4.36 |
| Sublette | ML8307B | 16.500 | 24.150 | Big Piney/Calpet Road | 0.24 | 161 | 73 | 1.06 | 4.24 |
| Sublette | ML8308B | 0.000 | 0.070 | CB Lane | 0.08 | 402 | 88 | 0.14 | 3.11 |
| Sublette | ML8314B | 1.160 | 1.450 | Mickelson Lane | 0.10 | 99 | 98 | 2.91 | 4.34 |
| Sublette | ML8316B | 0.000 | 2.270 | North Piney/Cottonwood Road | 0.20 | 263 | 93 | 0.79 | 3.98 |
| Sublette | ML8316B | 2.270 | 3.910 | North Piney/Cottonwood Road | 0.21 | 215 | 95 | 1.21 | 3.83 |
| Sublette | ML8316B | 3.910 | 4.210 | North Piney/Cottonwood Road | 0.14 | 225 | 96 | 1.25 | 3.97 |
| Sublette | ML8317B | 0.000 | 2.920 | Ehman Lane | 0.11 | 80 | 95 | 3.16 | 6.10 |
| Sublette | ML8318B | 0.000 | 0.150 | Noble Road | 0.11 | 285 | 93 | 0.76 | 4.09 |
| Sublette | ML8323B | 4.440 | 6.160 | South Piney Road | 0.14 | 174 | 87 | 1.47 | 2.67 |
| Sublette | ML8325B | 0.000 | 0.090 | Fremont Lake Road | 0.07 | 80 | 100 | 3.33 | 5.16 |
| Sublette | ML8325B | 0.090 | 0.180 | Fremont Lake Road | 0.07 | 63 | 100 | 3.69 | 4.75 |
| Sublette | ML8325B | 0.180 | 0.830 | Fremont Lake Road | 0.06 | 62 | 100 | 3.72 | 4.54 |
| Sublette | ML8325B | 0.830 | 2.400 | Fremont Lake Road | 0.06 | 67 | 99 | 3.58 | 4.60 |
| Sublette | ML8334B | 0.000 | 0.570 | Big Piney Airport Road | 0.14 | 234 | 87 | 0.91 | 2.66 |
| Sublette | ML8336B | 0.000 | 0.080 | Quaker Lane | 0.08 | 133 | 94 | 2.27 | 2.75 |
| Sublette | ML8336B | 0.080 | 0.160 | Quaker Lane | 0.08 | 101 | 91 | 2.69 | 2.88 |
| Sublette | ML8343B | 0.050 | 0.460 | Lake Road | 0.10 | 205 | 91 | 1.32 | 3.24 |
| Sublette | ML8343B | 0.460 | 0.700 | Lake Road | 0.08 | 165 | 88 | 1.67 | 2.89 |
| Sublette | ML8343B | 0.700 | 0.760 | Lake Road | 0.09 | 175 | 98 | 1.85 | 2.90 |
| Sublette | ML8346B | 0.000 | 0.740 | Orcutt Drive | 0.10 | 121 | 88 | 2.25 | 4.55 |
| Sublette | ML8347B | 0.000 | 0.180 | Park Circle | 0.11 | 95 | 95 | 2.89 | 4.48 |
| Sublette | ML8353B | 0.000 | 0.070 | Tyler Avenue | 0.07 | 303 | 96 | 0.78 | 2.89 |
| Sublette | ML8353B | 0.070 | 0.090 | Tyler Avenue | 0.11 | 181 | 98 | 1.76 | 3.15 |
| Sublette | ML8363B | 0.000 | 0.390 | Granite Lane | 0.13 | 205 | 93 | 1.36 | 3.72 |
| Sublette | ML8363B | 0.390 | 0.450 | Granite Lane | 0.13 | 213 | 96 | 1.38 | 3.64 |
| Sublette | ML8364B | 0.000 | 0.080 | Whitman | 0.22 | 307 | 70 | 0.00 | 1.60 |
| Sublette | ML8368B | 0.000 | 0.220 | Meadow Road | 0.12 | 168 | 94 | 1.79 | 3.05 |
| Sublette | ML8369B | 0.000 | 0.110 | Valley Road | 0.12 | 131 | 93 | 2.23 | 2.97 |
| Sublette | ML8369B | 0.110 | 0.310 | Valley Road | 0.09 | 169 | 85 | 1.53 | 2.80 |
| Sublette | ML8370B | 0.000 | 0.060 | Crear Lane | 0.13 | 178 | 90 | 1.54 | 2.99 |
| Sublette | ML8370B | 0.060 | 0.140 | Crear Lane | 0.11 | 142 | 93 | 2.08 | 2.69 |
| Sublette | ML8370B | 0.140 | 0.260 | Crear Lane | 0.14 | 223 | 87 | 1.00 | 2.68 |
| Sublette | ML8371B | 0.000 | 0.100 | Moose Street | 0.05 | 240 | 95 | 1.17 | 2.34 |
| Sublette | ML8372B | 0.000 | 0.460 | Marbleton Landfill Road | 0.14 | 205 | 96 | 1.43 | 2.88 |
| Sublette | ML8373B | 0.780 | 1.270 | Stone Trail | 0.11 | 184 | 95 | 1.65 | 4.21 |
| Sublette | ML8375B | 0.180 | 0.390 | Club House Road | 0.16 | 207 | 100 | 1.51 | 4.13 |

Appendix 1.19: Sweetwater County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | |
|------------|---------|----------|--------|--------------------------------------|------|-----|-----|------|------------------------------|
| | | | | | Rut | IRI | PCI | PSI | Asphalt / Concrete Thickness |
| Sweetwater | ML1904B | 0.000 | 1.370 | | 0.13 | 95 | 96 | 2.88 | 6.64 |
| Sweetwater | ML1904B | 1.370 | 4.660 | | 0.12 | 60 | 98 | 3.65 | 5.60 |
| Sweetwater | ML1919B | 0.000 | 0.560 | | 0.21 | 287 | 89 | 0.50 | 6.74 |
| Sweetwater | ML1923B | 0.000 | 0.460 | | 0.11 | 110 | 88 | 2.41 | 6.16 |
| Sweetwater | ML8385B | 0.000 | 25.820 | McKinnon Road | 0.23 | 203 | 84 | 0.96 | 2.93 |
| Sweetwater | ML8385B | 25.820 | 27.640 | McKinnon Road | 0.20 | 239 | 61 | 0.01 | 4.07 |
| Sweetwater | ML8386B | 0.000 | 1.360 | Old Little America Road | 0.19 | 238 | 62 | 0.05 | 5.05 |
| Sweetwater | ML8387B | 0.000 | 2.310 | FMC Road | 0.30 | 129 | 90 | 1.89 | 5.14 |
| Sweetwater | ML8387B | 2.310 | 3.630 | FMC Road | 0.28 | 128 | 88 | 1.87 | 4.42 |
| Sweetwater | ML8390B | 0.000 | 1.740 | OCI | 0.09 | 82 | 99 | 3.26 | 4.97 |
| Sweetwater | ML8390B | 1.740 | 1.921 | OCI | 0.10 | 122 | 100 | 2.59 | 7.13 |
| Sweetwater | ML8390B | 1.921 | 2.560 | OCI | 0.10 | 50 | 100 | 3.96 | 8.06 |
| Sweetwater | ML8396B | 0.000 | 8.870 | Texasgulf Sulphur Road | 0.24 | 299 | 62 | 0.00 | 4.05 |
| Sweetwater | ML8396B | 8.870 | 9.010 | Texasgulf Sulphur Road | 0.15 | 212 | 54 | 0.10 | 2.27 |
| Sweetwater | ML8399B | 1.960 | 7.591 | Nine Mile Road | 0.13 | 69 | 88 | 3.16 | 5.10 |
| Sweetwater | ML8399B | 7.591 | 8.650 | Nine Mile Road | 0.10 | 73 | 87 | 3.07 | 8.71 |
| Sweetwater | ML8400B | 2.800 | 3.210 | Granger Road | 0.18 | 212 | 85 | 0.99 | 7.24 |
| Sweetwater | ML8401B | 0.000 | 0.689 | Granger Road | 0.23 | 202 | 73 | 0.64 | 2.71 |
| Sweetwater | ML8405B | 0.000 | 6.440 | Bitter Creek South Road | 0.25 | 280 | 56 | 0.00 | 2.34 |
| Sweetwater | ML8405B | 6.440 | 6.895 | Bitter Creek South Road | 0.28 | 424 | 62 | 0.00 | 3.04 |
| Sweetwater | ML8415B | 0.000 | 5.250 | Hiawatha Road | 0.22 | 314 | 4 | 0.00 | No Paved Road |
| Sweetwater | ML8417B | 0.000 | 3.540 | Aspen Mountain Road | 0.22 | 154 | 67 | 1.01 | 2.44 |
| Sweetwater | ML8423B | 0.000 | 2.040 | Flaming Gorge Road/Big Firehole Road | 0.12 | 94 | 86 | 2.63 | 3.75 |
| Sweetwater | ML8423B | 2.040 | 4.510 | Flaming Gorge Road/Big Firehole Road | 0.16 | 101 | 89 | 2.56 | 3.62 |
| Sweetwater | ML8423B | 4.510 | 7.901 | Flaming Gorge Road/Big Firehole Road | 0.13 | 143 | 91 | 2.00 | 4.02 |
| Sweetwater | ML8423B | 7.901 | 9.670 | Flaming Gorge Road/Big Firehole Road | 0.12 | 102 | 88 | 2.53 | 4.29 |
| Sweetwater | ML8423B | 9.670 | 10.300 | Flaming Gorge Road/Big Firehole Road | 0.12 | 90 | 87 | 2.73 | 4.17 |
| Sweetwater | ML8426B | 0.000 | 0.817 | Hoskins-McGuire Road | 0.09 | 132 | 93 | 2.25 | 7.02 |
| Sweetwater | ML8431B | 0.000 | 2.960 | Allied Chemical Road | 0.22 | 70 | 95 | 3.22 | 5.37 |
| Sweetwater | ML8431B | 2.960 | 3.250 | Allied Chemical Road | 0.29 | 162 | 73 | 0.95 | No Paved Road |
| Sweetwater | ML8433B | 0.000 | 0.370 | Reliance Road/Reliance Main Street | 0.22 | 161 | 91 | 1.63 | 5.28 |
| Sweetwater | ML8433B | 0.370 | 0.990 | Reliance Road/Reliance Main Street | 0.42 | 273 | 71 | 0.00 | 5.16 |
| Sweetwater | ML8433B | 0.990 | 1.900 | Reliance Road/Reliance Main Street | 0.17 | 217 | 68 | 0.45 | 5.17 |
| Sweetwater | ML8433B | 1.900 | 2.800 | Reliance Road/Reliance Main Street | 0.16 | 286 | 79 | 0.29 | 4.08 |
| Sweetwater | ML8441B | 0.000 | 0.146 | Quealy Road/Mine Haul Road | 0.17 | 166 | 91 | 1.65 | 3.71 |
| Sweetwater | ML8441B | 0.146 | 0.740 | Quealy Road/Mine Haul Road | 0.23 | 241 | 86 | 0.70 | 3.39 |
| Sweetwater | ML8441B | 0.740 | 2.060 | Quealy Road/Mine Haul Road | 0.22 | 306 | 62 | 0.00 | 5.73 |
| Sweetwater | ML8442B | 2.570 | 3.210 | Blairtown Connector Road | 0.30 | 134 | 72 | 1.26 | 5.36 |
| Sweetwater | ML8442B | 3.210 | 5.090 | Blairtown Connector Road | 0.30 | 93 | 79 | 2.13 | 5.57 |
| Sweetwater | ML8442B | 5.090 | 6.770 | Blairtown Connector Road | 0.26 | 96 | 86 | 2.37 | 5.74 |
| Sweetwater | ML8448B | 0.000 | 0.080 | Yellowstone Road | 0.19 | 147 | 100 | 2.13 | 9.23 |
| Sweetwater | ML8448B | 0.080 | 1.180 | Yellowstone Road | 0.24 | 98 | 92 | 2.55 | 5.25 |
| Sweetwater | ML8448B | 1.180 | 1.470 | Yellowstone Road | 0.18 | 88 | 76 | 2.37 | 2.32 |
| Sweetwater | ML8448B | 1.470 | 1.730 | Yellowstone Road | 0.18 | 94 | 86 | 2.56 | 1.98 |
| Sweetwater | ML8448B | 1.730 | 1.780 | Yellowstone Road | 0.10 | 60 | 91 | 3.48 | 2.58 |
| Sweetwater | ML8448B | 1.780 | 1.870 | Yellowstone Road | 0.12 | 121 | 88 | 2.23 | 3.03 |
| Sweetwater | ML8448B | 1.870 | 2.260 | Yellowstone Road | 0.16 | 75 | 87 | 2.96 | 2.51 |
| Sweetwater | ML8448B | 2.260 | 2.320 | Yellowstone Road | 0.12 | 64 | 87 | 3.25 | 2.51 |
| Sweetwater | ML8448B | 2.320 | 2.470 | Yellowstone Road | 0.11 | 94 | 87 | 2.66 | 2.41 |
| Sweetwater | ML8448B | 2.470 | 2.770 | Yellowstone Road | 0.11 | 67 | 87 | 3.19 | 2.46 |
| Sweetwater | ML8448B | 2.770 | 3.376 | Yellowstone Road | 0.12 | 90 | 88 | 2.76 | 5.94 |
| Sweetwater | ML8448B | 3.376 | 6.039 | Yellowstone Road | 0.14 | 93 | 95 | 2.89 | 5.90 |
| Sweetwater | ML8450B | 0.000 | 1.003 | Mesa Drive | 0.08 | 119 | 87 | 2.27 | 3.39 |
| Sweetwater | ML8450B | 1.003 | 1.500 | Mesa Drive | 0.08 | 128 | 91 | 2.25 | 3.55 |
| Sweetwater | ML8453B | 8.200 | 29.880 | Mineral Exploration Road | 0.31 | 203 | 65 | 0.21 | 1.82 |
| Sweetwater | ML8454B | 0.000 | 0.700 | Rock Springs Solid Waste Road | 0.10 | 138 | 41 | 0.57 | 6.76 |
| Sweetwater | ML8456B | 0.000 | 0.600 | Winton Road | 0.23 | 229 | 90 | 0.90 | 8.11 |
| Sweetwater | ML8456B | 0.600 | 2.620 | Winton Road | 0.23 | 258 | 90 | 0.67 | 6.89 |
| Sweetwater | ML8459B | 0.000 | 0.350 | Gookin-White Mountain Road | 0.23 | 247 | 91 | 0.79 | 2.44 |
| Sweetwater | ML8459B | 0.350 | 0.440 | Gookin-White Mountain Road | 0.16 | 189 | 90 | 1.38 | 1.59 |
| Sweetwater | ML8459B | 0.440 | 0.470 | Gookin-White Mountain Road | 0.24 | 213 | 90 | 1.03 | 0.88 |
| Sweetwater | ML8459B | 0.470 | 0.520 | Gookin-White Mountain Road | 0.24 | 172 | 98 | 1.67 | 1.39 |
| Sweetwater | ML8459B | 0.520 | 0.570 | Gookin-White Mountain Road | 0.22 | 184 | 91 | 1.37 | 1.56 |
| Sweetwater | ML8459B | 0.570 | 0.620 | Gookin-White Mountain Road | 0.22 | 136 | 89 | 1.91 | 3.12 |
| Sweetwater | ML8459B | 0.620 | 0.670 | Gookin-White Mountain Road | 0.22 | 217 | 88 | 0.97 | 1.13 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | |
|------------|---------|----------|--------|---------------------|------|-----|-----|------|------------------------------|
| | | | | | Rut | IRI | PCI | PSI | Asphalt / Concrete Thickness |
| Sweetwater | ML8475B | 0.000 | 3.930 | Tenneco Road | 0.16 | 79 | 90 | 2.98 | 7.52 |
| Sweetwater | ML8476B | 0.000 | 1.820 | Exxon Plant Road | 0.20 | 212 | 90 | 1.10 | 3.77 |
| Sweetwater | ML8476B | 1.820 | 4.400 | Exxon Plant Road | 0.21 | 196 | 90 | 1.25 | 3.63 |
| Sweetwater | ML8477B | 7.300 | 8.900 | Upper Superior Road | 0.32 | 381 | 55 | 0.00 | 1.32 |
| Sweetwater | ML8506B | 0.000 | 0.240 | Signal Drive | 0.18 | 150 | 96 | 1.99 | 8.20 |
| Sweetwater | ML8506B | 0.240 | 1.240 | Signal Drive | 0.18 | 71 | 98 | 3.35 | 7.23 |
| Sweetwater | ML8507B | 0.000 | 0.150 | Armory Drive | 0.18 | 370 | 94 | 0.32 | 4.89 |
| Sweetwater | ML8512B | 0.000 | 1.000 | Quadram Drive | 0.23 | 413 | 60 | 0.00 | 4.69 |
| Sweetwater | ML8513B | 0.000 | 0.400 | Gannett Drive | 0.20 | 327 | 58 | 0.00 | 4.11 |
| Sweetwater | ML8513B | 0.400 | 0.570 | Gannett Drive | 0.22 | 275 | 72 | 0.05 | 4.33 |
| Sweetwater | ML8513B | 0.570 | 0.650 | Gannett Drive | 0.21 | 396 | 91 | 0.09 | 4.19 |
| Sweetwater | ML8513B | 0.650 | 0.780 | Gannett Drive | 0.23 | 427 | 75 | 0.00 | 3.83 |
| Sweetwater | ML8513B | 0.780 | 1.040 | Gannett Drive | 0.18 | 240 | 71 | 0.33 | 5.06 |
| Sweetwater | ML8513B | 1.040 | 1.340 | Gannett Drive | 0.16 | 341 | 63 | 0.00 | 5.49 |
| Sweetwater | ML8513B | 1.340 | 1.511 | Gannett Drive | 0.19 | 315 | 91 | 0.45 | 5.97 |
| Sweetwater | ML8515B | 0.000 | 0.240 | 1109 | 0.20 | 423 | 98 | 0.23 | 5.08 |
| Sweetwater | ML8516B | 0.000 | 0.380 | Douglas Drive | 0.18 | 353 | 67 | 0.00 | 4.54 |
| Sweetwater | ML8516B | 0.380 | 0.580 | Douglas Drive | 0.19 | 353 | 81 | 0.00 | 4.45 |
| Sweetwater | ML8516B | 0.580 | 0.730 | Douglas Drive | 0.19 | 394 | 65 | 0.00 | 3.78 |
| Sweetwater | ML8517B | 0.000 | 0.270 | Hillcrest Lane | 0.07 | 152 | 93 | 1.98 | 6.36 |
| Sweetwater | ML8517B | 0.270 | 0.400 | Hillcrest Lane | 0.07 | 130 | 93 | 2.29 | 5.46 |
| Sweetwater | ML8517B | 0.400 | 0.530 | Hillcrest Lane | 0.07 | 114 | 93 | 2.54 | 5.04 |
| Sweetwater | ML8527B | 0.000 | 0.220 | Folsom Drive | 0.21 | 194 | 100 | 1.57 | 1.25 |
| Sweetwater | ML8527B | 0.220 | 0.320 | Folsom Drive | 0.26 | 242 | 100 | 1.04 | 1.30 |
| Sweetwater | ML8527B | 0.320 | 0.400 | Folsom Drive | 0.21 | 248 | 100 | 1.10 | 1.35 |
| Sweetwater | ML8528B | 0.000 | 0.220 | Cathedral Drive | 0.16 | 229 | 91 | 1.04 | 6.36 |
| Sweetwater | ML8528B | 0.220 | 0.310 | Cathedral Drive | 0.19 | 273 | 98 | 0.89 | 6.22 |
| Sweetwater | ML8528B | 0.310 | 0.390 | Cathedral Drive | 0.17 | 219 | 100 | 1.39 | 6.25 |
| Sweetwater | ML8531B | 0.000 | 0.150 | Pollux Drive | 0.16 | 460 | 82 | 0.00 | 3.83 |
| Sweetwater | ML8538B | 0.000 | 0.051 | Granite Drive | 0.09 | 182 | 98 | 1.77 | 4.37 |
| Sweetwater | ML8538B | 0.801 | 0.900 | Granite Drive | 0.23 | 536 | 68 | 0.00 | 4.64 |
| Sweetwater | ML8539B | 0.050 | 0.120 | Sonata Lane | 0.23 | 372 | 68 | 0.00 | 1.71 |
| Sweetwater | ML8542B | 0.000 | 0.420 | Summit Drive | 0.17 | 332 | 64 | 0.00 | 8.40 |
| Sweetwater | ML8542B | 0.420 | 0.760 | Summit Drive | 0.20 | 356 | 71 | 0.00 | 7.14 |
| Sweetwater | ML8542B | 0.760 | 1.008 | Summit Drive | 0.15 | 308 | 83 | 0.30 | 6.23 |
| Sweetwater | ML8548B | 0.000 | 0.150 | North Street | 0.25 | 427 | 73 | 0.00 | 3.18 |
| Sweetwater | ML8548B | 0.150 | 0.260 | North Street | 0.16 | 188 | 100 | 1.69 | 0.79 |
| Sweetwater | ML8549B | 0.000 | 0.060 | 1st Street | 0.28 | 500 | 84 | 0.00 | 4.12 |
| Sweetwater | ML8550B | 0.000 | 0.050 | 2nd Street | 0.17 | 294 | 96 | 0.74 | 1.11 |
| Sweetwater | ML8551B | 0.000 | 0.050 | 3rd Street 1145 | 0.22 | 412 | 99 | 0.27 | 1.58 |
| Sweetwater | ML8554B | 0.000 | 0.050 | Evergreen Street | 0.13 | 340 | 93 | 0.46 | 2.81 |
| Sweetwater | ML8554B | 0.050 | 0.120 | Evergreen Street | 0.08 | 179 | 88 | 1.51 | 2.99 |
| Sweetwater | ML8555B | 0.200 | 0.290 | Cottonwood Street | 0.14 | 465 | 87 | 0.00 | 2.61 |
| Sweetwater | ML8555B | 0.290 | 0.400 | Cottonwood Street | 0.12 | 210 | 87 | 1.13 | 3.24 |
| Sweetwater | ML8556B | 0.100 | 0.200 | Locust Street | 0.25 | 258 | 96 | 0.83 | 2.67 |
| Sweetwater | ML8556B | 0.200 | 0.330 | Locust Street | 0.12 | 473 | 92 | 0.05 | 2.56 |
| Sweetwater | ML8556B | 0.330 | 0.400 | Locust Street | 0.16 | 240 | 91 | 0.96 | 3.17 |
| Sweetwater | ML8557B | 0.180 | 0.350 | Pinion Street | 0.11 | 262 | 90 | 0.82 | 2.25 |
| Sweetwater | ML8557B | 0.350 | 0.370 | Pinion Street | 0.05 | 169 | 95 | 1.85 | 5.08 |
| Sweetwater | ML8558B | 0.000 | 0.050 | Mountain View Drive | 0.14 | 239 | 92 | 1.02 | 2.72 |
| Sweetwater | ML8558B | 0.050 | 0.100 | Mountain View Drive | 0.11 | 156 | 89 | 1.79 | 3.00 |
| Sweetwater | ML8558B | 0.100 | 0.150 | Mountain View Drive | 0.14 | 180 | 87 | 1.41 | 3.02 |
| Sweetwater | ML8558B | 0.150 | 0.210 | Mountain View Drive | 0.20 | 197 | 89 | 1.22 | 3.20 |
| Sweetwater | ML8559B | 0.000 | 0.120 | Valley View Drive | 0.13 | 233 | 88 | 0.96 | 2.36 |
| Sweetwater | ML8560B | 0.350 | 0.410 | Clearview Drive | 0.13 | 277 | 87 | 0.61 | 3.60 |
| Sweetwater | ML8560B | 0.410 | 0.440 | Clearview Drive | 0.11 | 243 | 88 | 0.90 | 3.25 |
| Sweetwater | ML8561B | 1.000 | 1.100 | Sweetwater Drive | 0.12 | 234 | 91 | 1.05 | 3.40 |
| Sweetwater | ML8561B | 1.100 | 1.170 | Sweetwater Drive | 0.08 | 130 | 73 | 1.68 | 1.78 |
| Sweetwater | ML8561B | 1.170 | 1.240 | Sweetwater Drive | 0.06 | 128 | 90 | 2.22 | 2.04 |
| Sweetwater | ML8561B | 1.225 | 1.320 | Sweetwater Drive | 0.08 | 121 | 94 | 2.44 | No Paved Road |
| Sweetwater | ML8562B | 0.000 | 0.090 | Plain View Drive | 0.13 | 318 | 88 | 0.41 | 1.75 |
| Sweetwater | ML8562B | 0.090 | 0.140 | Plain View Drive | 0.12 | 213 | 90 | 1.20 | 2.34 |
| Sweetwater | ML8562B | 0.140 | 0.210 | Plain View Drive | 0.10 | 157 | 91 | 1.84 | No Paved Road |
| Sweetwater | ML8564B | 0.000 | 0.080 | Hill View Drive | 0.19 | 143 | 98 | 2.14 | 2.73 |
| Sweetwater | ML8564B | 0.080 | 0.130 | Hill View Drive | 0.35 | 341 | 93 | 0.03 | 3.11 |
| Sweetwater | ML8564B | 0.130 | 0.210 | Hill View Drive | 0.33 | 236 | 98 | 0.86 | 2.46 |
| Sweetwater | ML8567B | 0.000 | 0.110 | Palamino Avenue | 0.14 | 260 | 98 | 1.04 | 3.40 |
| Sweetwater | ML8568B | 0.000 | 0.110 | Gosar Road | 0.23 | 274 | 91 | 0.61 | 2.32 |
| | | | | | | | | | 6.80 |

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | | |
|------------|---------|----------|--------|--------------------|---------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | Asphalt / Concrete Thickness | Base Thickness |
| Sweetwater | ML8569B | 0.000 | 0.060 | Dun Avenue | 0.17 | 403 | 61 | 0.00 | 2.64 | 5.10 |
| Sweetwater | ML8570B | 0.000 | 0.240 | Bay Avenue | 0.21 | 386 | 68 | 0.00 | 3.04 | 5.20 |
| Sweetwater | ML8573B | 0.000 | 0.560 | Wilkins Peak Drive | 0.15 | 373 | 91 | 0.25 | 3.45 | 8.90 |
| Sweetwater | ML8636B | 0.000 | 0.240 | Fairway Drive | 0.13 | 297 | 88 | 0.53 | 3.08 | 7.00 |
| Sweetwater | ML8637B | 0.000 | 0.030 | Front Nine Drive | 0.15 | 648 | 89 | 0.00 | 2.66 | 9.40 |
| Sweetwater | ML8639B | 0.000 | 0.030 | Par Circle | Missing | Missing | Missing | Missing | 3.45 | 6.40 |
| Sweetwater | ML8640B | 0.000 | 0.253 | Long Drive | 0.10 | 298 | 91 | 0.64 | 2.99 | 7.00 |
| Sweetwater | ML9413B | 0.000 | 0.340 | Riview Road | 0.18 | 315 | 87 | 0.34 | 4.47 | 6.10 |
| Sweetwater | ML9415B | 0.000 | 0.220 | Layos Drive | 0.26 | 383 | 67 | 0.00 | 3.16 | 6.20 |
| Sweetwater | ML9416B | 0.000 | 0.190 | KOA Road | 0.23 | 277 | 81 | 0.29 | 4.24 | 4.20 |
| Sweetwater | ML9544B | 0.000 | 0.480 | | 0.09 | 189 | 87 | 1.36 | 2.76 | 8.40 |
| Sweetwater | ML9549B | 0.000 | 0.600 | | 0.09 | 160 | 93 | 1.88 | 2.92 | 8.50 |
| Sweetwater | ML9553B | 0.000 | 0.030 | | Missing | Missing | Missing | Missing | 3.17 | 5.90 |
| Sweetwater | ML9554B | 0.000 | 0.070 | | 0.11 | 219 | 93 | 1.25 | 2.71 | 4.30 |
| Sweetwater | ML9555B | 0.000 | 0.030 | | 0.09 | 185 | 96 | 1.68 | 3.23 | 6.40 |
| Sweetwater | ML9567B | 0.000 | 0.070 | 3EMS | 0.10 | 375 | 89 | 0.24 | 2.57 | 6.70 |

Appendix 1.20: Teton County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | |
|--------|----------|----------|--------|-----------------------------------|---------|---------|---------|---------|------------------------------|
| | | | | | Rut | IRI | PCI | PSI | Asphalt / Concrete Thickness |
| Teton | ML19240B | 97.327 | 97.757 | | Missing | Missing | Missing | Missing | 3.80 |
| Teton | ML19240B | 97.757 | 98.454 | | Missing | Missing | Missing | Missing | 3.15 |
| Teton | ML2003B | 0.000 | 3.590 | | 0.10 | 66 | 99 | 3.58 | 4.53 |
| Teton | ML8646B | 1.150 | 1.671 | South Park Loop | 0.18 | 229 | 84 | 0.82 | 2.95 |
| Teton | ML8646B | 1.671 | 1.950 | South Park Loop | 0.20 | 212 | 91 | 1.13 | 3.54 |
| Teton | ML8646B | 1.950 | 3.750 | South Park Loop | 0.19 | 168 | 90 | 1.56 | 3.27 |
| Teton | ML8646B | 3.750 | 3.990 | South Park Loop | 0.20 | 262 | 90 | 0.71 | 4.02 |
| Teton | ML8646B | 3.990 | 4.390 | South Park Loop | 0.26 | 322 | 90 | 0.26 | 4.52 |
| Teton | ML8646B | 4.390 | 4.710 | South Park Loop | 0.33 | 242 | 89 | 0.55 | 4.69 |
| Teton | ML8646B | 4.710 | 6.175 | South Park Loop | 0.15 | 200 | 94 | 1.41 | 4.92 |
| Teton | ML8646B | 6.175 | 6.640 | South Park Loop | 0.21 | 201 | 93 | 1.29 | 3.78 |
| Teton | ML8647B | 0.000 | 4.900 | Fall Creek Road | 0.14 | 119 | 95 | 2.45 | 5.02 |
| Teton | ML8647B | 4.900 | 5.450 | Fall Creek Road | 0.22 | 141 | 95 | 2.02 | 5.10 |
| Teton | ML8647B | 5.450 | 10.400 | Fall Creek Road | 0.23 | 146 | 96 | 1.95 | 5.53 |
| Teton | ML8647B | 10.400 | 12.550 | Fall Creek Road | 0.19 | 163 | 94 | 1.74 | 5.27 |
| Teton | ML8648B | 0.000 | 0.200 | Wilson North/Fish Creek Road | 0.13 | 343 | 85 | 0.22 | 3.67 |
| Teton | ML8648B | 0.200 | 0.250 | Wilson North/Fish Creek Road | 0.09 | 305 | 100 | 0.88 | 5.18 |
| Teton | ML8648B | 0.250 | 1.790 | Wilson North/Fish Creek Road | 0.17 | 226 | 92 | 1.09 | 3.79 |
| Teton | ML8648B | 1.790 | 4.950 | Wilson North/Fish Creek Road | 0.21 | 256 | 95 | 0.90 | 3.73 |
| Teton | ML8649B | 0.000 | 3.170 | Spring Gulch Road | 0.15 | 173 | 91 | 1.61 | 6.16 |
| Teton | ML8649B | 6.060 | 8.000 | Spring Gulch Road | 0.17 | 253 | 93 | 0.90 | 3.43 |
| Teton | ML8649B | 8.000 | 8.460 | Spring Gulch Road | 0.26 | 296 | 89 | 0.36 | 3.83 |
| Teton | ML8649B | 8.460 | 8.710 | Spring Gulch Road | 0.27 | 273 | 86 | 0.39 | 4.01 |
| Teton | ML8649B | 8.710 | 9.630 | Spring Gulch Road | 0.23 | 230 | 91 | 0.93 | 3.60 |
| Teton | ML8650B | 0.000 | 0.920 | Buffalo Valley Road | 0.31 | 350 | 87 | 0.00 | 4.18 |
| Teton | ML8650B | 0.920 | 9.550 | Buffalo Valley Road | 0.32 | 292 | 89 | 0.25 | 5.87 |
| Teton | ML8651B | 0.000 | 0.320 | Teton Village Road | 0.10 | 225 | 96 | 1.29 | 2.99 |
| Teton | ML8652B | 0.000 | 0.110 | Nethercott Lane | 0.20 | 331 | 98 | 0.57 | 5.33 |
| Teton | ML8652B | 0.110 | 0.210 | Nethercott Lane | 0.17 | 269 | 96 | 0.89 | 5.34 |
| Teton | ML8652B | 0.210 | 0.570 | Nethercott Lane | 0.22 | 256 | 93 | 0.81 | 5.61 |
| Teton | ML8653B | 0.000 | 0.690 | Green Lane | 0.27 | 337 | 90 | 0.18 | 4.11 |
| Teton | ML8654B | 0.000 | 0.730 | Wenzel Lane | 0.29 | 353 | 94 | 0.17 | 5.63 |
| Teton | ML8655B | 0.000 | 0.080 | Swinging Bridge Road | 0.35 | 674 | 96 | 0.00 | 4.54 |
| Teton | ML8656B | 0.000 | 0.380 | Wilson Loop Road | 0.13 | 202 | 92 | 1.34 | 5.03 |
| Teton | ML8658B | 0.000 | 0.230 | Alta Ski Hill Road | 0.13 | 112 | 95 | 2.58 | 4.19 |
| Teton | ML8658B | 0.230 | 0.560 | Alta Ski Hill Road | 0.16 | 110 | 97 | 2.62 | 7.84 |
| Teton | ML8658B | 0.560 | 0.830 | Alta Ski Hill Road | 0.16 | 133 | 96 | 2.25 | 6.81 |
| Teton | ML8658B | 0.830 | 1.190 | Alta Ski Hill Road | 0.17 | 101 | 98 | 2.80 | 8.72 |
| Teton | ML8658B | 1.190 | 8.160 | Alta Ski Hill Road | 0.16 | 107 | 95 | 2.61 | 3.67 |
| Teton | ML8659B | 0.000 | 0.060 | State Line Road | 0.11 | 299 | 98 | 0.83 | 5.49 |
| Teton | ML8662B | 0.000 | 0.347 | Hi Country Drive | 0.22 | 394 | 88 | 0.00 | 3.08 |
| Teton | ML8663B | 0.000 | 0.440 | Shootin Iron Road | 0.28 | 428 | 89 | 0.00 | 4.79 |
| Teton | ML8664B | 0.000 | 1.470 | Boyle's Hill Road | 0.19 | 300 | 91 | 0.53 | 3.40 |
| Teton | ML8667B | 0.000 | 0.350 | South Park Ranch Rd No. Fork | 0.23 | 209 | 98 | 1.32 | 3.01 |
| Teton | ML8667B | 0.350 | 0.860 | South Park Ranch Rd No. Fork | 0.24 | 260 | 94 | 0.77 | 2.66 |
| Teton | ML8671B | 0.000 | 0.530 | Coyote Loop | 0.17 | 378 | 91 | 0.21 | 3.37 |
| Teton | ML8672B | 0.000 | 0.090 | No. Meadows-Grand Teton Circle Rd | 0.68 | 432 | 89 | 0.00 | 2.69 |
| Teton | ML8672B | 0.090 | 0.430 | No. Meadows-Grand Teton Circle Rd | 0.48 | 310 | 95 | 0.00 | 2.53 |
| Teton | ML8673B | 0.000 | 0.720 | Trail Creek Road | 0.16 | 273 | 82 | 0.45 | 2.22 |
| Teton | ML8674B | 0.000 | 1.190 | Alta North Road | 0.23 | 276 | 93 | 0.65 | 3.94 |
| Teton | ML8676B | 0.000 | 0.190 | Hoback Junction South Road | 0.11 | 256 | 97 | 1.07 | 1.83 |
| Teton | ML8676B | 0.190 | 2.440 | Hoback Junction South Road | 0.25 | 296 | 64 | 0.00 | 1.41 |
| Teton | ML8678B | 0.000 | 0.230 | Alta School Road | 0.15 | 584 | 49 | 0.00 | 3.65 |
| Teton | ML8680B | 0.000 | 1.000 | Game Creek Road | 0.14 | 187 | 93 | 1.52 | 2.86 |
| Teton | ML8681B | 0.000 | 0.050 | Emily Stevens Park Road | 0.19 | 598 | 99 | 0.00 | 3.58 |
| Teton | ML8682B | 0.000 | 0.080 | Wilson East Road | 0.15 | 230 | 94 | 1.14 | 2.54 |
| Teton | ML8682B | 0.080 | 0.240 | Wilson East Road | 0.14 | 171 | 100 | 1.91 | 3.13 |
| Teton | ML8683B | 0.000 | 0.750 | Tribal Trail | 0.15 | 130 | 100 | 2.43 | 2.45 |

Appendix 1.21: Uinta County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | |
|--------|---------|----------|--------|--------------------------|------|-----|-----|------|------------------------------|
| | | | | | Rut | IRI | PCI | PSI | Asphalt / Concrete Thickness |
| Uinta | ML8684B | 0.000 | 0.790 | Sims/Heward Road | 0.27 | 294 | 79 | 0.04 | 3.19 |
| Uinta | ML8686B | 0.000 | 1.090 | Christensen Road 103 | 0.15 | 141 | 70 | 1.37 | 7.64 |
| Uinta | ML8686B | 1.090 | 2.960 | Christensen Road 103 | 0.14 | 118 | 81 | 2.05 | 7.07 |
| Uinta | ML8686B | 2.960 | 4.230 | Christensen Road 103 | 0.18 | 119 | 73 | 1.72 | 6.39 |
| Uinta | ML8688B | 0.000 | 0.320 | Almy West Road | 0.13 | 146 | 89 | 1.89 | 5.58 |
| Uinta | ML8688B | 0.320 | 1.280 | Almy West Road | 0.12 | 126 | 87 | 2.12 | 5.47 |
| Uinta | ML8689B | 0.000 | 1.900 | Almy Road | 0.12 | 163 | 96 | 1.90 | 6.19 |
| Uinta | ML8689B | 1.900 | 3.400 | Almy Road | 0.12 | 155 | 89 | 1.77 | 5.70 |
| Uinta | ML8692B | 0.000 | 0.190 | Kindler Road | 0.14 | 152 | 85 | 1.68 | 4.06 |
| Uinta | ML8693B | 0.000 | 0.040 | Airport Road | 0.18 | 778 | 100 | 0.00 | 4.34 |
| Uinta | ML8693B | 0.040 | 2.090 | Airport Road | 0.14 | 171 | 100 | 1.91 | 3.08 |
| Uinta | ML8696B | 2.080 | 2.480 | 151 | 0.14 | 158 | 84 | 1.58 | 4.71 |
| Uinta | ML8696B | 2.480 | 3.010 | 151 | 0.16 | 159 | 85 | 1.57 | 4.26 |
| Uinta | ML8696B | 3.010 | 4.970 | 151 | 0.16 | 174 | 86 | 1.41 | 4.31 |
| Uinta | ML8696B | 4.970 | 7.690 | 151 | 0.21 | 176 | 86 | 1.33 | 4.14 |
| Uinta | ML8699B | 11.750 | 15.340 | Yellow Creek Road South | 0.11 | 199 | 86 | 1.21 | 9.64 |
| Uinta | ML8701B | 0.000 | 0.250 | Meyers Reservoir Road | 0.16 | 284 | 58 | 0.00 | 2.11 |
| Uinta | ML8712B | 0.000 | 2.050 | Piedmont Road | 0.08 | 118 | 96 | 2.55 | 5.56 |
| Uinta | ML8714B | 0.000 | 0.090 | Lezeart Mine/Leroy Road | 0.14 | 253 | 77 | 0.46 | 3.75 |
| Uinta | ML8715B | 0.000 | 0.380 | Bigelow Bench Road | 0.25 | 330 | 61 | 0.00 | 3.81 |
| Uinta | ML8722B | 0.000 | 1.680 | Bridger South Road | 0.13 | 90 | 100 | 3.11 | 5.64 |
| Uinta | ML8722B | 1.680 | 1.900 | Bridger South Road | 0.11 | 89 | 96 | 3.03 | 5.65 |
| Uinta | ML8722B | 1.900 | 2.790 | Bridger South Road | 0.12 | 100 | 100 | 2.94 | 6.36 |
| Uinta | ML8722B | 2.790 | 3.730 | Bridger South Road | 0.13 | 148 | 97 | 2.12 | 11.43 |
| Uinta | ML8723B | 0.000 | 0.060 | Bridger/Carter Road | 0.13 | 441 | 98 | 0.29 | 4.01 |
| Uinta | ML8723B | 0.060 | 0.350 | Bridger/Carter Road | 0.12 | 131 | 85 | 1.99 | 4.22 |
| Uinta | ML8725B | 0.000 | 0.030 | Fort Bridger North Road | 0.11 | 375 | 90 | 0.26 | 6.11 |
| Uinta | ML8725B | 0.030 | 0.100 | Fort Bridger North Road | 0.11 | 126 | 84 | 2.05 | 6.48 |
| Uinta | ML8725B | 0.100 | 0.170 | Fort Bridger North Road | 0.08 | 127 | 87 | 2.15 | 6.04 |
| Uinta | ML8725B | 0.170 | 0.660 | Fort Bridger North Road | 0.12 | 133 | 83 | 1.90 | 5.05 |
| Uinta | ML8726B | 1.820 | 1.950 | Bridger/Blacks Fork Road | 0.14 | 266 | 62 | 0.00 | 6.08 |
| Uinta | ML8726B | 1.950 | 2.530 | Bridger/Blacks Fork Road | 0.22 | 306 | 79 | 0.08 | 7.04 |
| Uinta | ML8728B | 0.000 | 0.130 | Lyman/Carter Road | 0.14 | 165 | 71 | 1.11 | 5.59 |
| Uinta | ML8728B | 0.130 | 0.870 | Lyman/Carter Road | 0.13 | 120 | 76 | 1.88 | 4.57 |
| Uinta | ML8729B | 1.930 | 2.810 | Granger Road | 0.37 | 271 | 91 | 0.31 | 1.53 |
| Uinta | ML8729B | 2.810 | 2.930 | Granger Road | 0.32 | 358 | 87 | 0.00 | 1.68 |
| Uinta | ML8735B | 0.000 | 0.510 | Bradshaw Road | 0.15 | 122 | 82 | 2.01 | 6.02 |
| Uinta | ML8737B | 0.000 | 0.040 | Taylor Lane | 0.14 | 415 | 91 | 0.13 | 3.99 |
| Uinta | ML8737B | 0.040 | 1.110 | Taylor Lane | 0.24 | 307 | 71 | 0.00 | 8.02 |
| Uinta | ML8744B | 0.000 | 0.510 | Cottonwood Bench Road | 0.15 | 133 | 78 | 1.73 | 5.50 |
| Uinta | ML8744B | 0.510 | 1.020 | Cottonwood Bench Road | 0.14 | 119 | 84 | 2.13 | 5.56 |
| Uinta | ML8744B | 1.020 | 1.320 | Cottonwood Bench Road | 0.13 | 111 | 85 | 2.28 | 5.12 |
| Uinta | ML8744B | 1.320 | 1.430 | Cottonwood Bench Road | 0.12 | 118 | 86 | 2.22 | 5.12 |
| Uinta | ML8744B | 1.430 | 2.050 | Cottonwood Bench Road | 0.13 | 150 | 84 | 1.69 | 5.66 |
| Uinta | ML8749B | 0.000 | 0.060 | Poverty Flats Road | 0.11 | 420 | 98 | 0.36 | 3.08 |
| Uinta | ML8750B | 0.000 | 0.040 | Robertson/Milburne Road | 0.12 | 343 | 80 | 0.07 | 3.36 |
| Uinta | ML8754B | 0.000 | 2.780 | Dry Creek Flat Road | 0.17 | 144 | 94 | 2.02 | 12.15 |
| Uinta | ML8756B | 0.000 | 1.670 | Meeks Cabin Access Road | 0.25 | 254 | 93 | 0.77 | 5.28 |
| Uinta | ML8775B | 0.000 | 0.070 | Twin Butte Drive | 0.19 | 393 | 59 | 0.00 | 4.61 |
| Uinta | ML8782B | 0.000 | 0.450 | Silverwood Way | 0.13 | 227 | 87 | 0.97 | 4.31 |
| Uinta | ML8789B | 0.240 | 0.280 | Meadow Street | 0.15 | 164 | 100 | 1.98 | 3.00 |
| Uinta | ML8789B | 0.280 | 0.340 | Meadow Street | 0.12 | 153 | 100 | 2.14 | 3.19 |
| Uinta | ML8789B | 0.340 | 0.380 | Meadow Street | 0.10 | 137 | 100 | 2.37 | 2.88 |
| Uinta | ML8789B | 0.380 | 0.410 | Meadow Street | 0.10 | 131 | 100 | 2.46 | 3.30 |
| Uinta | ML8793B | 0.170 | 0.260 | Joy Lane | 0.10 | 191 | 100 | 1.72 | 4.19 |
| Uinta | ML8798B | 0.000 | 0.530 | Emigrant Road | 0.22 | 351 | 72 | 0.00 | 5.16 |
| Uinta | ML8798B | 0.530 | 0.650 | Emigrant Road | 0.18 | 247 | 57 | 0.00 | 5.04 |
| Uinta | ML8798B | 0.650 | 0.740 | Emigrant Road | 0.21 | 280 | 67 | 0.00 | 5.20 |
| Uinta | ML8808B | 0.000 | 0.130 | Fearn Road | 0.42 | 492 | 46 | 0.00 | 1.97 |
| Uinta | ML8808B | 0.130 | 0.200 | Fearn Road | 0.20 | 605 | 53 | 0.00 | No Paved Road |
| Uinta | ML8824B | 0.000 | 0.580 | Sage Industrial Road | 0.14 | 212 | 87 | 1.10 | 4.02 |
| | | | | | | | | | 5.10 |

Appendix 1.22: Washakie County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | | Asphalt / Concrete Thickness | Base Thickness |
|----------|---------|----------|--------|---------------------------|------|-----|-----|------|---------------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | | | |
| Washakie | ML8841B | 0.000 | 0.160 | Lower Nowood Road | 0.16 | 273 | 84 | 0.52 | No Paved Road | No Paved Road | |
| Washakie | ML8841B | 0.160 | 0.280 | Lower Nowood Road | 0.17 | 164 | 90 | 1.64 | 3.35 | 5.10 | |
| Washakie | ML8841B | 0.280 | 5.030 | Lower Nowood Road | 0.18 | 175 | 92 | 1.58 | 4.29 | 6.30 | |
| Washakie | ML8841B | 5.030 | 8.520 | Lower Nowood Road | 0.12 | 138 | 95 | 2.19 | 2.89 | 4.30 | |
| Washakie | ML8841B | 8.520 | 15.250 | Lower Nowood Road | 0.17 | 151 | 95 | 1.96 | 4.03 | 10.20 | |
| Washakie | ML8842B | 0.340 | 1.370 | Ten Sleep/Hyattville Road | 0.25 | 335 | 75 | 0.00 | 2.20 | 6.30 | |
| Washakie | ML8844B | 16.400 | 16.600 | Spring Creek Road | 0.20 | 250 | 43 | 0.00 | 3.51 | 2.60 | |
| Washakie | ML8850B | 0.000 | 0.370 | Upper Nowood Road | 0.13 | 237 | 73 | 0.48 | 3.71 | 5.10 | |
| Washakie | ML8850B | 0.370 | 0.480 | Upper Nowood Road | 0.14 | 240 | 84 | 0.78 | 3.81 | 3.90 | |
| Washakie | ML8854B | 0.000 | 0.520 | Winchester Road | 0.22 | 215 | 87 | 0.95 | 1.89 | 6.10 | |
| Washakie | ML8854B | 0.520 | 1.640 | Winchester Road | 0.23 | 207 | 81 | 0.83 | 1.83 | 5.30 | |
| Washakie | ML8854B | 1.640 | 2.200 | Winchester Road | 0.19 | 163 | 84 | 1.45 | 1.46 | 5.30 | |
| Washakie | ML8855B | 0.000 | 0.390 | Beverly Drive | 0.15 | 190 | 87 | 1.29 | 5.54 | 8.90 | |
| Washakie | ML8856B | 0.276 | 0.390 | City Dump Road | 0.12 | 81 | 93 | 3.08 | 3.37 | 7.90 | |
| Washakie | ML8856B | 0.390 | 1.080 | City Dump Road | 0.12 | 100 | 93 | 2.72 | 3.50 | 7.40 | |
| Washakie | ML8860B | 0.000 | 0.160 | Hilcrest drive | 0.23 | 322 | 82 | 0.08 | 1.87 | 4.90 | |
| Washakie | ML8861B | 0.000 | 0.260 | North Hilcrest Drive | 0.22 | 284 | 95 | 0.68 | 1.96 | 4.20 | |
| Washakie | ML8861B | 0.260 | 0.430 | North Hilcrest Drive | 0.22 | 298 | 76 | 0.03 | 1.76 | 4.80 | |
| Washakie | ML8862B | 0.000 | 0.150 | Peggy Street | 0.20 | 164 | 91 | 1.64 | 5.37 | 11.00 | |
| Washakie | ML8863B | 0.000 | 0.055 | Wilson Drive | 0.19 | 323 | 81 | 0.11 | 3.74 | 7.20 | |
| Washakie | ML8863B | 0.055 | 0.380 | Wilson Drive | 0.13 | 167 | 87 | 1.57 | 5.80 | 8.10 | |
| Washakie | ML8875B | 0.000 | 0.803 | Lane 07 | 0.14 | 125 | 83 | 1.99 | 2.96 | 6.70 | |
| Washakie | ML8878B | 0.000 | 0.490 | L10 | 0.12 | 146 | 98 | 2.17 | 5.68 | 5.90 | |
| Washakie | ML8878B | 0.490 | 1.000 | L10 | 0.11 | 124 | 93 | 2.34 | 5.38 | 6.10 | |
| Washakie | ML8879B | 1.520 | 2.180 | Lane 12/Banjo Flat Road | 0.17 | 249 | 58 | 0.00 | 4.38 | 6.10 | |
| Washakie | ML8879B | 2.180 | 2.567 | Lane 12/Banjo Flat Road | 0.16 | 153 | 86 | 1.68 | 4.74 | 7.20 | |
| Washakie | ML8879B | 2.567 | 3.740 | Lane 12/Banjo Flat Road | 0.12 | 94 | 81 | 2.47 | 5.53 | 8.90 | |
| Washakie | ML8881B | 0.000 | 1.210 | Lane 13 | 0.21 | 184 | 70 | 0.77 | 1.17 | 6.60 | |
| Washakie | ML8882B | 0.000 | 0.100 | Lane 14 | 0.11 | 165 | 96 | 1.88 | 3.72 | 7.70 | |
| Washakie | ML8882B | 0.100 | 0.270 | Lane 14 | 0.11 | 171 | 87 | 1.55 | 7.32 | 6.50 | |
| Washakie | ML8882B | 0.270 | 0.850 | Lane 14 | 0.12 | 120 | 87 | 2.23 | 8.48 | 5.40 | |
| Washakie | ML8883B | 0.000 | 0.510 | Lane 14A | 0.16 | 179 | 49 | 0.26 | 2.83 | 9.50 | |
| Washakie | ML8885B | 0.000 | 0.680 | Lane 16 | 0.15 | 170 | 100 | 1.90 | 1.08 | 6.90 | |
| Washakie | ML8889B | 0.000 | 1.010 | Road 10/Washakie 10 | 0.14 | 120 | 93 | 2.39 | 7.40 | 15.80 | |
| Washakie | ML8889B | 1.010 | 2.060 | Road 10/Washakie 10 | 0.11 | 121 | 93 | 2.40 | 7.46 | 15.20 | |
| Washakie | ML8889B | 2.060 | 2.360 | Road 10/Washakie 10 | 0.14 | 139 | 87 | 1.91 | 7.54 | 12.70 | |
| Washakie | ML8889B | 2.360 | 3.000 | Road 10/Washakie 10 | 0.15 | 122 | 96 | 2.43 | 6.18 | 11.20 | |
| Washakie | ML8889B | 3.000 | 3.020 | Road 10/Washakie 10 | 0.15 | 116 | 90 | 2.34 | 6.44 | 14.40 | |
| Washakie | ML8889B | 3.020 | 4.332 | Road 10/Washakie 10 | 0.16 | 115 | 95 | 2.47 | 6.01 | 14.40 | |
| Washakie | ML8889B | 4.332 | 6.010 | Road 10/Washakie 10 | 0.19 | 103 | 95 | 2.63 | 6.50 | 13.80 | |
| Washakie | ML8892B | 0.000 | 0.810 | Road 12/Airport Road | 0.14 | 179 | 74 | 1.03 | 3.20 | 7.10 | |
| Washakie | ML8893B | 0.000 | 0.090 | Road 13 | 0.19 | 214 | 59 | 0.17 | 4.37 | 7.10 | |
| Washakie | ML8893B | 0.090 | 0.800 | Road 13 | 0.16 | 191 | 68 | 0.71 | 5.02 | 7.50 | |
| Washakie | ML8895B | 0.000 | 0.430 | Road 17.5/Tie Down Road | 0.24 | 180 | 96 | 1.53 | 4.48 | 8.40 | |
| Washakie | ML8895B | 0.430 | 1.560 | Road 17.5/Tie Down Road | 0.19 | 172 | 93 | 1.61 | 2.22 | 9.10 | |
| Washakie | ML8896B | 0.000 | 0.810 | Road 34 | 0.19 | 192 | 79 | 0.98 | 3.08 | 11.50 | |
| Washakie | ML8900B | 0.000 | 0.160 | Road 70 | 0.21 | 285 | 70 | 0.00 | 3.37 | 8.60 | |
| Washakie | ML9459B | 0.000 | 1.220 | Road 11 | 0.13 | 121 | 77 | 1.90 | 3.59 | 7.00 | |
| Washakie | ML9459B | 1.220 | 1.240 | Road 11 | 0.11 | 550 | 80 | 0.00 | 3.78 | Missing | |
| Washakie | ML9459B | 1.240 | 1.490 | Road 11 | 0.18 | 151 | 85 | 1.65 | 3.69 | 7.40 | |
| Washakie | ML9459B | 1.490 | 2.000 | Road 11 | 0.24 | 137 | 85 | 1.74 | 3.71 | 7.50 | |
| Washakie | ML9459B | 2.000 | 2.990 | Road 11 | 0.20 | 174 | 81 | 1.22 | 3.55 | 4.80 | |
| Washakie | ML9462B | 1.970 | 3.000 | Road 12/Airport Road | 0.16 | 169 | 83 | 1.38 | 5.67 | 11.40 | |
| Washakie | ML9462B | 3.000 | 3.699 | Road 12/Airport Road | 0.17 | 154 | 87 | 1.68 | 5.63 | 11.10 | |
| Washakie | ML9462B | 3.699 | 4.030 | Road 12/Airport Road | 0.11 | 158 | 82 | 1.56 | 5.99 | 6.60 | |
| Washakie | ML9462B | 4.030 | 4.156 | Road 12/Airport Road | 0.09 | 141 | 84 | 1.85 | 4.94 | 4.20 | |
| Washakie | ML9462B | 4.156 | 4.410 | Road 12/Airport Road | 0.17 | 416 | 62 | 0.00 | No Paved Road | No Paved Road | |

Appendix 1.23: Weston County Pavement Condition Summaries.

| COUNTY | RID | Begin MP | End MP | Primary Name | 2014 | | | | | |
|--------|---------|----------|--------|-----------------------------|---------|---------|---------|---------|------------------------------|----------------|
| | | | | | Rut | IRI | PCI | PSI | Asphalt / Concrete Thickness | Base Thickness |
| Weston | ML8905B | 0.000 | 0.450 | Old US 85 Cutacross | 0.29 | 326 | 56 | 0.00 | 5.19 | 4.70 |
| Weston | ML8906B | 0.970 | 1.940 | 1A | 0.19 | 238 | 68 | 0.24 | 4.96 | 6.80 |
| Weston | ML8906B | 1.940 | 3.590 | 1A | 0.21 | 231 | 76 | 0.50 | 5.13 | 5.00 |
| Weston | ML8906B | 3.590 | 3.740 | 1A | 0.28 | 328 | 81 | 0.00 | 4.23 | Missing |
| Weston | ML8910B | 0.000 | 0.470 | Morrissey Road | 0.25 | 368 | 55 | 0.00 | 5.56 | 3.70 |
| Weston | ML8913B | 0.000 | 0.100 | Beaver Creek/Stockdale Road | Missing | Missing | Missing | Missing | 4.10 | 5.40 |
| Weston | ML8970B | 0.000 | 0.580 | Greenhouse Road | 0.15 | 164 | 78 | 1.32 | 4.44 | 6.80 |
| Weston | ML8973B | 2.750 | 3.050 | Painted Hills Road | 0.27 | 372 | 61 | 0.00 | 5.09 | 5.20 |

APPENDIX 2: COUNTY PAVED ROADS SUMMARIES

Appendix 2.1: Summary of County Paved Roads in Albany County.

| | All County | Albany County | Percentage |
|------------------------------|------------|---------------|------------|
| Total Length, miles | 2,444 | 43 | 2% |
| Total Number of Roads | 917 | 18 | 2% |
| Total Number of Segments | 2,250 | 38 | 2% |
| Minimum Segment Length, mile | 0.01 | 0.02 | - |
| Maximum Segment Length, mile | 30.8 | 6.99 | - |

Appendix 2.2: Summary of County Paved Roads in Big Horn County.

| | All County | Big Horn County | Percentage |
|------------------------------|------------|-----------------|------------|
| Total Length, miles | 2,444 | 110 | 5% |
| Total Number of Roads | 917 | 48 | 5% |
| Total Number of Segments | 2,250 | 106 | 5% |
| Minimum Segment Length, mile | 0.01 | 0.01 | - |
| Maximum Segment Length, mile | 30.8 | 8.27 | - |

Appendix 2.3: Summary of County Paved Roads in Campbell County.

| | All County | Campbell County | Percentage |
|------------------------------|------------|-----------------|------------|
| Total Length, miles | 2,444 | 182 | 7% |
| Total Number of Roads | 917 | 28 | 3% |
| Total Number of Segments | 2,250 | 79 | 4% |
| Minimum Segment Length, mile | 0.01 | 0.02 | - |
| Maximum Segment Length, mile | 30.8 | 14.11 | - |

Appendix 2.4: Summary of County Paved Roads in Carbon County.

| | All County | Carbon County | Percentage |
|------------------------------|------------|---------------|------------|
| Total Length, miles | 2,444 | 53 | 2% |
| Total Number of Roads | 917 | 10 | 1% |
| Total Number of Segments | 2,250 | 17 | 1% |
| Minimum Segment Length, mile | 0.01 | 0.194 | - |
| Maximum Segment Length, mile | 30.8 | 25.41 | - |

Appendix 2.5: Summary of County Paved Roads in Converse County.

| | All County | Converse County | Percentage |
|------------------------------|------------|-----------------|------------|
| Total Length, miles | 2,444 | 94 | 4% |
| Total Number of Roads | 917 | 26 | 3% |
| Total Number of Segments | 2,250 | 54 | 2% |
| Minimum Segment Length, mile | 0.01 | 0.03 | - |
| Maximum Segment Length, mile | 30.8 | 20.75 | - |

Appendix 2.6: Summary of County Paved Roads in Crook County.

| | All County | Crook County | Percentage |
|------------------------------|------------|--------------|------------|
| Total Length, miles | 2,444 | 52 | 2% |
| Total Number of Roads | 917 | 8 | 1% |
| Total Number of Segments | 2,250 | 22 | 1% |
| Minimum Segment Length, mile | 0.01 | 0.11 | - |
| Maximum Segment Length, mile | 30.8 | 11.38 | - |

Appendix 2.7: Summary of County Paved Roads in Fremont County.

| | All County | Fremont County | Percentage |
|------------------------------|------------|----------------|------------|
| Total Length, miles | 2,444 | 222 | 9% |
| Total Number of Roads | 917 | 71 | 8% |
| Total Number of Segments | 2,250 | 177 | 8% |
| Minimum Segment Length, mile | 0.01 | 0.04 | - |
| Maximum Segment Length, mile | 30.8 | 8.01 | - |

Appendix 2.8: Summary of County Paved Roads in Goshen County.

| | All County | Goshen County | Percentage |
|------------------------------|------------|---------------|------------|
| Total Length, miles | 2,444 | 125 | 5% |
| Total Number of Roads | 917 | 41 | 4% |
| Total Number of Segments | 2,250 | 118 | 5% |
| Minimum Segment Length, mile | 0.01 | 0.01 | - |
| Maximum Segment Length, mile | 30.8 | 7.8 | - |

Appendix 2.9: Summary of County Paved Roads in Hot Springs County.

| | All County | Hot Springs County | Percentage |
|------------------------------|------------|--------------------|------------|
| Total Length, miles | 2,444 | 77 | 3% |
| Total Number of Roads | 917 | 19 | 2% |
| Total Number of Segments | 2,250 | 32 | 1% |
| Minimum Segment Length, mile | 0.01 | 0.15 | - |
| Maximum Segment Length, mile | 30.8 | 10.37 | - |

Appendix 2.10: Summary of County Paved Roads in Johnson County.

| | All County | Johnson County | Percentage |
|------------------------------|------------|----------------|------------|
| Total Length, miles | 2,444 | 105 | 4% |
| Total Number of Roads | 917 | 26 | 3% |
| Total Number of Segments | 2,250 | 50 | 2% |
| Minimum Segment Length, mile | 0.01 | 0.08 | - |
| Maximum Segment Length, mile | 30.8 | 14.35 | - |

Appendix 2.11: Summary of County Paved Roads in Laramie County.

| | All County | Laramie County | Percentage |
|------------------------------|------------|----------------|------------|
| Total Length, miles | 2,444 | 231 | 9% |
| Total Number of Roads | 917 | 126 | 14% |
| Total Number of Segments | 2,250 | 367 | 16% |
| Minimum Segment Length, mile | 0.01 | 0.01 | - |
| Maximum Segment Length, mile | 30.8 | 8 | - |

Appendix 2.12: Summary of County Paved Roads in Lincoln County.

| | All County | Lincoln County | Percentage |
|------------------------------|------------|----------------|------------|
| Total Length, miles | 2,444 | 179 | 7% |
| Total Number of Roads | 917 | 94 | 10% |
| Total Number of Segments | 2,250 | 210 | 9% |
| Minimum Segment Length, mile | 0.01 | 0.02 | - |
| Maximum Segment Length, mile | 30.8 | 14.55 | - |

Appendix 2.13: Summary of County Paved Roads in Natrona County.

| | All County | Natrona County | Percentage |
|------------------------------|------------|----------------|------------|
| Total Length, miles | 2,444 | 140 | 6% |
| Total Number of Roads | 917 | 40 | 4% |
| Total Number of Segments | 2,250 | 113 | 5% |
| Minimum Segment Length, mile | 0.01 | 0.02 | - |
| Maximum Segment Length, mile | 30.8 | 7.7 | - |

Appendix 2.14: Summary of County Paved Roads in Niobrara County.

| | All County | Niobrara County | Percentage |
|------------------------------|------------|-----------------|------------|
| Total Length, miles | 2,444 | 3.3 | 0.1% |
| Total Number of Roads | 917 | 3 | 0.3% |
| Total Number of Segments | 2,250 | 4 | 0.2% |
| Minimum Segment Length, mile | 0.01 | 0.03 | - |
| Maximum Segment Length, mile | 30.8 | 1.94 | - |

Appendix 2.15: Summary of County Paved Roads in Park County.

| | All County | Park County | Percentage |
|------------------------------|------------|-------------|------------|
| Total Length, miles | 2,444 | 265 | 10.8 |
| Total Number of Roads | 917 | 100 | 10.9 |
| Total Number of Segments | 2,250 | 315 | 14 |
| Minimum Segment Length, mile | 0.01 | 0.01 | - |
| Maximum Segment Length, mile | 30.8 | 7.72 | - |

Appendix 2.16: Summary of County Paved Roads in Platte County.

| | All County | Platte County | Percentage |
|------------------------------|------------|---------------|------------|
| Total Length, miles | 2,444 | 159 | 7% |
| Total Number of Roads | 917 | 32 | 3% |
| Total Number of Segments | 2,250 | 103 | 5% |
| Minimum Segment Length, mile | 0.01 | 0.01 | - |
| Maximum Segment Length, mile | 30.8 | 11.33 | - |

Appendix 2.17: Summary of County Paved Roads in Sheridan County.

| | All County | Sheridan County | Percentage |
|------------------------------|------------|-----------------|------------|
| Total Length, miles | 2,444 | 25 | 1% |
| Total Number of Roads | 917 | 28 | 3% |
| Total Number of Segments | 2,250 | 53 | 2% |
| Minimum Segment Length, mile | 0.01 | 0.02 | - |
| Maximum Segment Length, mile | 30.8 | 1.81 | - |

Appendix 2.18: Summary of County Paved Roads in Sublette County.

| | All County | Sublette County | Percentage |
|------------------------------|------------|-----------------|------------|
| Total Length, miles | 2,444 | 72 | 3% |
| Total Number of Roads | 917 | 32 | 3% |
| Total Number of Segments | 2,250 | 59 | 3% |
| Minimum Segment Length, mile | 0.01 | 0.02 | - |
| Maximum Segment Length, mile | 30.8 | 11.36 | - |

Appendix 2.19: Summary of County Paved Roads in Sweetwater County.

| | All County | Sweetwater County | Percentage |
|------------------------------|------------|-------------------|------------|
| Total Length, miles | 2,444 | 154 | 6% |
| Total Number of Roads | 917 | 74 | 8% |
| Total Number of Segments | 2,250 | 149 | 7% |
| Minimum Segment Length, mile | 0.01 | 0.02 | - |
| Maximum Segment Length, mile | 30.8 | 25.82 | - |

Appendix 2.20: Summary of County Paved Roads in Teton County.

| | All County | Teton County | Percentage |
|------------------------------|------------|--------------|------------|
| Total Length, miles | 2,444 | 66 | 3% |
| Total Number of Roads | 917 | 29 | 3% |
| Total Number of Segments | 2,250 | 58 | 3% |
| Minimum Segment Length, mile | 0.01 | 0.05 | - |
| Maximum Segment Length, mile | 30.8 | 8.63 | - |

Appendix 2.21: Summary of County Paved Roads in Uinta County.

| | All County | Uinta County | Percentage |
|------------------------------|------------|--------------|------------|
| Total Length, miles | 2,444 | 42 | 2% |
| Total Number of Roads | 917 | 32 | 3% |
| Total Number of Segments | 2,250 | 61 | 3% |
| Minimum Segment Length, mile | 0.01 | 0.03 | - |
| Maximum Segment Length, mile | 30.8 | 3.59 | - |

Appendix 2.22: Summary of County Paved Roads in Washakie County.

| | All County | Washakie County | Percentage |
|------------------------------|------------|-----------------|------------|
| Total Length, miles | 2,444 | 44 | 2% |
| Total Number of Roads | 917 | 26 | 3% |
| Total Number of Segments | 2,250 | 57 | 3% |
| Minimum Segment Length, mile | 0.01 | 0.02 | - |
| Maximum Segment Length, mile | 30.8 | 6.73 | - |

Appendix 2.23: Summary of County Paved Roads in Weston County.

| | All County | Weston County | Percentage |
|------------------------------|------------|---------------|------------|
| Total Length, miles | 2,444 | 5 | 0.2% |
| Total Number of Roads | 917 | 6 | 0.7% |
| Total Number of Segments | 2,250 | 8 | 0.4% |
| Minimum Segment Length, mile | 0.01 | 0.1 | - |
| Maximum Segment Length, mile | 30.8 | 1.65 | - |


APPENDIX 3: MAPS OF COUNTY PAVED ROADS



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 3.1: Albany County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 3.2: Big Horn County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 2.3: Campbell County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 3.4: Carbon County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 3.5: Converse County Paved Roads.




County Paved Roads

- County Paved Roads
- State Highways
- All Roads

Appendix 3.6: Crook County Paved Roads.




Appendix 3.7: Fremont County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 3.8: Goshen County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 2.9: Hot Springs County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 3.10: Johnson County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads

Appendix 3.11: Laramie County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 3.12: Lincoln County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 3.13: Natrona County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 3.14: Niobrara County Paved Roads.



County Paved Roads

- County Paved Roads
 - State Highways
 - All Roads


Appendix 3.15: Park County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 3.16: Platte County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 3.17: Sheridan County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 3.18: Sublette County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 3.19: Sweetwater County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 3.20: Teton County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 3.21: Uinta County Paved Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads

Appendix 3.22: Washakie County Paved Roads.




County Paved Roads

- County Paved Roads
- State Highways
- All Roads

Appendix 3.23: Weston County Paved Roads.


APPENDIX 4: MAPS OF COUNTY ROADWAY SEGMENTS




Roadway Segmentation

- Each segment has different color
- State Highways
- All Roads


Appendix 4.1: Albany County Segmented Roads.




Appendix 4.2: Big Horn County Segmented Roads.




Appendix 4.3: Campbell County Segmented Roads.




Appendix 4.4: Carbon County Segmented Roads.




Appendix 4.5: Converse County Segmented Roads.




Appendix 4.6: Crook County Segmented Roads.




Appendix 4.7: Fremont County Segmented Roads.



Appendix 4.8: Goshen County Segmented Roads.




Appendix 4.9: Hot Springs County Segmented Roads.



County Paved Roads

- County Paved Roads
- State Highways
- All Roads


Appendix 4.10: Johnson County Segmented Roads.



Roadway Segmentation

- Each segment has different color
- State Highways
- All Roads

Appendix 4.11: Laramie County Segmented Roads.




Appendix 4.12: Lincoln County Segmented Roads.



Appendix 4.13: Natrona County Segmented Roads.




Appendix 4.14: Niobrara County Segmented Roads.



Roadway Segmentation

- Each segment has different color
 - State Highways
 - All Roads


Appendix 4.15: Park County Segmented Roads.




Roadway Segmentation

- Each segment has different color
- State Highways
- All Roads

Appendix 4.16: Platte County Segmented Roads.




Appendix 4.17: Sheridan County Segmented Roads.



Roadway Segmentation

- Each segment has different color
- State Highways
- All Roads


Appendix 4.18: Sublette County Segmented Roads.




Roadway Segmentation

- Each segment has different color
- State Highways
- All Roads

Appendix 4.19: Sweetwater County Segmented Roads.




Appendix 4.20: Teton County Segmented Roads.



Roadway Segmentation

- Each segment has different color
- State Highways
- All Roads


Appendix 4.21: Uinta County Segmented Roads.



Roadway Segmentation

- Each segment has different color
- State Highways
- All Roads

Appendix 4.22: Washakie County Segmented Roads.



Roadway Segmentation

- Each segment has different color
- State Highways
- All Roads


Appendix 4.23: Weston County Segmented Roads.

APPENDIX 5: RUT DEPTH SUMMARIES


Appendix 5.1: Albany County

Appendix 5.1.1: Rut Depth in Albany County vs. Statewide County Roads.

| | Albany County | | Statewide County Roads | |
|----------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 1 | 1% | 227 | 9% |
| 0.3 inches or less | 42 | 99% | 2120 | 87% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 43 | 100% | 2,444 | 100% |



Albany County



Statewide County Roads

Appendix 5.1.2: Rut Depth in Albany County vs. Statewide County Roads.



Rut Depth


- | | |
|----------------------|------------------------|
| — 0.3 inches or less | — More than 0.3 inches |
| — State Highways | — All Roads |

Appendix 5.1.3: Rut Depth Conditions in Albany County.


Appendix 5.2: Big Horn County

Appendix 5.2.1: Rut Depth in Big Horn County vs. Statewide County Roads.

| | Big Horn County | | Statewide County Roads | |
|----------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 13 | 12% | 227 | 9% |
| 0.3 inches or less | 93 | 84% | 2120 | 87% |
| Missing | 4 | 4% | 97 | 4% |
| Total | 110 | 100% | 2,444 | 100% |



Big Horn County



Statewide County Roads



Appendix 5.2.2: Rut Depth in Big Horn County vs. Statewide County Roads.



0 2 4 8 12 16 Miles

N

Rut Depth


- | | |
|----------------------|------------------------|
| — 0.3 inches or less | — More than 0.3 inches |
| — State Highways | — All Roads |

Appendix 5.2.3: Rut Depth Conditions in Big Horn County.


Appendix 5.3: Campbell County

Appendix 5.3.1: Rut Depth in Campbell County vs. Statewide County Roads.

| | Campbell County | | Statewide County Roads | |
|----------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 0 | 0% | 227 | 9% |
| 0.3 inches or less | 179 | 99% | 2120 | 87% |
| Missing | 3 | 1% | 97 | 4% |
| Total | 182 | 100% | 2,444 | 100% |




Campbell County



Statewide County Roads



Appendix 5.3.2: Rut Depth in Campbell County vs. Statewide County Roads.



Rut Depth


- | | |
|--|---|
| <ul style="list-style-type: none"> — 0.3 inches or less — State Highways | <ul style="list-style-type: none"> — More than 0.3 inches — All Roads |
|--|---|

Appendix 5.3.3: Rut Depth Conditions in Campbell County.


Appendix 5.4: Carbon County

Appendix 5.4.1: Rut Depth in Carbon County vs. Statewide County Roads.

| | Carbon County | | Statewide County Roads | |
|----------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 0 | 1% | 227 | 9% |
| 0.3 inches or less | 52 | 97% | 2120 | 87% |
| Missing | 1 | 2% | 97 | 4% |
| Total | 53 | 100% | 2,444 | 100% |




Carbon County



Statewide County Roads



Appendix 5.4.2: Rut Depth in Carbon County vs. Statewide County Roads.



Rut Depth


- | | |
|----------------------|------------------------|
| — 0.3 inches or less | — More than 0.3 inches |
| — State Highways | — All Roads |

Appendix 5.4.3: Rut Depth Conditions in Carbon County.

Appendix 5.5: Converse County

Appendix 5.5.1: Rut Depth in Converse County vs. Statewide County Roads.

| | Converse County | | Statewide County Roads | |
|----------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 23 | 25% | 227 | 9% |
| 0.3 inches or less | 71 | 75% | 2120 | 87% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 94 | 100% | 2,444 | 100% |



Converse County

Statewide County Roads



Appendix 5.5.2: Rut Depth in Converse County vs. Statewide County Roads.



Rut Depth

— 0.3 inches or less
— State Highways


— More than 0.3 inches
— All Roads

Appendix 5.5.3: Rut Depth Conditions in Converse County.


Appendix 5.6: Crook County

Appendix 5.6.1: Rut Depth in Crook County vs. Statewide County Roads.

| | Crook County | | Statewide County Roads | |
|----------------------|--------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 7 | 14% | 227 | 9% |
| 0.3 inches or less | 30 | 57% | 2120 | 87% |
| Missing | 15 | 29% | 97 | 4% |
| Total | 52 | 100% | 2,444 | 100% |




Crook County



Statewide County Roads

Appendix 5.6.2: Rut Depth in Crook County vs. Statewide County Roads.



Rut Depth



- | | |
|---|--|
| <ul style="list-style-type: none"> — 0.3 inches or less — State Highways | <ul style="list-style-type: none"> — More than 0.3 inches — All Roads |
|---|--|

Appendix 5.6.3: Rut Depth Conditions in Crook County.


Appendix 5.7: Fremont County

Appendix 5.7.1: Rut Depth in Fremont County vs. Statewide County Roads.

| | Fremont County | | Statewide County Roads | |
|----------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 2 | 1% | 227 | 9% |
| 0.3 inches or less | 200 | 90% | 2120 | 87% |
| Missing | 20 | 9% | 97 | 4% |
| Total | 222 | 100% | 2,444 | 100% |



Appendix 5.7.2: Rut Depth in Fremont County vs. Statewide County Roads.




Appendix 5.7.3: Rut Depth Conditions in Fremont County.


Appendix 5.8: Goshen County

Appendix 5.8.1: Rut Depth in Goshen County vs. Statewide County Roads.

| | Goshen County | | Statewide County Roads | |
|----------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 14 | 11% | 227 | 9% |
| 0.3 inches or less | 101 | 81% | 2120 | 87% |
| Missing | 10 | 8% | 97 | 4% |
| Total | 125 | 100% | 2,444 | 100% |




Goshen County



Statewide County Roads



Appendix 5.8.2: Rut Depth in Goshen County vs. Statewide County Roads.




Appendix 5.8.3: Rut Depth Conditions in Goshen County.


Appendix 5.9: Goshen County

Appendix 5.9.1: Rut Depth in Hot Springs County vs. Statewide County Roads.

| | Hot Springs County | | Statewide County Roads | |
|----------------------|--------------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 16 | 22% | 227 | 9% |
| 0.3 inches or less | 60 | 78% | 2120 | 87% |
| Missing | 1 | 1% | 97 | 4% |
| Total | 77 | 100% | 2,444 | 100% |




Hot Springs County



Statewide County Roads



Appendix 5.9.2: Rut Depth in Hot Springs County vs. Statewide County Roads.



Rut Depth

- | | |
|----------------------|------------------------|
| — 0.3 inches or less | — More than 0.3 inches |
| — State Highways | — All Roads |

0 2 4 8 12 16 Miles


N

Appendix 5.9.3: Rut Depth Conditions in Hot Springs County.


Appendix 5.10: Johnson County

Appendix 5.10.1: Rut Depth in Johnson County vs. Statewide County Roads.

| | Johnson County | | Statewide County Roads | |
|----------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 10 | 10% | 227 | 9% |
| 0.3 inches or less | 77 | 73% | 2120 | 87% |
| Missing | 18 | 17% | 97 | 4% |
| Total | 105 | 100% | 2,444 | 100% |




Johnson County



Statewide County Roads



Appendix 5.10.2: Rut Depth in Johnson County vs. Statewide County Roads.




Appendix 5.10.3: Rut Depth Conditions in Johnson County.


Appendix 5.11: Laramie County

Appendix 5.11.1: Rut Depth in Laramie County vs. Statewide County Roads.

| | Laramie County | | Statewide County Roads | |
|----------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 15 | 6% | 227 | 9% |
| 0.3 inches or less | 201 | 87% | 2120 | 87% |
| Missing | 15 | 7% | 97 | 4% |
| Total | 231 | 100% | 2,444 | 100% |




Laramie County



Statewide County Roads



Appendix 5.11.2: Rut Depth in Laramie County vs. Statewide County Roads.



Rut Depth

- | | |
|--|---|
| <ul style="list-style-type: none"> — 0.3 inches or less — State Highways | <ul style="list-style-type: none"> — More than 0.3 inches — All Roads |
|--|---|

0 0.75 1.5 3 4.5 6 Miles




Appendix 5.11.3: Rut Depth Conditions in Laramie County.


Appendix 5.12: Lincoln County

Appendix 5.12.1: Rut Depth in Lincoln County vs. Statewide County Roads.

| | Lincoln County | | Statewide County Roads | |
|----------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 16 | 9% | 227 | 9% |
| 0.3 inches or less | 163 | 91% | 2120 | 87% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 179 | 100% | 2,444 | 100% |




Lincoln County



Statewide County Roads

Appendix 5.12.2: Rut Depth in Lincoln County vs. Statewide County Roads.



Rut Depth


- | | |
|----------------------|------------------------|
| — 0.3 inches or less | — More than 0.3 inches |
| — State Highways | — All Roads |

Appendix 5.12.3: Rut Depth Conditions in Lincoln County.


Appendix 5.13: Natrona County

Appendix 5.13.1: Rut Depth in Natrona County vs. Statewide County Roads.

| | Natrona County | | Statewide County Roads | |
|----------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 6 | 5% | 227 | 9% |
| 0.3 inches or less | 129 | 92% | 2120 | 87% |
| Missing | 5 | 4% | 97 | 4% |
| Total | 140 | 100% | 2,444 | 100% |



Natrona County



Statewide County Roads



Appendix 5.13.2: Rut Depth in Natrona County vs. Statewide County Roads.



Rut Depth


- | | |
|----------------------|------------------------|
| — 0.3 inches or less | — More than 0.3 inches |
| — State Highways | — All Roads |

Appendix 5.13.3: Rut Depth Conditions in Natrona County.


Appendix 5.14: Niobrara County

Appendix 5.14.1: Rut Depth in Niobrara County vs. Statewide County Roads.

| | Niobrara County | | Statewide County Roads | |
|----------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 3.1 | 94% | 227 | 9% |
| 0.3 inches or less | 0.2 | 6% | 2120 | 87% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 3.3 | 100% | 2,444 | 100% |




Niobrara County



Statewide County Roads



Appendix 5.14.2: Rut Depth in Niobrara County vs. Statewide County Roads.



Rut Depth


- | | |
|----------------------|------------------------|
| — 0.3 inches or less | — More than 0.3 inches |
| — State Highways | — All Roads |

Appendix 5.14.3: Rut Depth Conditions in Niobrara County.


Appendix 5.15: Park County

Appendix 5.15.1: Rut Depth in Park County vs. Statewide County Roads.

| | Park County | | Statewide County Roads | |
|----------------------|-------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 34 | 13% | 227 | 9% |
| 0.3 inches or less | 229 | 86% | 2120 | 87% |
| Missing | 2 | 1% | 97 | 4% |
| Total | 265 | 100% | 2,444 | 100% |




Park County



Statewide County Roads



Appendix 5.15.2: Rut Depth in Park County vs. Statewide County Roads.




Appendix 5.15.3: Rut Depth Conditions in Park County.


Appendix 5.16: Platte County

Appendix 5.16.1: Rut Depth in Platte County vs. Statewide County Roads.

| | Platte County | | Statewide County Roads | |
|----------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 24 | 15% | 227 | 9% |
| 0.3 inches or less | 135 | 85% | 2120 | 87% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 159 | 100% | 2,444 | 100% |




Platte County



Statewide County Roads



Appendix 5.16.2: Rut Depth in Platte County vs. Statewide County Roads.



Rut Depth


- 0.3 inches or less
- More than 0.3 inches
- State Highways
- All Roads

Appendix 5.16.3 Rut Depth Conditions in Platte County.


Appendix 5.17: Sheridan County

Appendix 5.17.1 Rut Depth in Sheridan County vs. Statewide County Roads.

| | Sheridan County | | Statewide County Roads | |
|----------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 2 | 6% | 227 | 9% |
| 0.3 inches or less | 21 | 84% | 2120 | 87% |
| Missing | 2 | 10% | 97 | 4% |
| Total | 25 | 100% | 2,444 | 100% |




Sheridan County



Statewide County Roads



Appendix 5.17.2: Rut Depth in Sheridan County vs. Statewide County Roads.



Rut Depth

- | | |
|----------------------|------------------------|
| — 0.3 inches or less | — More than 0.3 inches |
| — State Highways | — All Roads |

0 0.75 1.5 3 4.5 6 Miles




Appendix 5.17.3: Rut Depth Conditions in Sheridan County.


Appendix 5.18: Sublette County

Appendix 5.18.1: Rut Depth in Sublette County vs. Statewide County Roads.

| | Sublette County | | Statewide County Roads | |
|----------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 2 | 2% | 227 | 9% |
| 0.3 inches or less | 70 | 97% | 2120 | 87% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 72 | 100% | 2,444 | 100% |




Sublette County



Statewide County Roads



Appendix 5.18.2: Rut Depth in Sublette County vs. Statewide County Roads.



Rut Depth

- | | |
|----------------------|------------------------|
| — 0.3 inches or less | — More than 0.3 inches |
| — State Highways | — All Roads |

0 1.25 2.5 5 7.5 10 Miles




Appendix 5.18.3: Rut Depth Conditions in Sublette County.


Appendix 5.19: Sweetwater County

Appendix 5.19.1: Rut Depth in Sweetwater County vs. Statewide County Roads.

| | Sweetwater County | | Statewide County Roads | |
|----------------------|-------------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 24 | 16% | 227 | 9% |
| 0.3 inches or less | 129 | 84% | 2120 | 87% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 154 | 100% | 2,444 | 100% |




Sweetwater County



Statewide County Roads



Appendix 5.19.2: Rut Depth in Sweetwater County vs. Statewide County Roads.



Rut Depth


- | | |
|----------------------|------------------------|
| — 0.3 inches or less | — More than 0.3 inches |
| — State Highways | — All Roads |

Appendix 5.19.3: Rut Depth Conditions in Sweetwater County.


Appendix 5.20: Teton County

Appendix 5.20.1: Rut Depth in Teton County vs. Statewide County Roads.

| | Teton County | | Statewide County Roads | |
|----------------------|--------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 10 | 16% | 227 | 9% |
| 0.3 inches or less | 54 | 82% | 2120 | 87% |
| Missing | 1 | 2% | 97 | 4% |
| Total | 66 | 100% | 2,444 | 100% |




Teton County



Statewide County Roads



Appendix 5.20.2: Rut Depth in Teton County vs. Statewide County Roads.




Appendix 5.20.3: Rut Depth Conditions in Teton County.


Appendix 5.21: Uinta County

Appendix 5.21.1: Rut Depth in Uinta County vs. Statewide County Roads.

| | Uinta County | | Statewide County Roads | |
|----------------------|--------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 1 | 3% | 227 | 9% |
| 0.3 inches or less | 41 | 97% | 2120 | 87% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 42 | 100% | 2,444 | 100% |




Uinta County



Statewide County Roads



Appendix 5.21.2: Rut Depth in Uinta County vs. Statewide County Roads.



Rut Depth

— 0.3 inches or less
— State Highways

— More than 0.3 inches
— All Roads

0 1.753.5 7 10.5 14 Miles


N

Appendix 5.21.3: Rut Depth Conditions in Uinta County.


Appendix 5.22: Washakie County

Appendix 5.22.1: Rut Depth in Washakie County vs. Statewide County Roads.

| | Washakie County | | Statewide County Roads | |
|----------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 0 | 0% | 227 | 9% |
| 0.3 inches or less | 44 | 100% | 2120 | 87% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 44 | 100% | 2,444 | 100% |




Washakie County



Statewide County Roads

Appendix 5.22.2: Rut Depth in Washakie County vs. Statewide County Roads.



Rut Depth



- | | |
|----------------------|------------------------|
| — 0.3 inches or less | — More than 0.3 inches |
| — State Highways | — All Roads |

Appendix 5.22.3: Rut Depth Conditions in Washakie County.

Appendix 5.23: Weston County

Appendix 5.23.1: Rut Depth in Weston County vs. Statewide County Roads.

| | Weston County | | Statewide County Roads | |
|----------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| More than 0.3 inches | 0 | 0% | 227 | 9% |
| 0.3 inches or less | 4.6 | 98% | 2120 | 87% |
| Missing | 0.1 | 2% | 97 | 4% |
| Total | 4.7 | 100% | 2,444 | 100% |



Appendix 5.23.2: Rut Depth in Weston County vs. Statewide County Roads.



Rut Depth

- | | |
|---|---|
| — 0.3 inches or less | — More than 0.3 inches |
| — State Highways | — All Roads |

0.027 0.55 1.1 1.65 2.2 Miles

N




Appendix 5.23.3: Rut Depth Conditions in Weston County.

APPENDIX 6: PAVEMENT ROUGHNESS SUMMARIES


Appendix 6.1: Albany County

Appendix 6.1.1: Roughness (IRI) Values in Albany County vs. Statewide County Roads.

| Condition | Albany County | | Statewide County Roads | |
|------------------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 3 | 7% | 121 | 5% |
| Good (70 – 100) | 18 | 42% | 344 | 14% |
| Fair (101 – 130) | 18 | 43% | 248 | 10% |
| Poor (131 – 170) | 2 | 5% | 386 | 16% |
| Very Poor (Greater than 170) | 1 | 3% | 1248 | 51% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 43 | 100% | 2,444 | 100% |



Albany County



Statewide County Roads



Appendix 6.1.2: Roughness (IRI) Values in Albany County vs. Statewide County Roads.




Appendix 6.1.3: Roughness (IRI) in Albany County.


Appendix 6.2: Big Horn County

Appendix 6.2.1: Roughness (IRI) Values in Big Horn County vs. Statewide County Roads.

| Condition | Big Horn County | | Statewide County Roads | |
|------------------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 6 | 6% | 121 | 5% |
| Good (70 – 100) | 11 | 10% | 344 | 14% |
| Fair (101 – 130) | 9 | 8% | 248 | 10% |
| Poor (131 – 170) | 11 | 10% | 386 | 16% |
| Very Poor (Greater than 170) | 68 | 62% | 1248 | 51% |
| Missing | 4 | 4% | 97 | 4% |
| Total | 110 | 100% | 2,444 | 100% |



Appendix 6.2.2: Roughness (IRI) Values in Big Horn County vs. Statewide County Roads




Appendix 6.2.3: Roughness (IRI) in Big Horn County.



Appendix 6.3: Campbell County

Appendix 6.3.1: Roughness (IRI) Values in Campbell County vs. Statewide County Roads.

| | Campbell County | | Statewide County Roads | |
|------------------------------|-----------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 28 | 15% | 121 | 5% |
| Good (70 – 100) | 80 | 44% | 344 | 14% |
| Fair (101 – 130) | 37 | 20% | 248 | 10% |
| Poor (131 – 170) | 26 | 14% | 386 | 16% |
| Very Poor (Greater than 170) | 8 | 5% | 1248 | 51% |
| Missing | 3 | 1% | 97 | 4% |
| Total | 182 | 100% | 2,444 | 100% |




Campbell County



Statewide County Roads

Appendix 6.3.2: Roughness (IRI) Values in Campbell County vs. Statewide County Roads.





Appendix 6.3.3: Roughness (IRI) in Campbell County.

Appendix 6.4: Carbon County

Appendix 6.4.1: Roughness (IRI) Values in Carbon County vs. Statewide County Roads.

| Condition | Carbon County | | Statewide County Roads | |
|------------------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 0 | 0% | 121 | 5% |
| Good (70 – 100) | 25 | 48% | 344 | 14% |
| Fair (101 – 130) | 0 | 0% | 248 | 10% |
| Poor (131 – 170) | 6 | 11% | 386 | 16% |
| Very Poor (Greater than 170) | 21 | 39% | 1248 | 51% |
| Missing | 1 | 2% | 97 | 4% |
| Total | 53 | 100% | 2,444 | 100% |




Carbon County



Statewide County Roads



Appendix 6.4.2: Roughness (IRI) Values in Carbon County vs. Statewide County Roads.



International Roughness Index

- | | | |
|--------------------|-------------|----------------|
| — Greater than 170 | — 131 - 170 | |
| — 101 - 130 | — 70 - 100 | — Less than 70 |
| — State Highways | — All Roads | |

0 1 2.5 5 7.5 10 Miles




Appendix 6.4.3: Roughness (IRI) in Carbon County.


Appendix 6.5: Converse County

Appendix 6.5.1: Roughness (IRI) Values in Converse County vs. Statewide County Roads.

| | Converse County | | Statewide County Roads | |
|------------------------------|-----------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 0 | 0% | 121 | 5% |
| Good (70 – 100) | 6 | 7% | 344 | 14% |
| Fair (101 – 130) | 27 | 28% | 248 | 10% |
| Poor (131 – 170) | 19 | 21% | 386 | 16% |
| Very Poor (Greater than 170) | 42 | 44% | 1248 | 51% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 94 | 100% | 2,444 | 100% |




Converse County



Statewide County Roads

Appendix 6.5.2: Roughness (IRI) Values in Converse County vs. Statewide County Roads.



0 1.25 2.5 5 7.5 10 Miles



International Roughness Index


- | | | |
|--------------------|-------------|----------------|
| — Greater than 170 | — 131 - 170 | |
| — 101 - 130 | — 70 - 100 | — Less than 70 |
| — State Highways | — All Roads | |

Appendix 6.5.3: Roughness (IRI) in Converse County.


Appendix 6.6: Crook County

Appendix 6.6.1: Roughness (IRI) Values in Crook County vs. Statewide County Roads.

| | Crook County | | Statewide County Roads | |
|------------------------------|--------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 0 | 1% | 121 | 5% |
| Good (70 – 100) | 6 | 12% | 344 | 14% |
| Fair (101 – 130) | 4 | 8% | 248 | 10% |
| Poor (131 – 170) | 11 | 22% | 386 | 16% |
| Very Poor (Greater than 170) | 15 | 28% | 1248 | 51% |
| Missing | 15 | 29% | 97 | 4% |
| Total | 52 | 100% | 2,444 | 100% |



Appendix 6.6.2: Roughness (IRI) Values in Crook County vs. Statewide County Roads.



International Roughness Index


- | | |
|--------------------|-------------|
| — Greater than 170 | — 131 - 170 |
| — 101 - 130 | — 70 - 100 |
| — State Highways | — All Roads |

Appendix 6.6.3: Roughness (IRI) in Crook County


Appendix 6.7: Fremont County

6.7.1: Roughness (IRI) Values in Fremont County vs. Statewide County Roads.

| | Fremont County | | Statewide County Roads | |
|------------------------------|----------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 24 | 11% | 121 | 5% |
| Good (70 – 100) | 34 | 15% | 344 | 14% |
| Fair (101 – 130) | 10 | 5% | 248 | 10% |
| Poor (131 – 170) | 29 | 13% | 386 | 16% |
| Very Poor (Greater than 170) | 105 | 47% | 1248 | 51% |
| Missing | 20 | 9% | 97 | 4% |
| Total | 222 | 100% | 2,444 | 100% |




Fremont County



Statewide County Roads



Appendix 6.7.2: Roughness (IRI) Values in Fremont County vs. Statewide County Roads.




Appendix 6.7.3: Roughness (IRI) in Fremont County


Appendix 6.8: Goshen County

Appendix 6.8.1: Roughness (IRI) Values in Goshen County vs. Statewide County Roads.

| | Goshen County | | Statewide County Roads | |
|------------------------------|---------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 3 | 2% | 121 | 5% |
| Good (70 – 100) | 14 | 11% | 344 | 14% |
| Fair (101 – 130) | 5 | 4% | 248 | 10% |
| Poor (131 – 170) | 7 | 5% | 386 | 16% |
| Very Poor (Greater than 170) | 86 | 69% | 1248 | 51% |
| Missing | 10 | 8% | 97 | 4% |
| Total | 125 | 100% | 2,444 | 100% |



Appendix 6.8.2: Roughness (IRI) Values in Goshen County vs. Statewide County Roads.



International Roughness Index

- | | |
|--------------------|-------------|
| — Greater than 170 | — 131 - 170 |
| — 101 - 130 | — 70 - 100 |
| — State Highways | — All Roads |

0 0.75 1.5 3 4.5 6 Miles





Appendix 6.8.3: Roughness (IRI) in Goshen County

Appendix 6.9: Hot Springs County

Appendix 6.9.1: Roughness (IRI) Values in Hot Springs County vs. Statewide County Roads.


| | Hot Springs County | | Statewide County Roads | |
|------------------------------|--------------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 0 | 0% | 121 | 5% |
| Good (70 – 100) | 0 | 0% | 344 | 14% |
| Fair (101 – 130) | 0 | 0% | 248 | 10% |
| Poor (131 – 170) | 25 | 33% | 386 | 16% |
| Very Poor (Greater than 170) | 51 | 66% | 1248 | 51% |
| Missing | 1 | 1% | 97 | 4% |
| Total | 77 | 100% | 2,444 | 100% |




Hot Springs County



Statewide County Roads



Appendix 6.9.2: Roughness (IRI) Values in Hot Springs County vs. Statewide County Roads.




Appendix 6.9.3: Roughness (IRI) in Hot Springs County


Appendix 6.10: Johnson County

Appendix 6.10.1: Roughness (IRI) Values in Johnson County vs. Statewide County Roads.

| | Johnson County | | Statewide County Roads | |
|------------------------------|----------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 0 | 0% | 121 | 5% |
| Good (70 – 100) | 1 | 1% | 344 | 14% |
| Fair (101 – 130) | 3 | 3% | 248 | 10% |
| Poor (131 – 170) | 17 | 17% | 386 | 16% |
| Very Poor (Greater than 170) | 65 | 62% | 1248 | 51% |
| Missing | 18 | 17% | 97 | 4% |
| Total | 105 | 100% | 2,444 | 100% |




Johnson County



Statewide County Roads



Appendix 6.10.2: Roughness (IRI) Values in Johnson County vs. Statewide County Roads.




Appendix 6.10.3: Roughness (IRI) in Johnson County.


Appendix 6.11: Laramie County

Appendix 6.11.1: Roughness (IRI) Values in Laramie County vs. Statewide County Roads.

| Condition | Laramie County | | Statewide County Roads | |
|------------------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 8 | 3% | 121 | 5% |
| Good (70 – 100) | 71 | 31% | 344 | 14% |
| Fair (101 – 130) | 25 | 11% | 248 | 10% |
| Poor (131 – 170) | 41 | 18% | 386 | 16% |
| Very Poor (Greater than 170) | 72 | 31% | 1248 | 51% |
| Missing | 15 | 7% | 97 | 4% |
| Total | 231 | 100% | 2,444 | 100% |




Laramie County



Statewide County Roads



Appendix 6.11.2: Roughness (IRI) Values in Laramie County vs. Statewide County Roads.



International Roughness Index

- | | |
|------------------|-----------|
| Greater than 170 | 131 - 170 |
| 101 - 130 | 70 - 100 |
| State Highways | All Roads |

0 0.3 0.6 1.2 1.8 2.4 Miles N




Appendix 6.11.3: Roughness (IRI) in Laramie County.


Appendix 6.12: Lincoln County

Appendix 6.12.1: Roughness (IRI) Values in Lincoln County vs. Statewide County Roads.

| | Lincoln County | | Statewide County Roads | |
|------------------------------|----------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 0 | 0% | 121 | 5% |
| Good (70 – 100) | 12 | 7% | 344 | 14% |
| Fair (101 – 130) | 14 | 8% | 248 | 10% |
| Poor (131 – 170) | 16 | 9% | 386 | 16% |
| Very Poor (Greater than 170) | 137 | 76% | 1248 | 51% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 179 | 100% | 2,444 | 100% |




Lincoln County




Statewide County Roads



Appendix 6.12.2: Roughness (IRI) Values in Lincoln County vs. Statewide County Roads.



International Roughness Index



- Greater than 170
- 131 - 170
- 101 - 130
- 70 - 100
- Less than 70
- State Highways
- All Roads





Appendix 6.12.3: Roughness (IRI) in Lincoln County.

Appendix 6.13: Natrona County

Appendix 6.13.1: Roughness (IRI) Values in Natrona County vs. Statewide County Roads.

| | Natrona County | | Statewide County Roads | |
|------------------------------|----------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 0 | 0% | 121 | 5% |
| Good (70 – 100) | 4 | 3% | 344 | 14% |
| Fair (101 – 130) | 3 | 2% | 248 | 10% |
| Poor (131 – 170) | 18 | 13% | 386 | 16% |
| Very Poor (Greater than 170) | 110 | 78% | 1248 | 51% |
| Missing | 5 | 4% | 97 | 4% |
| Total | 140 | 100% | 2,444 | 100% |



■

■

■

■

■

■

Appendix 6.13.2: Roughness (IRI) Values in Natrona County vs. Statewide County Roads.



International Roughness Index

- | | |
|--------------------|-------------|
| — Greater than 170 | — 131 - 170 |
| — 101 - 130 | — 70 - 100 |
| — State Highways | — All Roads |

0 0.75 1.5

3

4.5

6

N




Miles

Appendix 6.13.3: Roughness (IRI) in Natrona County.


Appendix 6.14: Niobrara County

Appendix 6.14.1: Roughness (IRI) Values in Niobrara County vs. Statewide County Roads.

| | Niobrara County | | Statewide County Roads | |
|------------------------------|-----------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 0 | 0% | 121 | 5% |
| Good (70 – 100) | 0 | 0% | 344 | 14% |
| Fair (101 – 130) | 0 | 0% | 248 | 10% |
| Poor (131 – 170) | 0 | 0% | 386 | 16% |
| Very Poor (Greater than 170) | 3.3 | 100% | 1248 | 51% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 3.3 | 100% | 2,444 | 100% |



Appendix 6.14.2: Roughness (IRI) Values in Niobrara County vs. Statewide County Roads.



International Roughness Index


| | |
|------------------|--------------|
| Greater than 170 | 131 - 170 |
| 101 - 130 | 70 - 100 |
| State Highways | All Roads |
| | Less than 70 |

Appendix 6.14.3: Roughness (IRI) in Niobrara County.


Appendix 6.15: Park County

Appendix 6.15.1: Roughness (IRI) Values in Park County vs. Statewide County Roads.

| | Park County | | Statewide County Roads | |
|------------------------------|-------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 2 | 1% | 121 | 5% |
| Good (70 – 100) | 8 | 3% | 344 | 14% |
| Fair (101 – 130) | 12 | 4% | 248 | 10% |
| Poor (131 – 170) | 55 | 21% | 386 | 16% |
| Very Poor (Greater than 170) | 185 | 70% | 1248 | 51% |
| Missing | 2 | 1% | 97 | 4% |
| Total | 265 | 100% | 2,444 | 100% |



Appendix 6.15.2: Roughness (IRI) Values in Park County vs. Statewide County Roads.



International Roughness Index


- The legend is located at the bottom of the map. It consists of six entries, each with a colored line segment followed by its corresponding label. The labels are: 'Greater than 170' (red), '131 - 170' (orange), '101 - 130' (yellow), '70 - 100' (green), 'Less than 70' (dark green), 'State Highways' (blue), and 'All Roads' (grey).

Appendix 6.15.3: Roughness (IRI) in Park County.


Appendix 6.16: Platte County

Appendix 6.16.1: Roughness (IRI) Values in Platte County vs. Statewide County Roads.

| Condition | Platte County | | Statewide County Roads | |
|------------------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 3 | 2% | 121 | 5% |
| Good (70 – 100) | 13 | 8% | 344 | 14% |
| Fair (101 – 130) | 25 | 16% | 248 | 10% |
| Poor (131 – 170) | 43 | 27% | 386 | 16% |
| Very Poor (Greater than 170) | 75 | 47% | 1248 | 51% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 159 | 100% | 2,444 | 100% |




Platte County



Statewide County Roads



Appendix 6.16.2: Roughness (IRI) Values in Platte County vs. Statewide County Roads.



International Roughness Index

0 1 2 4 6 8 Miles

- Greater than 170
- 131 - 170
- 101 - 130
- 70 - 100
- Less than 70
- State Highways
- All Roads




Appendix 6.16.3: Roughness (IRI) in Platte County.


Appendix 6.17: Sheridan County

Appendix 6.17.1: Roughness (IRI) Values in Sheridan County vs. Statewide County Roads.

| | Sheridan County | | Statewide County Roads | |
|------------------------------|-----------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 0 | 0% | 121 | 5% |
| Good (70 – 100) | 3 | 14% | 344 | 14% |
| Fair (101 – 130) | 6 | 24% | 248 | 10% |
| Poor (131 – 170) | 2 | 9% | 386 | 16% |
| Very Poor (Greater than 170) | 11 | 46% | 1248 | 51% |
| Missing | 2 | 6% | 97 | 4% |
| Total | 25 | 100% | 2,444 | 100% |




Sheridan County



Statewide County Roads



Appendix 6.17.2: Roughness (IRI) Values in Sheridan County vs. Statewide County Roads.



International Roughness Index

A horizontal scale bar with tick marks at 0, 0.5, 1, 2, 3, and 4. The word "Miles" is written below the scale.

- Greater than 170
- 101 - 130
- State Highways

- 131 - 170
- 70 - 100 — Less than 70
- All Roads


210

Appendix 6.17.3: Roughness (IRI) in Sheridan County.


Appendix 6.18: Sublette County

Appendix 6.18.1: Roughness (IRI) Values in Sublette County vs. Statewide County Roads.

| Condition | Sublette County | | Statewide County Roads | |
|------------------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 30 | 42% | 121 | 5% |
| Good (70 – 100) | 10 | 14% | 344 | 14% |
| Fair (101 – 130) | 5 | 8% | 248 | 10% |
| Poor (131 – 170) | 10 | 13% | 386 | 16% |
| Very Poor (Greater than 170) | 16 | 23% | 1248 | 51% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 72 | 100% | 2,444 | 100% |




Sublette County



Statewide County Roads



Appendix 6.18.2: Roughness (IRI) Values in Sublette County vs. Statewide County Roads.



International Roughness Index

- | | |
|--------------------|-------------|
| — Greater than 170 | — 131 - 170 |
| — 101 - 130 | — 70 - 100 |
| — State Highways | — All Roads |

0 0.75 1.5

3

4.5

6

Miles




Appendix 6.18.3: Roughness (IRI) in Sublette County.


Appendix 6.19: Sweetwater County

Appendix 6.19.1: Roughness (IRI) Values in Sweetwater County vs. Statewide County Roads.

| | Sweetwater County | | Statewide County Roads | |
|------------------------------|-------------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 10 | 6% | 121 | 5% |
| Good (70 – 100) | 24 | 15% | 344 | 14% |
| Fair (101 – 130) | 11 | 7% | 248 | 10% |
| Poor (131 – 170) | 11 | 7% | 386 | 16% |
| Very Poor (Greater than 170) | 98 | 64% | 1248 | 51% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 154 | 100% | 2,444 | 100% |




Sweetwater County



Statewide County Roads



Appendix 6.19.2: Roughness (IRI) Values in Sweetwater County vs. Statewide County Roads.



International Roughness Index

- | | | |
|--------------------|-------------|----------------|
| — Greater than 170 | — 131 - 170 | — Less than 70 |
| — 101 - 130 | — 70 - 100 | — All Roads |
| — State Highways | | |




Appendix 6.19.3: Roughness (IRI) in Sweetwater County.


Appendix 6.20: Teton County

Appendix 6.20.1: Roughness (IRI) Values in Teton County vs. Statewide County Roads.

| | Teton County | | Statewide County Roads | |
|------------------------------|--------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 4 | 5% | 121 | 5% |
| Good (70 – 100) | 0 | 0% | 344 | 14% |
| Fair (101 – 130) | 14 | 21% | 248 | 10% |
| Poor (131 – 170) | 10 | 15% | 386 | 16% |
| Very Poor (Greater than 170) | 38 | 57% | 1248 | 51% |
| Missing | 1 | 2% | 97 | 4% |
| Total | 66 | 100% | 2,444 | 100% |




Teton County



Statewide County Roads



Appendix 6.20.2: Roughness (IRI) Values in Teton County vs. Statewide County Roads.



International Roughness Index


- | | |
|--------------------|----------------|
| — Greater than 170 | — 131 - 170 |
| — 101 - 130 | — 70 - 100 |
| — State Highways | — Less than 70 |
| — All Roads | |

Appendix 6.20.3: Roughness (IRI) in Teton County.


Appendix 6.21: Uinta County

Appendix 6.21.1: Roughness (IRI) Values in Uinta County vs. Statewide County Roads.

| | Uinta County | | Statewide County Roads | |
|------------------------------|--------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 0 | 0% | 121 | 5% |
| Good (70 – 100) | 3 | 7% | 344 | 14% |
| Fair (101 – 130) | 8 | 20% | 248 | 10% |
| Poor (131 – 170) | 12 | 28% | 386 | 16% |
| Very Poor (Greater than 170) | 19 | 45% | 1248 | 51% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 42 | 100% | 2,444 | 100% |



Uinta County



Statewide County Roads



Appendix 6.21.2: Roughness (IRI) Values in Uinta County vs. Statewide County Roads.





Appendix 6.21.3: Roughness (IRI) in Uinta County.

Appendix 6.22: Washakie County

Appendix 6.22.1: Roughness (IRI) Values in Washakie County vs. Statewide County Roads.

| | Washakie County | | Statewide County Roads | |
|------------------------------|-----------------|-------------|------------------------|-------------|
| Condition | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 0 | 0% | 121 | 5% |
| Good (70 – 100) | 2 | 4% | 344 | 14% |
| Fair (101 – 130) | 9 | 20% | 248 | 10% |
| Poor (131 – 170) | 16 | 37% | 386 | 16% |
| Very Poor (Greater than 170) | 17 | 39% | 1248 | 51% |
| Missing | 0 | 0% | 97 | 4% |
| Total | 44 | 100% | 2,444 | 100% |




Washakie County



Statewide County Roads



Appendix 6.22.2: Roughness (IRI) Values in Washakie County vs. Statewide County Roads.



International Roughness Index

0 0.5 1 2 3 4 Miles



— Greater than 170

— 131 - 170

— 101 - 130

— 70 - 100

— Less than 70

— State Highways


— All Roads

Appendix 6.22.3: Roughness (IRI) in Washakie County.


Appendix 6.23: Weston County

Appendix 6.23.1: Roughness (IRI) Values in Weston County vs. Statewide County Roads.

| Condition | Weston County | | Statewide County Roads | |
|------------------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Excellent (Less than 70) | 0 | 0% | 121 | 5% |
| Good (70 – 100) | 0 | 0% | 344 | 14% |
| Fair (101 – 130) | 0 | 0% | 248 | 10% |
| Poor (131 – 170) | 0.6 | 12% | 386 | 16% |
| Very Poor (Greater than 170) | 4.0 | 85% | 1248 | 51% |
| Missing | 0.1 | 2% | 97 | 4% |
| Total | 4.7 | 100% | 2,444 | 100% |




Weston County



Statewide County Roads



Appendix 6.23.2: Roughness (IRI) Values in Weston County vs. Statewide County Roads.



International Roughness Index

| | |
|------------------|-----------|
| Greater than 170 | 131 - 170 |
| 101 - 130 | 70 - 100 |
| State Highways | All Roads |

0.027 0.55 1.1 1.65 2.2 Miles




Appendix 6.23.3: Roughness (IRI) in Weston County.

APPENDIX 7: PAVEMENT CONDITION INDEX (PCI) SUMMARIES


Appendix 7.1: Albany County

Appendix 7.1.1: Pavement Condition Index (PCI) of Albany County vs. Statewide County Roads.

| | Albany County | | Statewide County Roads | |
|-----------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 1 | 2% | 479 | 20% |
| 70 - 85 | 14 | 32% | 601 | 25% |
| Greater than 85 | 28 | 66% | 1257 | 52% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 43 | 100% | 2,444 | 100% |




Albany County



Statewide County Roads

Appendix 7.1.2: Pavement Condition Index (PCI) of Albany County vs. Statewide County Roads.




Appendix 7.1.3: Pavement Condition Index (PCI) in Albany County


Appendix 7.2: Big Horn County

Appendix 7.2.1: Pavement Condition Index (PCI) of Big Horn County vs. Statewide County Roads.

| | Big Horn County | | Statewide County Roads | |
|-----------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 15 | 13% | 479 | 20% |
| 70 - 85 | 51 | 46% | 601 | 25% |
| Greater than 85 | 40 | 37% | 1257 | 52% |
| Missing | 4 | 4% | 108 | 4% |
| Total | 110 | 100% | 2,444 | 100% |




Big Horn County




Statewide County Roads

Appendix 7.2.2: Pavement Condition Index (PCI) of Big Horn County vs. Statewide County Roads.



Pavement Condition Index

- | | | |
|------------------|-------------|-------------------|
| — Less than 70 | — 70 - 85 | — Greater than 85 |
| — State Highways | — All Roads | |




Appendix 7.2.3: Pavement Condition Index (PCI) in Big Horn County.


Appendix 7.3: Campbell County

Appendix 7.3.1: Pavement Condition Index (PCI) of Campbell County vs. Statewide County Roads.

| | Campbell County | | Statewide County Roads | |
|-----------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 7 | 4% | 479 | 20% |
| 70 - 85 | 34 | 19% | 601 | 25% |
| Greater than 85 | 138 | 76% | 1257 | 52% |
| Missing | 3 | 1% | 108 | 4% |
| Total | 182 | 100% | 2,444 | 100% |




Campbell County



Statewide County Roads



Appendix 7.3.2: Pavement Condition Index (PCI) of Campbell County vs. Statewide County Roads.




Appendix 7.3.3: Pavement Condition Index (PCI) in Campbell County.


Appendix 7.4: Carbon County

Appendix 7.4.1: Pavement Condition Index (PCI) of Carbon County vs. Statewide County Roads.

| | Carbon County | | Statewide County Roads | |
|-----------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 0 | 0% | 479 | 20% |
| 70 - 85 | 21 | 39% | 601 | 25% |
| Greater than 85 | 31 | 58% | 1257 | 52% |
| Missing | 1 | 2% | 108 | 4% |
| Total | 53 | 100% | 2,444 | 100% |




Carbon County



Statewide County Roads

Appendix 7.4.2: Pavement Condition Index (PCI) of Carbon County vs. Statewide County Roads.



Pavement Condition Index

- | | | |
|------------------|-------------|-------------------|
| — Less than 70 | — 70 - 85 | — Greater than 85 |
| — State Highways | — All Roads | |

0 1.5 3 6 9 12 Miles




Appendix 7.4.3: Pavement Condition Index (PCI) in Carbon County.


Appendix 7.5: Converse County

Appendix 7.5.1: Pavement Condition Index (PCI) of Converse County vs. Statewide County Roads.

| | Converse County | | Statewide County Roads | |
|-----------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 59 | 63% | 479 | 20% |
| 70 - 85 | 16 | 17% | 601 | 25% |
| Greater than 85 | 19 | 20% | 1257 | 52% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 94 | 100% | 2,444 | 100% |




Converse County



Statewide County Roads

Appendix 7.5.2: Pavement Condition Index (PCI) of Converse County vs. Statewide County Roads.



Pavement Condition Index

- | | | |
|------------------|-------------|-------------------|
| — Less than 70 | — 70 - 85 | — Greater than 85 |
| — State Highways | — All Roads | |

0 1.25 2.5 5 7.5 10 Miles


N

Appendix 7.5.3: Pavement Condition Index (PCI) in Converse County.


Appendix 7.6: Crook County

Appendix 7.6.1: Pavement Condition Index (PCI) of Crook County vs. Statewide County Roads.

| | Crook County | | Statewide County Roads | |
|-----------------|--------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 17 | 34% | 479 | 20% |
| 70 - 85 | 8 | 16% | 601 | 25% |
| Greater than 85 | 11 | 21% | 1257 | 52% |
| Missing | 15 | 29% | 108 | 4% |
| Total | 52 | 100% | 2,444 | 100% |




Crook County



Statewide County Roads

Appendix 7.6.2: Pavement Condition Index (PCI) of Crook County vs. Statewide County Roads.



Pavement Condition Index

- | | | |
|--|--|---|
| <ul style="list-style-type: none"> — Less than 70 — State Highways | <ul style="list-style-type: none"> — 70 - 85 — All Roads | <ul style="list-style-type: none"> — Greater than 85 |
|--|--|---|

0 1.25 2.5 5 7.5 10 Miles

N




Appendix 7.6.3: Pavement Condition Index (PCI) in Crook County.


Appendix 7.7: Fremont County

Appendix 7.7.1: Pavement Condition Index (PCI) of Fremont County vs. Statewide County Roads.

| | Fremont County | | Statewide County Roads | |
|-----------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 53 | 24% | 479 | 20% |
| 70 - 85 | 62 | 28% | 601 | 25% |
| Greater than 85 | 84 | 38% | 1257 | 52% |
| Missing | 23 | 11% | 108 | 4% |
| Total | 222 | 100% | 2,444 | 100% |




Fremont County




Statewide County Roads

Appendix 7.7.2: Pavement Condition Index (PCI) of Fremont County vs. Statewide County Roads.



Pavement Condition Index

- Less than 70
- 70 - 85
- Greater than 85
- State Highways
- All Roads




Appendix 7.7.3: Pavement Condition Index (PCI) in Fremont County.


Appendix 7.8: Goshen County

Appendix 7.8.1: Pavement Condition Index (PCI) of Goshen County vs. Statewide County Roads.

| | Goshen County | | Statewide County Roads | |
|-----------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 34 | 27% | 479 | 20% |
| 70 - 85 | 46 | 37% | 601 | 25% |
| Greater than 85 | 35 | 28% | 1257 | 52% |
| Missing | 10 | 8% | 108 | 4% |
| Total | 125 | 100% | 2,444 | 100% |




Goshen County



Statewide County Roads

Appendix 7.8.2: Pavement Condition Index (PCI) of Goshen County vs. Statewide County Roads.



Pavement Condition Index

- | | | |
|------------------|-------------|-------------------|
| — Less than 70 | — 70 - 85 | — Greater than 85 |
| — State Highways | — All Roads | |




Appendix 7.8.3: Pavement Condition Index (PCI) in Goshen County.


Appendix 7.9: Hot Springs County

Appendix 7.9.1: Pavement Condition Index (PCI) of Hot Springs County vs. Statewide County Roads.

| | Hot Springs County | | Statewide County Roads | |
|-----------------|--------------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 19 | 25% | 479 | 20% |
| 70 - 85 | 12 | 16% | 601 | 25% |
| Greater than 85 | 44 | 58% | 1257 | 52% |
| Missing | 1 | 1% | 108 | 4% |
| Total | 77 | 100% | 2,444 | 100% |




Hot Springs County



Statewide County Roads

Appendix 7.9.2: Pavement Condition Index (PCI) of Hot Springs County vs. Statewide County Roads.



Pavement Condition Index


- | | | |
|------------------|-------------|-------------------|
| — Less than 70 | — 70 - 85 | — Greater than 85 |
| — State Highways | — All Roads | |

Appendix 7.9.3: Pavement Condition Index (PCI) in Hot Springs County.


Appendix 7.10: Johnson County

Appendix 7.10.1: Pavement Condition Index (PCI) of Johnson County vs. Statewide County Roads.

| | Johnson County | | Statewide County Roads | |
|-----------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 26 | 24% | 479 | 20% |
| 70 - 85 | 47 | 44% | 601 | 25% |
| Greater than 85 | 8 | 8% | 1257 | 52% |
| Missing | 25 | 24% | 108 | 4% |
| Total | 105 | 100% | 2,444 | 100% |




Johnson County



Statewide County Roads



Appendix 7.10.2: Pavement Condition Index (PCI) of Johnson County vs. Statewide County Roads.



Pavement Condition Index

- | | | |
|------------------|-------------|-------------------|
| — Less than 70 | — 70 - 85 | — Greater than 85 |
| — State Highways | — All Roads | |

0 0.75 1.5 3 4.5 6 Miles




Appendix 7.10.3: Pavement Condition Index (PCI) in Johnson County.


Appendix 7.11: Laramie County

Appendix 7.11.1: Pavement Condition Index (PCI) of Laramie County vs. Statewide County Roads.

| | Laramie County | | Statewide County Roads | |
|-----------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 54 | 23% | 479 | 20% |
| 70 - 85 | 62 | 27% | 601 | 25% |
| Greater than 85 | 100 | 43% | 1257 | 52% |
| Missing | 16 | 7% | 108 | 4% |
| Total | 231 | 100% | 2,444 | 100% |




Laramie County



Statewide County Roads



Appendix 7.11.2: Pavement Condition Index (PCI) of Laramie County vs. Statewide County Roads.



Pavement Condition Index

- | | | |
|-----------------------|------------------|------------------------|
| Less than 70 | 70 - 85 | Greater than 85 |
| State Highways | All Roads | |


0 0.3 0.6 1.2 1.8 2.4 Miles N

Appendix 7.11.3: Pavement Condition Index (PCI) in Laramie County.


Appendix 7.12: Lincoln County

Appendix 7.12.1: Pavement Condition Index (PCI) of Lincoln County vs. Statewide County Roads.

| | Lincoln County | | Statewide County Roads | |
|-----------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 7 | 4% | 479 | 20% |
| 70 - 85 | 34 | 19% | 601 | 25% |
| Greater than 85 | 138 | 77% | 1257 | 52% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 179 | 100% | 2,444 | 100% |




Lincoln County



Statewide County Roads



Appendix 7.12.3: Pavement Condition Index (PCI) of Lincoln County vs. Statewide County Roads.




Appendix 7.12.4: Pavement Condition Index (PCI) in Lincoln County.


Appendix 7.13: Natrona County

Appendix 7.13.1: Pavement Condition Index (PCI) of Natrona County vs. Statewide County Roads.

| | Natrona County | | Statewide County Roads | |
|-----------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 76 | 54% | 479 | 20% |
| 70 - 85 | 29 | 21% | 601 | 25% |
| Greater than 85 | 30 | 21% | 1257 | 52% |
| Missing | 5 | 4% | 108 | 4% |
| Total | 140 | 100% | 2,444 | 100% |




Natrona County



Statewide County Roads

Appendix 7.13.2: Pavement Condition Index (PCI) of Natrona County vs. Statewide County Roads.



Pavement Condition Index

A horizontal scale bar with tick marks at 0, 1, 2, 4, 6, and 8. The word "Miles" is written vertically below the scale.

- Less than 70
- State Highways

— 70 - 85
— All Roads

— Greater than 85


N

Appendix 7.13.3: Pavement Condition Index (PCI) in Natrona County.


Appendix 7.14: Niobrara County

Appendix 7.14.1: Pavement Condition Index (PCI) of Niobrara County vs. Statewide County Roads.

| | Niobrara County | | Statewide County Roads | |
|-----------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 0.2 | 5% | 479 | 20% |
| 70 - 85 | 0 | 0% | 601 | 25% |
| Greater than 85 | 3.1 | 95% | 1257 | 52% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 3.3 | 100% | 2,444 | 100% |



Niobrara County



Statewide County Roads

Appendix 7.14.2: Pavement Condition Index (PCI) of Niobrara County vs. Statewide County Roads.



Pavement Condition Index


- | | | |
|------------------|-------------|-------------------|
| — Less than 70 | — 70 - 85 | — Greater than 85 |
| — State Highways | — All Roads | |

Appendix 7.14.3: Pavement Condition Index (PCI) in Niobrara County.


Appendix 7.15: Park County

Appendix 7.15.1: Pavement Condition Index (PCI) of Park County vs. Statewide County Roads.

| | Park County | | Statewide County Roads | |
|-----------------|-------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 8 | 3% | 479 | 20% |
| 70 - 85 | 38 | 14% | 601 | 25% |
| Greater than 85 | 217 | 82% | 1257 | 52% |
| Missing | 2 | 1% | 108 | 4% |
| Total | 265 | 100% | 2,444 | 100% |




Park County



Statewide County Roads



Appendix 7.15.2: Pavement Condition Index (PCI) of Park County vs. Statewide County Roads.




Appendix 7.15.3: Pavement Condition Index (PCI) in Park County.


Appendix 7.16: Platte County

Appendix 7.16.1: Pavement Condition Index (PCI) of Platte County vs. Statewide County Roads.

| | Platte County | | Statewide County Roads | |
|-----------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 34 | 21% | 479 | 20% |
| 70 - 85 | 63 | 40% | 601 | 25% |
| Greater than 85 | 62 | 39% | 1257 | 52% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 159 | 100% | 2,444 | 100% |



Platte County



Statewide County Roads

Appendix 7.16.2: Pavement Condition Index (PCI) of Platte County vs. Statewide County Roads.



Pavement Condition Index

- | | | |
|------------------|-------------|-------------------|
| — Less than 70 | — 70 - 85 | — Greater than 85 |
| — State Highways | — All Roads | |

0 0.75 1.5 3 4.5 6 Miles




Appendix 7.16.3: Pavement Condition Index (PCI) in Platte County.


Appendix 7.17: Sheridan County

Appendix 7.17.1: Pavement Condition Index (PCI) of Sheridan County vs. Statewide County Roads.

| | Sheridan County | | Statewide County Roads | |
|-----------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 4 | 15% | 479 | 20% |
| 70 - 85 | 3 | 12% | 601 | 25% |
| Greater than 85 | 16 | 63% | 1257 | 52% |
| Missing | 2 | 10% | 108 | 4% |
| Total | 25 | 100% | 2,444 | 100% |



Sheridan County



Statewide County Roads

Appendix 7.17.2: Pavement Condition Index (PCI) of Sheridan County vs. Statewide County Roads.



Pavement Condition Index

— Less than 70

— 70 - 85

— Greater than 85

— State Highways


— All Roads

Appendix 7.17.3: Pavement Condition Index (PCI) in Sheridan County.


Appendix 7.18: Sublette County

Appendix 7.18.1: Pavement Condition Index (PCI) of Sublette County vs. Statewide County Roads.

| | Sublette County | | Statewide County Roads | |
|-----------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 0 | 0% | 479 | 20% |
| 70 - 85 | 10 | 14% | 601 | 25% |
| Greater than 85 | 61 | 85% | 1257 | 52% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 72 | 100% | 2,444 | 100% |




Sublette County



Statewide County Roads

Appendix 7.18.2: Pavement Condition Index (PCI) of Sublette County vs. Statewide County Roads.



Pavement Condition Index


- | | | |
|----------------|-----------|-----------------|
| Less than 70 | 70 - 85 | Greater than 85 |
| State Highways | All Roads | |

Appendix 7.18.3: Pavement Condition Index (PCI) in Sublette County.


Appendix 7.19: Sweetwater County

Appendix 7.19.1: Pavement Condition Index (PCI) of Sweetwater County vs. Statewide County Roads.

| | Sweetwater County | | Statewide County Roads | |
|-----------------|-------------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 57 | 37% | 479 | 20% |
| 70 - 85 | 34 | 22% | 601 | 25% |
| Greater than 85 | 63 | 41% | 1257 | 52% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 154 | 100% | 2,444 | 100% |




Sweetwater County




Statewide County Roads

Appendix 7.19.2: Pavement Condition Index (PCI) of Sweetwater County vs. Statewide County Roads.



Pavement Condition Index

- | | | |
|-----------------------|------------------|------------------------|
| Less than 70 | 70 - 85 | Greater than 85 |
| State Highways | All Roads | |




Appendix 7.19.3: Pavement Condition Index (PCI) in Sweetwater County.


Appendix 7.20: Teton County

Appendix 7.20.1: Pavement Condition Index (PCI) of Teton County vs. Statewide County Roads.

| | Teton County | | Statewide County Roads | |
|-----------------|--------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 2 | 4% | 479 | 20% |
| 70 - 85 | 1 | 2% | 601 | 25% |
| Greater than 85 | 61 | 92% | 1257 | 52% |
| Missing | 1 | 2% | 108 | 4% |
| Total | 66 | 100% | 2,444 | 100% |




Teton County



Statewide County Roads

Appendix 7.20.2: Pavement Condition Index (PCI) of Teton County vs. Statewide County Roads.



Pavement Condition Index

- | | | |
|-----------------------|------------------|------------------------|
| Less than 70 | 70 - 85 | Greater than 85 |
| State Highways | All Roads | |

0 0.5 1 2 3 4 Miles


N

Appendix 7.20.3: Pavement Condition Index (PCI) in Teton County.


Appendix 7.21: Uinta County

Appendix 7.21.1: Pavement Condition Index (PCI) of Uinta County vs. Statewide County Roads.

| | Uinta County | | Statewide County Roads | |
|-----------------|--------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 1 | 3% | 479 | 20% |
| 70 - 85 | 13 | 30% | 601 | 25% |
| Greater than 85 | 28 | 67% | 1257 | 52% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 42 | 100% | 2,444 | 100% |



Uinta County



Statewide County Roads



Appendix 7.21.2: Pavement Condition Index (PCI) of Uinta County vs. Statewide County Roads.



Pavement Condition Index

- Less than 70
- 70 - 85
- Greater than 85
- State Highways
- All Roads

0 0.5 1 2 3 4 Miles


N

Appendix 7.21.3: Pavement Condition Index (PCI) in Uinta County.


Appendix 7.22: Washakie County

Appendix 7.22.1: Pavement Condition Index (PCI) of Washakie County vs. Statewide County Roads.

| | Washakie County | | Statewide County Roads | |
|-----------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 2 | 5% | 479 | 20% |
| 70 - 85 | 13 | 30% | 601 | 25% |
| Greater than 85 | 29 | 65% | 1257 | 52% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 44 | 100% | 2,444 | 100% |




Washakie County



Statewide County Roads

Appendix 7.22.2: Pavement Condition Index (PCI) of Washakie County vs. Statewide County Roads.



Pavement Condition Index


- | | | |
|------------------|-------------|-------------------|
| — Less than 70 | — 70 - 85 | — Greater than 85 |
| — State Highways | — All Roads | |

Appendix 7.22.3: Pavement Condition Index (PCI) in Washakie County.


Appendix 7.23: Weston County

Appendix 7.23.1: Pavement Condition Index (PCI) of Weston County vs. Statewide County Roads.

| | Weston County | | Statewide County Roads | |
|-----------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 70 | 2.2 | 47% | 479 | 20% |
| 70 - 85 | 2.4 | 51% | 601 | 25% |
| Greater than 85 | 0 | 0% | 1257 | 52% |
| Missing | 0.1 | 2% | 108 | 4% |
| Total | 4.7 | 100% | 2,444 | 100% |




Weston County



Statewide County Roads



Appendix 7.23.2: Pavement Condition Index (PCI) of Weston County vs. Statewide County Roads.



Pavement Condition Index

- | | | |
|------------------|-------------|-------------------|
| — Less than 70 | — 70 - 85 | — Greater than 85 |
| — State Highways | — All Roads | |

0.0 0.27 0.55 1.1 1.65 2.2 Miles

N




Appendix 7.23.3: Pavement Condition Index (PCI) in Weston County.

**APPENDIX 8: PAVEMENT SERVICEABILITY INDEX (PSI)
SUMMARIES**


Appendix 8.1: Albany County

Appendix 8.1.1: PSI of Albany County vs. Statewide County Roads.

| | Albany County | | Statewide County Roads | |
|------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 3 | 7% | 78 | 3% |
| 3.01 - 3.5 | 2 | 5% | 175 | 7% |
| 2.51 - 3.0 | 18 | 41% | 239 | 10% |
| 2 - 2.5 | 17 | 40% | 187 | 8% |
| Less than 2 | 3 | 7% | 1658 | 68% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 43 | 100% | 2,444 | 100% |




Albany County



Statewide County Roads



Appendix 8.1.2: PSI of Albany County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)

— Less than 2.0

— 2.00 - 2.50

— 2.51 - 3.00

— 3.01 - 3.50

— State Highways

0 0.3 0.6 1.2 1.8 2.4 Miles




Appendix 8.1.3: Pavement Serviceability Index (PSI) in Albany County.


Appendix 8.2: Big Horn County

Appendix 8.2.1: PSI of Big Horn County vs. Statewide County Roads.

| | Big Horn County | | Statewide County Roads | |
|------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 0 | 0% | 78 | 3% |
| 3.01 - 3.5 | 8 | 8% | 175 | 7% |
| 2.51 - 3.0 | 12 | 11% | 239 | 10% |
| 2 - 2.5 | 7 | 6% | 187 | 8% |
| Less than 2 | 79 | 72% | 1658 | 68% |
| Missing | 4 | 4% | 108 | 4% |
| Total | 110 | 100% | 2,444 | 100% |




Big Horn County



Statewide County Roads



Appendix 8.2.2: PSI of Big Horn County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)


- Less than 2.0
- 2.00 - 2.50
- 2.51 - 3.00
- 3.01 - 3.50
- Greater than 3.5
- State Highways
- All Roads

Appendix 8.2.3: Pavement Serviceability Index (PSI) in Big Horn County.


Appendix 8.3: Campbell County

Appendix 8.3.1: PSI of Campbell County vs. Statewide County Roads.

| | Campbell County | | Statewide County Roads | |
|------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 19 | 11% | 78 | 3% |
| 3.01 - 3.5 | 47 | 26% | 175 | 7% |
| 2.51 - 3.0 | 41 | 22% | 239 | 10% |
| 2 - 2.5 | 29 | 16% | 187 | 8% |
| Less than 2 | 43 | 24% | 1658 | 68% |
| Missing | 3 | 1% | 108 | 4% |
| Total | 182 | 100% | 2,444 | 100% |



Campbell County



Statewide County Roads



Appendix 8.3.2: PSI of Campbell County vs. Statewide County Roads.





Appendix 8.3.3: Pavement Serviceability Index (PSI) in Campbell County.


Appendix 8.4: Carbon County

Appendix 8.4.1: PSI of Carbon County vs. Statewide County Roads.

| | Carbon County | | Statewide County Roads | |
|------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 0 | 0% | 78 | 3% |
| 3.01 - 3.5 | 0 | 0% | 175 | 7% |
| 2.51 - 3.0 | 25 | 48% | 239 | 10% |
| 2 - 2.5 | 0 | 0% | 187 | 8% |
| Less than 2 | 26 | 50% | 1658 | 68% |
| Missing | 1 | 2% | 108 | 4% |
| Total | 53 | 100% | 2,444 | 100% |



Appendix 8.4.2: PSI of Carbon County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)


- | | |
|------------------|-------------|
| Less than 2.0 | 2.00 - 2.50 |
| 2.51 - 3.00 | 3.01 - 3.50 |
| State Highways | All Roads |
| Greater than 3.5 | |

Appendix 8.4.3: Pavement Serviceability Index (PSI) in Carbon County.


Appendix 8.5: Converse County

Appendix 8.5.1: PSI of Converse County vs. Statewide County Roads.

| | Converse County | | Statewide County Roads | |
|------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 0 | 0% | 78 | 3% |
| 3.01 - 3.5 | 4 | 4% | 175 | 7% |
| 2.51 - 3.0 | 1 | 1% | 239 | 10% |
| 2 - 2.5 | 4 | 4% | 187 | 8% |
| Less than 2 | 86 | 91% | 1658 | 68% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 94 | 100% | 2,444 | 100% |




Converse County



Statewide County Roads



Appendix 8.5.2: PSI of Converse County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)


- | | |
|----------------|-------------|
| Less than 2.0 | 2.00 - 2.50 |
| 2.51 - 3.00 | 3.01 - 3.50 |
| State Highways | All Roads |

Appendix 8.5.3: Pavement Serviceability Index (PSI) in Converse County.


Appendix 8.6: Crook County

Appendix 8.6.1: PSI of Crook County vs. Statewide County Roads.

| | Crook County | | Statewide County Roads | |
|------------------|--------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 0 | 0% | 78 | 3% |
| 3.01 - 3.5 | 0 | 1% | 175 | 7% |
| 2.51 - 3.0 | 7 | 13% | 239 | 10% |
| 2 - 2.5 | 4 | 7% | 187 | 8% |
| Less than 2 | 26 | 50% | 1658 | 68% |
| Missing | 15 | 29% | 108 | 4% |
| Total | 52 | 100% | 2,444 | 100% |




Crook County



Statewide County Roads



Appendix 8.6.2: PSI of Crook County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)


- | | |
|----------------|-------------|
| Less than 2.0 | 2.00 - 2.50 |
| 2.51 - 3.00 | 3.01 - 3.50 |
| State Highways | All Roads |

Appendix 8.6.3: Pavement Serviceability Index (PSI) in Crook County.


Appendix 8.7: Fremont County

Appendix 8.7.1: PSI of Fremont County vs. Statewide County Roads.

| | Fremont County | | Statewide County Roads | |
|------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 15 | 7% | 78 | 3% |
| 3.01 - 3.5 | 26 | 12% | 175 | 7% |
| 2.51 - 3.0 | 12 | 6% | 239 | 10% |
| 2 - 2.5 | 6 | 3% | 187 | 8% |
| Less than 2 | 138 | 62% | 1658 | 68% |
| Missing | 23 | 11% | 108 | 4% |
| Total | 222 | 100% | 2,444 | 100% |




Fremont County



Statewide County Roads



Appendix 8.7.2: PSI of Fremont County vs. Statewide County Roads.




Appendix 8.7.3: Pavement Serviceability Index (PSI) in Fremont County.


Appendix 8.8: Goshen County

Appendix 8.8.1: PSI of Goshen County vs. Statewide County Roads.

| | Goshen County | | Statewide County Roads | |
|------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 3 | 2% | 78 | 3% |
| 3.01 - 3.5 | 9 | 7% | 175 | 7% |
| 2.51 - 3.0 | 7 | 5% | 239 | 10% |
| 2 - 2.5 | 3 | 2% | 187 | 8% |
| Less than 2 | 94 | 75% | 1658 | 68% |
| Missing | 10 | 8% | 108 | 4% |
| Total | 125 | 100% | 2,444 | 100% |




Goshen County



Statewide County Roads



Appendix 8.8.2: PSI of Goshen County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)


- | | |
|------------------|---------------|
| — Less than 2.0 | — 2.00 - 2.50 |
| — 2.51 - 3.00 | — 3.01 - 3.50 |
| — State Highways | — All Roads |

Appendix 8.8.3: Pavement Serviceability Index (PSI) in Goshen County.

Appendix 8.9: Hot Springs County

Appendix 8.9.1: PSI of Hot Springs County vs. Statewide County Roads.

| | Hot Springs County | | Statewide County Roads | |
|------------------|--------------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 0 | 0% | 78 | 3% |
| 3.01 - 3.5 | 0 | 0% | 175 | 7% |
| 2.51 - 3.0 | 0 | 0% | 239 | 10% |
| 2 - 2.5 | 0 | 0% | 187 | 8% |
| Less than 2 | 76 | 99% | 1658 | 68% |
| Missing | 1 | 1% | 108 | 4% |
| Total | 77 | 100% | 2,444 | 100% |




Hot Springs County



Statewide County Roads



Appendix 8.9.2: PSI of Hot Springs County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)


- | | |
|------------------|---------------|
| — Less than 2.0 | — 2.00 - 2.50 |
| — 2.51 - 3.00 | — 3.01 - 3.50 |
| — State Highways | — All Roads |

Appendix 8.9.3: Pavement Serviceability Index (PSI) in Hot Springs County.


Appendix 8.10: Johnson County

Appendix 8.10.1: PSI of Johnson County vs. Statewide County Roads.

| | Johnson County | | Statewide County Roads | |
|------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 0 | 0% | 78 | 3% |
| 3.01 - 3.5 | 0 | 0% | 175 | 7% |
| 2.51 - 3.0 | 4 | 4% | 239 | 10% |
| 2 - 2.5 | 1 | 1% | 187 | 8% |
| Less than 2 | 75 | 71% | 1658 | 68% |
| Missing | 25 | 24% | 108 | 4% |
| Total | 105 | 100% | 2,444 | 100% |




Johnson County



Statewide County Roads



Appendix 8.10.2: PSI of Johnson County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)


- | | |
|----------------|-------------|
| Less than 2.0 | 2.00 - 2.50 |
| 2.51 - 3.00 | 3.01 - 3.50 |
| State Highways | All Roads |

Appendix 8.10.3: Pavement Serviceability Index (PSI) in Johnson County.

Appendix 8.11: Laramie County

Appendix 8.11.1: PSI of Laramie County vs. Statewide County Roads.

| | Laramie County | | Statewide County Roads | |
|------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 3 | 2% | 78 | 3% |
| 3.01 - 3.5 | 36 | 16% | 175 | 7% |
| 2.51 - 3.0 | 42 | 18% | 239 | 10% |
| 2 - 2.5 | 10 | 4% | 187 | 8% |
| Less than 2 | 124 | 54% | 1658 | 68% |
| Missing | 16 | 7% | 108 | 4% |
| Total | 231 | 100% | 2,444 | 100% |



Appendix 8.11.2: PSI of Laramie County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)


- Less than 2.0
- 2.00 - 2.50
- 2.51 - 3.00
- 3.01 - 3.50
- Greater than 3.5
- State Highways
- All Roads

Appendix 8.11.3: Pavement Serviceability Index (PSI) in Laramie County.


Appendix 8.12: Lincoln County

Appendix 8.12.1: PSI of Lincoln County vs. Statewide County Roads.


| | Lincoln County | | Statewide County Roads | |
|------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 0 | 0% | 78 | 3% |
| 3.01 - 3.5 | 9 | 5% | 175 | 7% |
| 2.51 - 3.0 | 13 | 7% | 239 | 10% |
| 2 - 2.5 | 11 | 6% | 187 | 8% |
| Less than 2 | 145 | 81% | 1658 | 68% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 179 | 100% | 2,444 | 100% |




Lincoln County



Statewide County Roads



Appendix 8.12.2: PSI of Lincoln County vs. Statewide County Roads.




Appendix 8.12.3: Pavement Serviceability Index (PSI) in Lincoln County.


Appendix 8.13: Natrona County

Appendix 8.13.1: PSI of Natrona County vs. Statewide County Roads.


| | Natrona County | | Statewide County Roads | |
|------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 0 | 0% | 78 | 3% |
| 3.01 - 3.5 | 2 | 1% | 175 | 7% |
| 2.51 - 3.0 | 4 | 3% | 239 | 10% |
| 2 - 2.5 | 4 | 3% | 187 | 8% |
| Less than 2 | 126 | 90% | 1658 | 68% |
| Missing | 5 | 4% | 108 | 4% |
| Total | 140 | 100% | 2,444 | 100% |




Natrona County



Statewide County Roads



Appendix 8.13.2: PSI of Natrona County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)


- | | |
|------------------|-------------|
| Less than 2.0 | 2.00 - 2.50 |
| 2.51 - 3.00 | 3.01 - 3.50 |
| State Highways | All Roads |
| Greater than 3.5 | |

Appendix 8.13.3: Pavement Serviceability Index (PSI) in Natrona County.


Appendix 8.14: Niobrara County

Appendix 8.14.1: PSI of Niobrara County vs. Statewide County Roads.

| | Niobrara County | | Statewide County Roads | |
|------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 0 | 0% | 78 | 3% |
| 3.01 - 3.5 | 0 | 0% | 175 | 7% |
| 2.51 - 3.0 | 0 | 0% | 239 | 10% |
| 2 - 2.5 | 0 | 0% | 187 | 8% |
| Less than 2 | 3.3 | 100% | 1658 | 68% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 3.3 | 100% | 2,444 | 100% |



Appendix 8.14.2: PSI of Niobrara County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)



- | | |
|----------------|-------------|
| Less than 2.0 | 2.00 - 2.50 |
| 2.51 - 3.00 | 3.01 - 3.50 |
| State Highways | All Roads |

Appendix 8.14.3: Pavement Serviceability Index (PSI) in Niobrara County.


Appendix 8.15: Park County

Appendix 8.15.1: PSI of Park County vs. Statewide County Roads.

| | Park County | | Statewide County Roads | |
|------------------|-------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 2 | 1% | 78 | 3% |
| 3.01 - 3.5 | 4 | 1% | 175 | 7% |
| 2.51 - 3.0 | 9 | 3% | 239 | 10% |
| 2 - 2.5 | 15 | 6% | 187 | 8% |
| Less than 2 | 233 | 88% | 1658 | 68% |
| Missing | 2 | 1% | 108 | 4% |
| Total | 265 | 100% | 2,444 | 100% |



Appendix 8.15.2: PSI of Park County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)



- | | |
|----------------|------------------|
| Less than 2.0 | 2.00 - 2.50 |
| 2.51 - 3.00 | 3.01 - 3.50 |
| State Highways | Greater than 3.5 |
| All Roads | |

Appendix 8.15.3: Pavement Serviceability Index (PSI) in Park County.


Appendix 8.16: Platte County

Appendix 8.16.1: PSI of Platte County vs. Statewide County Roads.

| | Platte County | | Statewide County Roads | |
|------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 0 | 0% | 78 | 3% |
| 3.01 - 3.5 | 3 | 2% | 175 | 7% |
| 2.51 - 3.0 | 5 | 3% | 239 | 10% |
| 2 - 2.5 | 34 | 21% | 187 | 8% |
| Less than 2 | 118 | 74% | 1658 | 68% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 159 | 100% | 2,444 | 100% |



Appendix 8.16.2: PSI of Platte County vs. Statewide County Roads.




Appendix 8.16.3: Pavement Serviceability Index (PSI) in Platte County.


Appendix 8.17: Sheridan County

Appendix 8.17.1: PSI of Sheridan County vs. Statewide County Roads.

| | Sheridan County | | Statewide County Roads | |
|------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 0 | 0% | 78 | 3% |
| 3.01 - 3.5 | 0 | 2% | 175 | 7% |
| 2.51 - 3.0 | 7 | 28% | 239 | 10% |
| 2 - 2.5 | 3 | 6% | 187 | 8% |
| Less than 2 | 13 | 54% | 1658 | 68% |
| Missing | 2 | 10% | 108 | 4% |
| Total | 25 | 100% | 2,444 | 100% |




Sheridan County



Statewide County Roads



Appendix 8.17.2: PSI of Sheridan County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)


- | | |
|------------------|-------------|
| Less than 2.0 | 2.00 - 2.50 |
| 2.51 - 3.00 | 3.01 - 3.50 |
| State Highways | All Roads |
| Greater than 3.5 | |

Appendix 8.17.3: Pavement Serviceability Index (PSI) in Sheridan County.


Appendix 8.18: Sublette County

Appendix 8.18.1: PSI of Sublette County vs. Statewide County Roads.

| | Sublette County | | Statewide County Roads | |
|------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 24 | 33% | 78 | 3% |
| 3.01 - 3.5 | 11 | 16% | 175 | 7% |
| 2.51 - 3.0 | 5 | 7% | 239 | 10% |
| 2 - 2.5 | 6 | 8% | 187 | 8% |
| Less than 2 | 26 | 36% | 1658 | 68% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 72 | 100% | 2,444 | 100% |




Sublette County



Statewide County Roads



Appendix 8.18.2: PSI of Sublette County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)


- | | |
|------------------|-------------|
| Less than 2.0 | 2.00 - 2.50 |
| 2.51 - 3.00 | 3.01 - 3.50 |
| State Highways | All Roads |
| Greater than 3.5 | |

Appendix 8.18.3: Pavement Serviceability Index (PSI) in Sublette County.


Appendix 8.19: Sweetwater County

Appendix 8.19.1: PSI of Sweetwater County vs. Statewide County Roads.


| | Sweetwater County | | Statewide County Roads | |
|------------------|-------------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 4 | 3% | 78 | 3% |
| 3.01 - 3.5 | 13 | 8% | 175 | 7% |
| 2.51 - 3.0 | 18 | 12% | 239 | 10% |
| 2 - 2.5 | 11 | 7% | 187 | 8% |
| Less than 2 | 109 | 71% | 1658 | 68% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 154 | 100% | 2,444 | 100% |



Sweetwater County



Statewide County Roads



Pavement Serviceability Index (PSI)


- | | |
|------------------|-------------|
| Less than 2.0 | 2.00 - 2.50 |
| 2.51 - 3.00 | 3.01 - 3.50 |
| State Highways | All Roads |
| Greater than 3.5 | |

Appendix 8.19.3: Pavement Serviceability Index (PSI) in Sweetwater County.


Appendix 8.20: Teton County

Appendix 8.20.1: PSI of Teton County vs. Statewide County Roads.

| | Teton County | | Statewide County Roads | |
|------------------|--------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 4 | 5% | 78 | 3% |
| 3.01 - 3.5 | 0 | 0% | 175 | 7% |
| 2.51 - 3.0 | 8 | 12% | 239 | 10% |
| 2 - 2.5 | 6 | 10% | 187 | 8% |
| Less than 2 | 47 | 71% | 1658 | 68% |
| Missing | 1 | 2% | 108 | 4% |
| Total | 66 | 100% | 2,444 | 100% |




Teton County



Statewide County Roads



Appendix 8.20.2: PSI of Teton County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)


- | | |
|----------------|-------------|
| Less than 2.0 | 2.00 - 2.50 |
| 2.51 - 3.00 | 3.01 - 3.50 |
| State Highways | All Roads |

Appendix 8.20.3: Pavement Serviceability Index (PSI) in Teton County.


Appendix 8.21: Uinta County

Appendix 8.21.1: PSI of Uinta County vs. Statewide County Roads.


| | Uinta County | | Statewide County Roads | |
|------------------|--------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 0 | 0% | 78 | 3% |
| 3.01 - 3.5 | 2 | 5% | 175 | 7% |
| 2.51 - 3.0 | 3 | 7% | 239 | 10% |
| 2 - 2.5 | 8 | 20% | 187 | 8% |
| Less than 2 | 29 | 69% | 1658 | 68% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 42 | 100% | 2,444 | 100% |



Uinta County



Statewide County Roads



Appendix 8.21.2: PSI of Uinta County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)


- | | |
|----------------|-------------|
| Less than 2.0 | 2.00 - 2.50 |
| 2.51 - 3.00 | 3.01 - 3.50 |
| State Highways | All Roads |

Appendix 8.21.3: Pavement Serviceability Index (PSI) in Uinta County.


Appendix 8.22: Washakie County

Appendix 8.22.1: PSI of Washakie County vs. Statewide County Roads.

| | Washakie County | | Statewide County Roads | |
|------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 0 | 0% | 78 | 3% |
| 3.01 - 3.5 | 0 | 0% | 175 | 7% |
| 2.51 - 3.0 | 2 | 5% | 239 | 10% |
| 2 - 2.5 | 10 | 23% | 187 | 8% |
| Less than 2 | 32 | 71% | 1658 | 68% |
| Missing | 0 | 0% | 108 | 4% |
| Total | 44 | 100% | 2,444 | 100% |




Washakie County



Statewide County Roads



Appendix 8.22.2: PSI of Washakie County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)



| | |
|----------------|------------------|
| Less than 2.0 | 2.00 - 2.50 |
| 2.51 - 3.00 | 3.01 - 3.50 |
| State Highways | Greater than 3.5 |
| All Roads | |

Appendix 8.22.3: Pavement Serviceability Index (PSI) in Washakie County.


Appendix 8.23: Weston County

Appendix 8.23.1: PSI of Weston County vs. Statewide County Roads.

| | Weston County | | Statewide County Roads | |
|------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Greater than 3.5 | 0 | 0% | 78 | 3% |
| 3.01 - 3.5 | 0 | 0% | 175 | 7% |
| 2.51 - 3.0 | 0 | 0% | 239 | 10% |
| 2 - 2.5 | 0 | 0% | 187 | 8% |
| Less than 2 | 4.6 | 98% | 1658 | 68% |
| Missing | 0.1 | 2% | 108 | 4% |
| Total | 4.7 | 100% | 2,444 | 100% |



Appendix 8.23.2: PSI of Weston County vs. Statewide County Roads.



Pavement Serviceability Index (PSI)


- | | |
|------------------|---------------|
| — Less than 2.0 | — 2.00 - 2.50 |
| — 2.51 - 3.00 | — 3.01 - 3.50 |
| — State Highways | — All Roads |



Appendix 8.23.4: Pavement Serviceability Index (PSI) in Weston County.

APPENDIX 9: PAVEMENT THICKNESS


Appendix 9.1: Albany County




Appendix 9.1.1: Albany County vs. Statewide Average Pavement Thicknesses.

Appendix 9.1.2: Asphalt Thicknesses of Albany County vs. Statewide County Roads.

| Thickness Categories | Albany County | | Statewide County Roads | |
|-----------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 11 | 26% | 407 | 17% |
| 3 – 4 inches | 14 | 32% | 523 | 21% |
| 4.01 - 5.0 inches | 8 | 18% | 772 | 32% |
| 5.01 – 8 inches | 10 | 24% | 605 | 25% |
| Greater than 8 inches | 0 | 0% | 112 | 5% |
| Missing | 0 | 0% | 25 | 1% |
| Total | 43 | 100% | 2,444 | 100% |



Albany County




Statewide County Roads




Appendix 9.1.3: Asphalt Thicknesses of Albany County vs. Statewide County Roads.

Appendix 9.1.4: Base Thicknesses of Albany County vs. Statewide County Roads.

| Thickness Categories | Albany County | | Statewide County Roads | |
|------------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 1 | 3% | 110 | 5% |
| 4 – 6 inches | 16 | 38% | 708 | 29% |
| 6.01 - 8.0 inches | 20 | 48% | 726 | 30% |
| 8.01 – 10 inches | 4 | 8% | 390 | 16% |
| Greater than 10 inches | 1 | 3% | 271 | 11% |
| Missing | 0 | 0% | 241 | 10% |
| Total | 43 | 100% | 2,444 | 100% |




Albany County



Statewide County Roads




Appendix 9.1.5: Base Thicknesses of Albany County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|----------------------|-------------------------|
| — Less than 3 inches | — 3.00 - 4.00 inches |
| — 4.01 - 5.00 inches | — 5.01 - 8.00 inches |
| — State Highways | — Greater than 8 inches |
| — All Roads | |

Appendix 9.1.6: Asphalt Thickness in Albany County.




Base Thickness

- | | |
|--------------------|---------------------|
| Less than 4 inches | 4.00 - 6.00 inches |
| 6.01 - 8.00 inches | 8.01 - 10.00 inches |
| State Highways | All Roads |

Appendix 9.1.7: Base Thickness in Albany County.


Appendix 9.2: Big Horn County




Appendix 9.2.1: Big Horn County vs. Statewide Average Pavement Thicknesses.

Appendix 9.2.2: Asphalt Thicknesses of Big Horn County vs. Statewide County Roads.

| Thickness Categories | Big Horn County | | Statewide County Roads | |
|-----------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 12 | 11% | 407 | 17% |
| 3 – 4 inches | 32 | 29% | 523 | 21% |
| 4.01 - 5.0 inches | 41 | 37% | 772 | 32% |
| 5.01 – 8 inches | 25 | 23% | 605 | 25% |
| Greater than 8 inches | 0 | 0% | 112 | 5% |
| Missing | 0 | 0% | 25 | 1% |
| Total | 110 | 100% | 2,444 | 100% |



Big Horn County




Statewide County Roads


Appendix 9.2.3: Asphalt Thicknesses of Big Horn County vs. Statewide County Roads.

Appendix 9.2.4: Base Thicknesses of Big Horn County vs. Statewide County Roads.


| Thickness Categories | Big Horn County | | Statewide County Roads | |
|------------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 5 | 4% | 110 | 5% |
| 4 – 6 inches | 40 | 37% | 708 | 29% |
| 6.01 - 8.0 inches | 13 | 12% | 726 | 30% |
| 8.01 – 10 inches | 14 | 13% | 390 | 16% |
| Greater than 10 inches | 16 | 14% | 271 | 11% |
| Missing | 22 | 20% | 241 | 10% |
| Total | 110 | 100% | 2,444 | 100% |




Big Horn County



Statewide County Roads




Appendix 9.2.5: Base Thicknesses of Big Horn County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|-----------------------|--------------------|
| Less than 3 inches | 3.00 - 4.00 inches |
| 4.01 - 5.00 inches | 5.01 - 8.00 inches |
| State Highways | All Roads |
| Greater than 8 inches | |

Appendix 9.2.6: Asphalt Thickness in Big Horn County.




Base Thickness

- | | |
|----------------------|-----------------------|
| — Less than 4 inches | — 4.00 - 6.00 inches |
| — 6.01 - 8.00 inches | — 8.01 - 10.00 inches |
| — State Highways | — All Roads |

Appendix 9.2.7: Base Thickness in Big Horn County.


Appendix 9.3: Campbell County




Appendix 9.3.1: Campbell County vs. Statewide Average Pavement Thicknesses.

Appendix 9.3.2: Asphalt Thicknesses of Campbell County vs. Statewide County Roads.

| Thickness Categories | Campbell County | | Statewide County Roads | |
|-----------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 0 | 0% | 407 | 17% |
| 3 – 4 inches | 18 | 10% | 523 | 21% |
| 4.01 - 5.0 inches | 16 | 9% | 772 | 32% |
| 5.01 – 8 inches | 99 | 54% | 605 | 25% |
| Greater than 8 inches | 49 | 27% | 112 | 5% |
| Missing | 0 | 0% | 25 | 1% |
| Total | 182 | 100% | 2,444 | 100% |



Campbell County




Statewide County Roads




Appendix 9.3.3: Asphalt Thicknesses of Campbell County vs. Statewide County Roads.

Appendix 9.3.4: Base Thicknesses of Campbell County vs. Statewide County Roads.

| Thickness Categories | Campbell County | | Statewide County Roads | |
|------------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 32 | 18% | 110 | 5% |
| 4 – 6 inches | 65 | 36% | 708 | 29% |
| 6.01 - 8.0 inches | 54 | 29% | 726 | 30% |
| 8.01 – 10 inches | 19 | 10% | 390 | 16% |
| Greater than 10 inches | 9 | 5% | 271 | 11% |
| Missing | 3 | 2% | 241 | 10% |
| Total | 182 | 100% | 2,444 | 100% |




Campbell County



Statewide County Roads




Appendix 9.3.5: Base Thicknesses of Campbell County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|-----------------------|--------------------|
| Less than 3 inches | 3.00 - 4.00 inches |
| 4.01 - 5.00 inches | 5.01 - 8.00 inches |
| State Highways | All Roads |
| Greater than 8 inches | |

Appendix 9.3.6: Asphalt Thickness in Campbell County.




Base Thickness

- | | | |
|--------------------|---------------------|------------------------|
| Less than 4 inches | 4.00 - 6.00 inches | Greater than 10 inches |
| 6.01 - 8.00 inches | 8.01 - 10.00 inches | |
| State Highways | All Roads | |

Appendix 9.3.7: Base Thickness in Campbell County.


Appendix 9.4: Carbon County




Appendix 9.4.1: Carbon County vs. Statewide Average Pavement Thicknesses.

Appendix 9.4.2: Asphalt Thicknesses of Carbon County vs. Statewide County Roads.

| Thickness Categories | Carbon County | | Statewide County Roads | |
|-----------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 5 | 10% | 407 | 17% |
| 3 – 4 inches | 7 | 13% | 523 | 21% |
| 4.01 - 5.0 inches | 35 | 66% | 772 | 32% |
| 5.01 – 8 inches | 5 | 9% | 605 | 25% |
| Greater than 8 inches | 0 | 1% | 112 | 5% |
| Missing | 0 | 0% | 25 | 1% |
| Total | 53 | 100% | 2,444 | 100% |



Carbon County




Statewide County Roads




Appendix 9.4.3: Asphalt Thicknesses of Carbon County vs. Statewide County Roads.

Appendix 9.4.4: Base Thicknesses of Carbon County vs. Statewide County Roads.


| Thickness Categories | Carbon County | | Statewide County Roads | |
|------------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 1 | 1% | 110 | 5% |
| 4 – 6 inches | 4 | 8% | 708 | 29% |
| 6.01 - 8.0 inches | 34 | 63% | 726 | 30% |
| 8.01 – 10 inches | 10 | 19% | 390 | 16% |
| Greater than 10 inches | 0 | 1% | 271 | 11% |
| Missing | 4 | 7% | 241 | 10% |
| Total | 53 | 100% | 2,444 | 100% |




Carbon County




Statewide County Roads



Appendix 9.4.5: Base Thicknesses of Carbon County vs. Statewide County Roads.




Appendix 9.4.6: Asphalt Thickness in Carbon County.



Appendix 9.4.7: Base Thickness in Carbon County.


Appendix 9.5: Converse County




Appendix 9.5.1: Converse County vs. Statewide Average Pavement Thicknesses.

Appendix 9.5.2: Asphalt Thicknesses of Converse County vs. Statewide County Roads.

| Thickness Categories | Converse County | | Statewide County Roads | |
|-----------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 5 | 5% | 407 | 17% |
| 3 – 4 inches | 12 | 13% | 523 | 21% |
| 4.01 - 5.0 inches | 55 | 58% | 772 | 32% |
| 5.01 – 8 inches | 17 | 19% | 605 | 25% |
| Greater than 8 inches | 2 | 2% | 112 | 5% |
| Missing | 3 | 3% | 25 | 1% |
| Total | 94 | 100% | 2,444 | 100% |



Converse County




Statewide County Roads


Appendix 9.5.3: Asphalt Thicknesses of Converse County vs. Statewide County Roads.

Appendix 9.5.4: Base Thicknesses of Converse County vs. Statewide County Roads.


| Thickness Categories | Converse County | | Statewide County Roads | |
|------------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 3 | 4% | 110 | 5% |
| 4 – 6 inches | 13 | 13% | 708 | 29% |
| 6.01 - 8.0 inches | 20 | 21% | 726 | 30% |
| 8.01 – 10 inches | 30 | 32% | 390 | 16% |
| Greater than 10 inches | 21 | 22% | 271 | 11% |
| Missing | 6 | 7% | 241 | 10% |
| Total | 94 | 100% | 2,444 | 100% |




Converse County



Statewide County Roads




Appendix 9.5.5: Base Thicknesses of Converse County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|-----------------------|--------------------|
| Less than 3 inches | 3.00 - 4.00 inches |
| 4.01 - 5.00 inches | 5.01 - 8.00 inches |
| State Highways | All Roads |
| Greater than 8 inches | |

Appendix 9.5.6: Asphalt Thickness in Converse County.




Base Thickness

| | |
|--------------------|------------------------|
| Less than 4 inches | 4.00 - 6.00 inches |
| 6.01 - 8.00 inches | 8.01 - 10.00 inches |
| State Highways | Greater than 10 inches |
| | All Roads |

Appendix 9.5.7: Base Thickness in Converse County.


Appendix 9.6: Crook County




Appendix 9.6.1: Crook County vs. Statewide Average Pavement Thicknesses.

Appendix 9.6.2: Asphalt Thicknesses of Crook County vs. Statewide County Roads.

| Thickness Categories | Crook County | | Statewide County Roads | |
|-----------------------|--------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 1 | 2% | 407 | 17% |
| 3 – 4 inches | 18 | 34% | 523 | 21% |
| 4.01 - 5.0 inches | 30 | 59% | 772 | 32% |
| 5.01 – 8 inches | 1 | 2% | 605 | 25% |
| Greater than 8 inches | 2 | 3% | 112 | 5% |
| Missing | 0 | 0% | 25 | 1% |
| Total | 52 | 100% | 2,444 | 100% |



Crook County




Statewide County Roads




Appendix 9.6.3: Asphalt Thicknesses of Crook County vs. Statewide County Roads.

Appendix 9.6.4: Base Thicknesses of Crook County vs. Statewide County Roads.

| Thickness Categories | Crook County | | Statewide County Roads | |
|------------------------|--------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 0 | 0% | 110 | 5% |
| 4 – 6 inches | 21 | 40% | 708 | 29% |
| 6.01 - 8.0 inches | 27 | 53% | 726 | 30% |
| 8.01 – 10 inches | 2 | 5% | 390 | 16% |
| Greater than 10 inches | 1 | 2% | 271 | 11% |
| Missing | 0 | 0% | 241 | 10% |
| Total | 52 | 100% | 2,444 | 100% |




Crook County



Statewide County Roads




Appendix 9.6.5: Base Thicknesses of Crook County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|-------------------------|--------------------|
| Less than 3 inches | 3.00 - 4.00 inches |
| 4.01 - 5.00 inches | 5.01 - 8.00 inches |
| State Highways | All Roads |
| — Greater than 8 inches | |

Appendix 9.6.6: Asphalt Thickness in Crook County.




Base Thickness

- | | |
|----------------------|-----------------------|
| — Less than 4 inches | — 4.00 - 6.00 inches |
| — 6.01 - 8.00 inches | — 8.01 - 10.00 inches |
| — State Highways | — All Roads |

Appendix 9.6.7: Base Thickness in Crook County.


Appendix 9.7: Fremont County




Appendix 9.7.1: Fremont County vs. Statewide Average Pavement Thicknesses.

Appendix 9.7.2: Asphalt Thicknesses of Fremont County vs. Statewide County Roads.

| | Fremont County | | Statewide County Roads | |
|-----------------------|----------------|-------------|------------------------|-------------|
| Thickness Categories | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 8 | 4% | 407 | 17% |
| 3 – 4 inches | 43 | 19% | 523 | 21% |
| 4.01 - 5.0 inches | 105 | 47% | 772 | 32% |
| 5.01 – 8 inches | 52 | 23% | 605 | 25% |
| Greater than 8 inches | 10 | 4% | 112 | 5% |
| Missing | 5 | 2% | 25 | 1% |
| Total | 222 | 100% | 2,444 | 100% |



Fremont County




Statewide County Roads




Appendix 9.7.3: Asphalt Thicknesses of Fremont County vs. Statewide County Roads.

Appendix 9.7.4: Base Thicknesses of Fremont County vs. Statewide County Roads.


| Thickness Categories | Fremont County | | Statewide County Roads | |
|------------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 7 | 3% | 110 | 5% |
| 4 – 6 inches | 79 | 36% | 708 | 29% |
| 6.01 - 8.0 inches | 16 | 7% | 726 | 30% |
| 8.01 – 10 inches | 20 | 9% | 390 | 16% |
| Greater than 10 inches | 47 | 21% | 271 | 11% |
| Missing | 53 | 24% | 241 | 10% |
| Total | 222 | 100% | 2,444 | 100% |




Fremont County



Statewide County Roads




Appendix 9.7.5: Base Thicknesses of Fremont County vs. Statewide County Roads.



Asphalt Thickness


- | | |
|-------------------------|----------------------|
| — Less than 3 inches | — 3.00 - 4.00 inches |
| — 4.01 - 5.00 inches | — 5.01 - 8.00 inches |
| — State Highways | — All Roads |
| — Greater than 8 inches | |

Appendix 9.7.6: Asphalt Thickness in Fremont County.



Appendix 9.7.7: Base Thickness in Fremont County.


Appendix 9.8: Goshen County




Appendix 9.8.1: Goshen County vs. Statewide Average Pavement Thicknesses.

Appendix 9.8.2: Asphalt Thicknesses of Goshen County vs. Statewide County Roads.

| Thickness Categories | Goshen County | | Statewide County Roads | |
|-----------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 14 | 11% | 407 | 17% |
| 3 – 4 inches | 52 | 42% | 523 | 21% |
| 4.01 - 5.0 inches | 38 | 30% | 772 | 32% |
| 5.01 – 8 inches | 15 | 12% | 605 | 25% |
| Greater than 8 inches | 5 | 4% | 112 | 5% |
| Missing | 0 | 0% | 25 | 1% |
| Total | 125 | 100% | 2,444 | 100% |



Goshen County




Statewide County Roads




Appendix 9.8.3: Asphalt Thicknesses of Goshen County vs. Statewide County Roads.

Appendix 9.8.4: Base Thicknesses of Goshen County vs. Statewide County Roads.

| Thickness Categories | Goshen County | | Statewide County Roads | |
|------------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 1 | 1% | 110 | 5% |
| 4 – 6 inches | 32 | 26% | 708 | 29% |
| 6.01 - 8.0 inches | 42 | 34% | 726 | 30% |
| 8.01 – 10 inches | 16 | 13% | 390 | 16% |
| Greater than 10 inches | 5 | 4% | 271 | 11% |
| Missing | 28 | 23% | 241 | 10% |
| Total | 125 | 100% | 2,444 | 100% |




Goshen County



Statewide County Roads

Appendix 9.8.5: Base Thicknesses of Goshen County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|----------------------|----------------------|
| — Less than 3 inches | — 3.00 - 4.00 inches |
| — 4.01 - 5.00 inches | — 5.01 - 8.00 inches |
| — State Highways | — All Roads |

0 0.75 1.5 3 4.5 6 Miles

N



Appendix 9.8.6: Asphalt Thickness in Goshen County.




Base Thickness

| | |
|--------------------|------------------------|
| Less than 4 inches | 4.00 - 6.00 inches |
| 6.01 - 8.00 inches | 8.01 - 10.00 inches |
| State Highways | All Roads |
| | Greater than 10 inches |

Appendix 9.8.7: Base Thickness in Goshen County.


Appendix 9.9: Hot Springs County



Appendix 9.9.1: Hot Springs County vs. Statewide Average Pavement Thicknesses.

| | Hot Springs County | | Statewide County Roads | |
|-----------------------|--------------------|-------------|------------------------|-------------|
| Thickness Categories | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 4 | 5% | 407 | 17% |
| 3 – 4 inches | 18 | 24% | 523 | 21% |
| 4.01 - 5.0 inches | 32 | 42% | 772 | 32% |
| 5.01 – 8 inches | 22 | 28% | 605 | 25% |
| Greater than 8 inches | 0 | 0% | 112 | 5% |
| Missing | 1 | 1% | 25 | 1% |
| Total | 77 | 100% | 2,444 | 100% |


Appendix 9.9.2: Asphalt Thicknesses of Hot Springs County vs. Statewide County Roads.




Appendix 9.9.3: Asphalt Thicknesses of Hot Springs County vs. Statewide County Roads.

Appendix 9.9.4: Base Thicknesses of Hot Springs County vs. Statewide County Roads.

| Thickness Categories | Hot Springs County | | Statewide County Roads | |
|------------------------|--------------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 1 | 1% | 110 | 5% |
| 4 – 6 inches | 30 | 39% | 708 | 29% |
| 6.01 - 8.0 inches | 24 | 31% | 726 | 30% |
| 8.01 – 10 inches | 5 | 7% | 390 | 16% |
| Greater than 10 inches | 1 | 2% | 271 | 11% |
| Missing | 16 | 20% | 241 | 10% |
| Total | 77 | 100% | 2,444 | 100% |




Hot Springs County



Statewide County Roads




Appendix 9.9.5: Base Thicknesses of Hot Springs County vs. Statewide County Roads.



Asphalt Thickness

- | | | |
|--------------------|--------------------|-----------------------|
| Less than 3 inches | 3.00 - 4.00 inches | Greater than 8 inches |
| 4.01 - 5.00 inches | 5.01 - 8.00 inches | |
| State Highways | All Roads | |

Appendix 9.9.6: Asphalt Thickness in Hot Springs County.




Base Thickness

- | | |
|------------------------|---------------------|
| Less than 4 inches | 4.00 - 6.00 inches |
| 6.01 - 8.00 inches | 8.01 - 10.00 inches |
| State Highways | All Roads |
| Greater than 10 inches | |

Appendix 9.9.7: Base Thickness in Hot Springs County.


Appendix 9.10: Johnson County




Appendix 9.10.1: Johnson County vs. Statewide Average Pavement Thicknesses.

Appendix 9.10.2: Asphalt Thicknesses of Johnson County vs. Statewide County Roads.

| | Johnson County | | Statewide County Roads | |
|-----------------------|----------------|-------------|------------------------|-------------|
| Thickness Categories | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 31 | 30% | 407 | 17% |
| 3 – 4 inches | 17 | 16% | 523 | 21% |
| 4.01 - 5.0 inches | 46 | 43% | 772 | 32% |
| 5.01 – 8 inches | 11 | 10% | 605 | 25% |
| Greater than 8 inches | 1 | 1% | 112 | 5% |
| Missing | 0 | 0% | 25 | 1% |
| Total | 105 | 100% | 2,444 | 100% |



Johnson County




Statewide County Roads


Appendix 9.10.3: Asphalt Thicknesses of Johnson County vs. Statewide County Roads.

Appendix 9.10.4: Base Thicknesses of Johnson County vs. Statewide County Roads.


| Thickness Categories | Johnson County | | Statewide County Roads | |
|------------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 3 | 3% | 110 | 5% |
| 4 – 6 inches | 43 | 41% | 708 | 29% |
| 6.01 - 8.0 inches | 27 | 26% | 726 | 30% |
| 8.01 – 10 inches | 18 | 17% | 390 | 16% |
| Greater than 10 inches | 12 | 12% | 271 | 11% |
| Missing | 2 | 2% | 241 | 10% |
| Total | 105 | 100% | 2,444 | 100% |




Johnson County



Statewide County Roads




Appendix 9.10.5: Base Thicknesses of Johnson County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|--------------------|-----------------------|
| Less than 3 inches | 3.00 - 4.00 inches |
| 4.01 - 5.00 inches | 5.01 - 8.00 inches |
| State Highways | Greater than 8 inches |
| All Roads | |

Appendix 9.10.6: Asphalt Thickness in Johnson County.




Base Thickness

- | | |
|------------------------|---------------------|
| Less than 4 inches | 4.00 - 6.00 inches |
| 6.01 - 8.00 inches | 8.01 - 10.00 inches |
| State Highways | All Roads |
| Greater than 10 inches | |

Appendix 9.10.7: Base Thickness in Johnson County.


Appendix 9.11: Laramie County




Appendix 9.11.1: Laramie County vs. Statewide Average Pavement Thicknesses.

Appendix 9.11.2: Asphalt Thicknesses of Laramie County vs. Statewide County Roads.

| Thickness Categories | Laramie County | | Statewide County Roads | |
|-----------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 58 | 25% | 407 | 17% |
| 3 – 4 inches | 49 | 21% | 523 | 21% |
| 4.01 - 5.0 inches | 60 | 26% | 772 | 32% |
| 5.01 – 8 inches | 56 | 24% | 605 | 25% |
| Greater than 8 inches | 6 | 3% | 112 | 5% |
| Missing | 3 | 1% | 25 | 1% |
| Total | 231 | 100% | 2,444 | 100% |



Laramie County




Statewide County Roads




Appendix 9.11.3: Asphalt Thicknesses of Laramie County vs. Statewide County Roads.

Appendix 9.11.4: Base Thicknesses of Laramie County vs. Statewide County Roads.

| Thickness Categories | Laramie County | | Statewide County Roads | |
|------------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 14 | 6% | 110 | 5% |
| 4 – 6 inches | 67 | 29% | 708 | 29% |
| 6.01 - 8.0 inches | 72 | 31% | 726 | 30% |
| 8.01 – 10 inches | 40 | 17% | 390 | 16% |
| Greater than 10 inches | 18 | 8% | 271 | 11% |
| Missing | 21 | 9% | 241 | 10% |
| Total | 231 | 100% | 2,444 | 100% |




Laramie County



Statewide County Roads




Appendix 9.11.5: Base Thicknesses of Laramie County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|-----------------------|--------------------|
| Less than 3 inches | 3.00 - 4.00 inches |
| 4.01 - 5.00 inches | 5.01 - 8.00 inches |
| State Highways | All Roads |
| Greater than 8 inches | |

Appendix 9.11.6: Asphalt Thickness in Laramie County.




Base Thickness

- | | |
|----------------------|-----------------------|
| — Less than 4 inches | — 4.00 - 6.00 inches |
| — 6.01 - 8.00 inches | — 8.01 - 10.00 inches |
| — State Highways | — All Roads |

Appendix 9.11.7: Base Thickness in Laramie County.


Appendix 9.12: Lincoln County




Appendix 9.12.1: Lincoln County vs. Statewide Average Pavement Thicknesses.

Appendix 9.12.2: Asphalt Thicknesses of Lincoln County vs. Statewide County Roads.

| | Lincoln County | | Statewide County Roads | |
|-----------------------|----------------|-------------|------------------------|-------------|
| Thickness Categories | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 52 | 29% | 407 | 17% |
| 3 – 4 inches | 40 | 23% | 523 | 21% |
| 4.01 - 5.0 inches | 58 | 32% | 772 | 32% |
| 5.01 – 8 inches | 19 | 11% | 605 | 25% |
| Greater than 8 inches | 9 | 5% | 112 | 5% |
| Missing | 0 | 0% | 25 | 1% |
| Total | 179 | 100% | 2,444 | 100% |



Lincoln County




Statewide County Roads




Appendix 9.12.3: Asphalt Thicknesses of Lincoln County vs. Statewide County Roads.

Appendix 9.12.4: Base Thicknesses of Lincoln County vs. Statewide County Roads.

| Thickness Categories | Lincoln County | | Statewide County Roads | |
|------------------------|----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 10 | 6% | 110 | 5% |
| 4 – 6 inches | 38 | 21% | 708 | 29% |
| 6.01 - 8.0 inches | 51 | 28% | 726 | 30% |
| 8.01 – 10 inches | 53 | 30% | 390 | 16% |
| Greater than 10 inches | 25 | 14% | 271 | 11% |
| Missing | 2 | 1% | 241 | 10% |
| Total | 179 | 100% | 2,444 | 100% |




Lincoln County



Statewide County Roads




Appendix 9.12.5: Base Thicknesses of Lincoln County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|-------------------------|----------------------|
| — Less than 3 inches | — 3.00 - 4.00 inches |
| — 4.01 - 5.00 inches | — 5.01 - 8.00 inches |
| — State Highways | — All Roads |
| — Greater than 8 inches | |

Appendix 9.12.6: Asphalt Thickness in Lincoln County.




Base Thickness

- | | |
|--------------------------|-----------------------|
| — Less than 4 inches | — 4.00 - 6.00 inches |
| — 6.01 - 8.00 inches | — 8.01 - 10.00 inches |
| — State Highways | — All Roads |
| — Greater than 10 inches | |

Appendix 9.12.7: Base Thickness in Lincoln County.


Appendix 9.13: Natrona County




Appendix 9.13.1: Natrona County vs. Statewide Average Pavement Thicknesses.

Appendix 9.13.2: Asphalt Thicknesses of Natrona County vs. Statewide County Roads.

| | Natrona County | | Statewide County Roads | |
|-----------------------|----------------|-------------|------------------------|-------------|
| Thickness Categories | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 25 | 17% | 407 | 17% |
| 3 – 4 inches | 15 | 11% | 523 | 21% |
| 4.01 - 5.0 inches | 36 | 26% | 772 | 32% |
| 5.01 – 8 inches | 58 | 41% | 605 | 25% |
| Greater than 8 inches | 7 | 5% | 112 | 5% |
| Missing | 0 | 0% | 25 | 1% |
| Total | 140 | 100% | 2,444 | 100% |



Natrona County




Statewide County Roads


Appendix 9.13.3: Asphalt Thicknesses of Natrona County vs. Statewide County Roads.

Appendix 9.13.4: Base Thicknesses of Natrona County vs. Statewide County Roads.


| | Natrona County | | Statewide County Roads | |
|------------------------|----------------|-------------|------------------------|-------------|
| Thickness Categories | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 7 | 5% | 110 | 5% |
| 4 – 6 inches | 28 | 20% | 708 | 29% |
| 6.01 - 8.0 inches | 44 | 31% | 726 | 30% |
| 8.01 – 10 inches | 33 | 23% | 390 | 16% |
| Greater than 10 inches | 13 | 9% | 271 | 11% |
| Missing | 16 | 12% | 241 | 10% |
| Total | 140 | 100% | 2,444 | 100% |




Natrona County



Statewide County Roads



Appendix 9.13.5: Base Thicknesses of Natrona County vs. Statewide County Roads.



Asphalt Thickness

- | | | |
|----------------------|----------------------|-------------------------|
| — Less than 3 inches | — 3.00 - 4.00 inches | |
| — 4.01 - 5.00 inches | — 5.01 - 8.00 inches | — Greater than 8 inches |
| — State Highways | — All Roads | |

Appendix 9.13.6: Asphalt Thickness in Natrona County.




Base Thickness

- | | |
|----------------------|-----------------------|
| — Less than 4 inches | — 4.00 - 6.00 inches |
| — 6.01 - 8.00 inches | — 8.01 - 10.00 inches |
| — State Highways | — All Roads |

Appendix 9.13.7: Base Thickness in Natrona County.


Appendix 9.14: Niobrara County




Appendix 9.14.1: Niobrara County vs. Statewide Average Pavement Thicknesses.

Appendix 9.14.2: Asphalt Thicknesses of Niobrara County vs. Statewide County Roads.

| Thickness Categories | Niobrara County | | Statewide County Roads | |
|-----------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 1.9 | 59% | 407 | 17% |
| 3 – 4 inches | 1.2 | 36% | 523 | 21% |
| 4.01 - 5.0 inches | 0.2 | 5% | 772 | 32% |
| 5.01 – 8 inches | 0 | 0% | 605 | 25% |
| Greater than 8 inches | 0 | 0% | 112 | 5% |
| Missing | 0 | 0% | 25 | 1% |
| Total | 3.3 | 100% | 2,444 | 100% |



Niobrara County




Statewide County Roads


Appendix 9.14.3: Asphalt Thicknesses of Niobrara County vs. Statewide County Roads.

Appendix 9.14.4: Base Thicknesses of Niobrara County vs. Statewide County Roads.

| Thickness Categories | Niobrara County | | Statewide County Roads | |
|------------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 0 | 0% | 110 | 5% |
| 4 – 6 inches | 0 | 0% | 708 | 29% |
| 6.01 - 8.0 inches | 3.3 | 100% | 726 | 30% |
| 8.01 – 10 inches | 0 | 0% | 390 | 16% |
| Greater than 10 inches | 0 | 0% | 271 | 11% |
| Missing | 0 | 0% | 241 | 10% |
| Total | 3.3 | 100% | 2,444 | 100% |




Niobrara County



Statewide County Roads



Appendix 9.14.5: Base Thicknesses of Niobrara County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|----------------------|----------------------|
| — Less than 3 inches | — 3.00 - 4.00 inches |
| — 4.01 - 5.00 inches | — 5.01 - 8.00 inches |
| — State Highways | — All Roads |

Appendix 9.14.6: Asphalt Thickness in Niobrara County.




Base Thickness

- | | |
|--------------------|---------------------|
| Less than 4 inches | 4.00 - 6.00 inches |
| 6.01 - 8.00 inches | 8.01 - 10.00 inches |
| State Highways | All Roads |

Appendix 9.14.7: Base Thickness in Niobrara County.


Appendix 9.15: Park County




Appendix 9.15.1: Park County vs. Statewide Average Pavement Thicknesses.

Appendix 9.15.2: Asphalt Thicknesses of Park County vs. Statewide County Roads.

| Thickness Categories | Park County | | Statewide County Roads | |
|-----------------------|-------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 26 | 10% | 407 | 17% |
| 3 – 4 inches | 60 | 22% | 523 | 21% |
| 4.01 - 5.0 inches | 101 | 38% | 772 | 32% |
| 5.01 – 8 inches | 73 | 28% | 605 | 25% |
| Greater than 8 inches | 1 | 0% | 112 | 5% |
| Missing | 4 | 2% | 25 | 1% |
| Total | 265 | 100% | 2,444 | 100% |



Park County




Statewide County Roads




Appendix 9.15.3: Asphalt Thicknesses of Park County vs. Statewide County Roads.

Appendix 9.15.4: Base Thicknesses of Park County vs. Statewide County Roads.

| Thickness Categories | Park County | | Statewide County Roads | |
|------------------------|-------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 15 | 6% | 110 | 5% |
| 4 – 6 inches | 78 | 29% | 708 | 29% |
| 6.01 - 8.0 inches | 68 | 26% | 726 | 30% |
| 8.01 – 10 inches | 44 | 16% | 390 | 16% |
| Greater than 10 inches | 27 | 10% | 271 | 11% |
| Missing | 33 | 12% | 241 | 10% |
| Total | 265 | 100% | 2,444 | 100% |




Park County



Statewide County Roads


Appendix 9.15.5: Base Thicknesses of Park County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|-----------------------|--------------------|
| Less than 3 inches | 3.00 - 4.00 inches |
| 4.01 - 5.00 inches | 5.01 - 8.00 inches |
| State Highways | All Roads |
| Greater than 8 inches | |

Appendix 9.15.6: Asphalt Thickness in Park County.




Base Thickness

- | | |
|----------------------|-----------------------|
| — Less than 4 inches | — 4.00 - 6.00 inches |
| — 6.01 - 8.00 inches | — 8.01 - 10.00 inches |
| — State Highways | — All Roads |

Appendix 9.15.7: Base Thickness in Park County.


Appendix 9.16: Platte County




Appendix 9.16.1: Platte County vs. Statewide Average Pavement Thicknesses.

Appendix 9.16.2: Asphalt Thicknesses of Platte County vs. Statewide County Roads.

| Thickness Categories | Platte County | | Statewide County Roads | |
|-----------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 41 | 26% | 407 | 17% |
| 3 – 4 inches | 72 | 45% | 523 | 21% |
| 4.01 - 5.0 inches | 18 | 12% | 772 | 32% |
| 5.01 – 8 inches | 21 | 13% | 605 | 25% |
| Greater than 8 inches | 6 | 4% | 112 | 5% |
| Missing | 1 | 1% | 25 | 1% |
| Total | 159 | 100% | 2,444 | 100% |



Platte County




Statewide County Roads


Appendix 9.16.3: Asphalt Thicknesses of Platte County vs. Statewide County Roads.

Appendix 9.16.4: Base Thicknesses of Platte County vs. Statewide County Roads.


| Thickness Categories | Platte County | | Statewide County Roads | |
|------------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 9 | 5% | 110 | 5% |
| 4 – 6 inches | 87 | 54% | 708 | 29% |
| 6.01 - 8.0 inches | 42 | 27% | 726 | 30% |
| 8.01 – 10 inches | 12 | 7% | 390 | 16% |
| Greater than 10 inches | 6 | 4% | 271 | 11% |
| Missing | 4 | 2% | 241 | 10% |
| Total | 159 | 100% | 2,444 | 100% |




Platte County



Statewide County Roads




Appendix 9.16.5: Base Thicknesses of Platte County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|--------------------|-----------------------|
| Less than 3 inches | 3.00 - 4.00 inches |
| 4.01 - 5.00 inches | 5.01 - 8.00 inches |
| State Highways | Greater than 8 inches |
| | All Roads |

Appendix 9.16.6: Asphalt Thickness in Platte County.




Base Thickness

- | | |
|------------------------|---------------------|
| Less than 4 inches | 4.00 - 6.00 inches |
| 6.01 - 8.00 inches | 8.01 - 10.00 inches |
| State Highways | All Roads |
| Greater than 10 inches | |

Appendix 9.16.7: Base Thickness in Platte County.


Appendix 9.17: Sheridan County




Appendix 9.17.1: Sheridan County vs. Statewide Average Pavement Thicknesses.

Appendix 9.17.2: Asphalt Thicknesses of Sheridan County vs. Statewide County Roads.


| | Sheridan County | | Statewide County Roads | |
|-----------------------|-----------------|-------------|------------------------|-------------|
| Thickness Categories | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 3 | 13% | 407 | 17% |
| 3 – 4 inches | 7 | 29% | 523 | 21% |
| 4.01 - 5.0 inches | 9 | 38% | 772 | 32% |
| 5.01 – 8 inches | 5 | 19% | 605 | 25% |
| Greater than 8 inches | 0 | 0% | 112 | 5% |
| Missing | 0 | 1% | 25 | 1% |
| Total | 25 | 100% | 2,444 | 100% |



Sheridan County




Statewide County Roads




Appendix 9.17.3: Asphalt Thicknesses of Sheridan County vs. Statewide County Roads.

Appendix 9.17.4: Base Thicknesses of Sheridan County vs. Statewide County Roads.

| Thickness Categories | Sheridan County | | Statewide County Roads | |
|------------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 1 | 3% | 110 | 5% |
| 4 - 6 inches | 6 | 26% | 708 | 29% |
| 6.01 - 8.0 inches | 6 | 24% | 726 | 30% |
| 8.01 – 10 inches | 5 | 19% | 390 | 16% |
| Greater than 10 inches | 5 | 20% | 271 | 11% |
| Missing | 2 | 8% | 241 | 10% |
| Total | 25 | 100% | 2,444 | 100% |




Sheridan County



Statewide County Roads


Appendix 9.17.5: Base Thicknesses of Sheridan County vs. Statewide County Roads.



Asphalt Thickness


- | | |
|-----------------------|--------------------|
| Less than 3 inches | 3.00 - 4.00 inches |
| 4.01 - 5.00 inches | 5.01 - 8.00 inches |
| State Highways | All Roads |
| Greater than 8 inches | |

Appendix 9.17.6: Asphalt Thickness in Sheridan County.



Appendix 9.17.7: Base Thickness in Sheridan County.


Appendix 9.18: Sublette County



Appendix 9.18.1: Sublette County vs. Statewide Average Pavement Thicknesses.

Appendix 9.18.2: Asphalt Thicknesses of Sublette County vs. Statewide County Roads.


| Thickness Categories | Sublette County | | Statewide County Roads | |
|-----------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 6 | 8% | 407 | 17% |
| 3 – 4 inches | 6 | 8% | 523 | 21% |
| 4.01 - 5.0 inches | 40 | 56% | 772 | 32% |
| 5.01 – 8 inches | 19 | 26% | 605 | 25% |
| Greater than 8 inches | 1 | 1% | 112 | 5% |
| Missing | 1 | 1% | 25 | 1% |
| Total | 72 | 100% | 2,444 | 100% |




Appendix 9.18.3: Asphalt Thicknesses of Sublette County vs. Statewide County Roads.

Appendix 9.18.4: Base Thicknesses of Sublette County vs. Statewide County Roads.


| Thickness Categories | Sublette County | | Statewide County Roads | |
|------------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 1 | 1% | 110 | 5% |
| 4 – 6 inches | 13 | 18% | 708 | 29% |
| 6.01 - 8.0 inches | 36 | 50% | 726 | 30% |
| 8.01 – 10 inches | 18 | 25% | 390 | 16% |
| Greater than 10 inches | 0 | 0% | 271 | 11% |
| Missing | 4 | 5% | 241 | 10% |
| Total | 72 | 100% | 2,444 | 100% |




Sublette County



Statewide County Roads



Appendix 9.18.5: Base Thicknesses of Sublette County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|----------------------|----------------------|
| — Less than 3 inches | — 3.00 - 4.00 inches |
| — 4.01 - 5.00 inches | — 5.01 - 8.00 inches |
| — State Highways | — All Roads |

0 1.75 3.5 7 10.5 14 Miles



Appendix 9.18.6: Asphalt Thickness in Sublette County.




Base Thickness

- | | |
|--------------------------|-----------------------|
| — Less than 4 inches | — 4.00 - 6.00 inches |
| — 6.01 - 8.00 inches | — 8.01 - 10.00 inches |
| — State Highways | — All Roads |
| — Greater than 10 inches | |

Appendix 9.18.7: Base Thickness in Sublette County.


Appendix 9.19: Sweetwater County




Appendix 9.19.1: Sweetwater County vs. Statewide Average Pavement Thicknesses.

Appendix 9.19.2: Asphalt Thicknesses of Sweetwater County vs. Statewide County Roads.

| Thickness Categories | Sweetwater County | | Statewide County Roads | |
|-----------------------|-------------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 66 | 43% | 407 | 17% |
| 3 – 4 inches | 14 | 9% | 523 | 21% |
| 4.01 - 5.0 inches | 24 | 15% | 772 | 32% |
| 5.01 – 8 inches | 41 | 27% | 605 | 25% |
| Greater than 8 inches | 3 | 2% | 112 | 5% |
| Missing | 6 | 4% | 25 | 1% |
| Total | 154 | 100% | 2,444 | 100% |



Sweetwater County




Statewide County Roads




Appendix 9.19.3: Asphalt Thicknesses of Sweetwater County vs. Statewide County Roads.

Appendix 9.19.4: Base Thicknesses of Sweetwater County vs. Statewide County Roads.

| Thickness Categories | Sweetwater County | | Statewide County Roads | |
|------------------------|-------------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 1 | 1% | 110 | 5% |
| 4 – 6 inches | 13 | 8% | 708 | 29% |
| 6.01 - 8.0 inches | 53 | 34% | 726 | 30% |
| 8.01 – 10 inches | 43 | 28% | 390 | 16% |
| Greater than 10 inches | 32 | 21% | 271 | 11% |
| Missing | 12 | 8% | 241 | 10% |
| Total | 154 | 100% | 2,444 | 100% |




Sweetwater County



Statewide County Roads


Appendix 9.19.5: Base Thicknesses of Sweetwater County vs. Statewide County Roads.



Asphalt Thickness

- | | | |
|----------------------|----------------------|-------------------------|
| — Less than 3 inches | — 3.00 - 4.00 inches | |
| — 4.01 - 5.00 inches | — 5.01 - 8.00 inches | — Greater than 8 inches |
| — State Highways | — All Roads | |

Appendix 9.19.6: Asphalt Thickness in Sweetwater County.




Base Thickness

- | | |
|------------------------|---------------------|
| Less than 4 inches | 4.00 - 6.00 inches |
| 6.01 - 8.00 inches | 8.01 - 10.00 inches |
| State Highways | All Roads |
| Greater than 10 inches | |

Appendix 9.19.7: Base Thickness in Sweetwater County.


Appendix 9.20: Teton County




Appendix 9.20.1: Teton County vs. Statewide Average Pavement Thicknesses.

Appendix 9.20.2: Asphalt Thicknesses of Teton County vs. Statewide County Roads.

| Thickness Categories | Teton County | | Statewide County Roads | |
|-----------------------|--------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 7 | 10% | 407 | 17% |
| 3 – 4 inches | 23 | 35% | 523 | 21% |
| 4.01 - 5.0 inches | 9 | 13% | 772 | 32% |
| 5.01 – 8 inches | 27 | 41% | 605 | 25% |
| Greater than 8 inches | 0 | 1% | 112 | 5% |
| Missing | 0 | 0% | 25 | 1% |
| Total | 66 | 100% | 2,444 | 100% |



Teton County




Statewide County Roads




Appendix 9.20.3: Asphalt Thicknesses of Teton County vs. Statewide County Roads.

Appendix 9.20.4: Base Thicknesses of Teton County vs. Statewide County Roads.

| Thickness Categories | Teton County | | Statewide County Roads | |
|------------------------|--------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 3 | 5% | 110 | 5% |
| 4 – 6 inches | 12 | 18% | 708 | 29% |
| 6.01 - 8.0 inches | 26 | 40% | 726 | 30% |
| 8.01 – 10 inches | 12 | 18% | 390 | 16% |
| Greater than 10 inches | 9 | 14% | 271 | 11% |
| Missing | 3 | 4% | 241 | 10% |
| Total | 66 | 100% | 2,444 | 100% |




Appendix 9.20.5: Base Thicknesses of Teton County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|----------------------|----------------------|
| — Less than 3 inches | — 3.00 - 4.00 inches |
| — 4.01 - 5.00 inches | — 5.01 - 8.00 inches |
| — State Highways | — All Roads |

Appendix 9.20.6: Asphalt Thickness in Teton County.




Base Thickness

- | | |
|--------------------------|-----------------------|
| — Less than 4 inches | — 4.00 - 6.00 inches |
| — 6.01 - 8.00 inches | — 8.01 - 10.00 inches |
| — State Highways | — All Roads |
| — Greater than 10 inches | |

Appendix 9.20.7: Base Thickness in Teton County.


Appendix 9.21: Uinta County




Appendix 9.21.1: Uinta County vs. Statewide Average Pavement Thicknesses.

Appendix 9.21.2: Asphalt Thicknesses of Uinta County vs. Statewide County Roads.


| Thickness Categories | Uinta County | | Statewide County Roads | |
|-----------------------|--------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 1 | 3% | 407 | 17% |
| 3 – 4 inches | 4 | 9% | 523 | 21% |
| 4.01 - 5.0 inches | 8 | 19% | 772 | 32% |
| 5.01 – 8 inches | 20 | 48% | 605 | 25% |
| Greater than 8 inches | 8 | 20% | 112 | 5% |
| Missing | 0 | 0% | 25 | 1% |
| Total | 42 | 100% | 2,444 | 100% |



Uinta County




Statewide County Roads




Appendix 9.21.3: Asphalt Thicknesses of Uinta County vs. Statewide County Roads.

Appendix 9.21.4: Base Thicknesses of Uinta County vs. Statewide County Roads.

| Thickness Categories | Uinta County | | Statewide County Roads | |
|------------------------|--------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 2 | 5% | 110 | 5% |
| 4 – 6 inches | 12 | 28% | 708 | 29% |
| 6.01 - 8.0 inches | 9 | 21% | 726 | 30% |
| 8.01 – 10 inches | 2 | 6% | 390 | 16% |
| Greater than 10 inches | 8 | 19% | 271 | 11% |
| Missing | 9 | 22% | 241 | 10% |
| Total | 42 | 100% | 2,444 | 100% |




Uinta County



Statewide County Roads


Appendix 9.21.5: Base Thicknesses of Uinta County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|-------------------------|----------------------|
| — Less than 3 inches | — 3.00 - 4.00 inches |
| — 4.01 - 5.00 inches | — 5.01 - 8.00 inches |
| — State Highways | — All Roads |
| — Greater than 8 inches | |

Appendix 9.21.6: Asphalt Thickness in Uinta County.




Base Thickness

- | | |
|--------------------------|-----------------------|
| — Less than 4 inches | — 4.00 - 6.00 inches |
| — 6.01 - 8.00 inches | — 8.01 - 10.00 inches |
| — State Highways | — All Roads |
| — Greater than 10 inches | |

Appendix 9.21.7: Base Thickness in Uinta County.


Appendix 9.22: Washakie County




Appendix 9.22.1: Washakie County vs. Statewide Average Pavement Thicknesses.

Appendix 9.22.2: Asphalt Thicknesses of Washakie County vs. Statewide County Roads.

| | Washakie County | | Statewide County Roads | |
|-----------------------|-----------------|-------------|------------------------|-------------|
| Thickness Categories | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 12 | 26% | 407 | 17% |
| 3 – 4 inches | 7 | 15% | 523 | 21% |
| 4.01 - 5.0 inches | 13 | 30% | 772 | 32% |
| 5.01 – 8 inches | 12 | 27% | 605 | 25% |
| Greater than 8 inches | 1 | 1% | 112 | 5% |
| Missing | 0 | 1% | 25 | 1% |
| Total | 44 | 100% | 2,444 | 100% |



Washakie County




Statewide County Roads


Appendix 9.22.3: Asphalt Thicknesses of Washakie County vs. Statewide County Roads.

Appendix 9.22.4: Base Thicknesses of Washakie County vs. Statewide County Roads.

| Thickness Categories | Washakie County | | Statewide County Roads | |
|------------------------|-----------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 0 | 1% | 110 | 5% |
| 4 – 6 inches | 8 | 19% | 708 | 29% |
| 6.01 - 8.0 inches | 16 | 35% | 726 | 30% |
| 8.01 – 10 inches | 4 | 9% | 390 | 16% |
| Greater than 10 inches | 15 | 35% | 271 | 11% |
| Missing | 0 | 1% | 241 | 10% |
| Total | 44 | 100% | 2,444 | 100% |




Appendix 9.22.5: Base Thicknesses of Washakie County vs. Statewide County Roads.



Asphalt Thickness

- | | |
|-------------------------|----------------------|
| — Less than 3 inches | — 3.00 - 4.00 inches |
| — 4.01 - 5.00 inches | — 5.01 - 8.00 inches |
| — State Highways | — All Roads |
| — Greater than 8 inches | |

Appendix 9.22.6: Asphalt Thickness in Washakie County.




Base Thickness

- | | |
|----------------------|--------------------------|
| — Less than 4 inches | — 4.00 - 6.00 inches |
| — 6.01 - 8.00 inches | — 8.01 - 10.00 inches |
| — State Highways | — Greater than 10 inches |
| — All Roads | |

Appendix 9.22.7: Base Thickness in Washakie County.


Appendix 9.23: Weston County



Appendix 9.23.1: Weston County vs. Statewide Average Pavement Thicknesses.

Appendix 9.23.2: Asphalt Thicknesses of Weston County vs. Statewide County Roads.


| Thickness Categories | Weston County | | Statewide County Roads | |
|-----------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 3 inches | 0 | 0% | 407 | 17% |
| 3 – 4 inches | 0 | 0% | 523 | 21% |
| 4.01 - 5.0 inches | 1.8 | 39% | 772 | 32% |
| 5.01 – 8 inches | 2.9 | 61% | 605 | 25% |
| Greater than 8 inches | 0 | 0% | 112 | 5% |
| Missing | 0 | 0% | 25 | 1% |
| Total | 4.7 | 100% | 2,444 | 100% |




Appendix 9.23.3: Asphalt Thicknesses of Weston County vs. Statewide County Roads.

Appendix 9.23.4: Base Thicknesses of Weston County vs. Statewide County Roads.


| Thickness Categories | Weston County | | Statewide County Roads | |
|------------------------|---------------|-------------|------------------------|-------------|
| | Mileage | Percentage | Mileage | Percentage |
| Less than 4 inches | 0.5 | 10% | 110 | 5% |
| 4 – 6 inches | 2.5 | 54% | 708 | 29% |
| 6.01 - 8.0 inches | 1.6 | 33% | 726 | 30% |
| 8.01 – 10 inches | 0 | 0% | 390 | 16% |
| Greater than 10 inches | 0 | 0% | 271 | 11% |
| Missing | 0.2 | 3% | 241 | 10% |
| Total | 4.7 | 100% | 2,444 | 100% |




Weston County



Statewide County Roads




Appendix 9.23.5: Base Thicknesses of Weston County vs. Statewide County Roads.



Asphalt Thickness

| | |
|--------------------|-----------------------|
| Less than 3 inches | 3.00 - 4.00 inches |
| 4.01 - 5.00 inches | 5.01 - 8.00 inches |
| State Highways | Greater than 8 inches |
| All Roads | |

Appendix 9.23.6: Asphalt Thickness in Weston County.




Appendix 9.23.7: Base Thickness in Weston County.

APPENDIX 10: TRAFFIC COUNTS ON SELECTED ROADS

Appendix 10.1: Albany County

APPENDIX 10.1.1: Traffic Counts on Selected Roads in Albany County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|----------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Albany | ML5008B | Roger Canyon Road | 2.27 | 3.81 | 518 | 43 | 69 | 8/11/2014 |
| Albany | ML5011B | Ft. Sanders Road | 1.13 | 1.89 | 371 | 33 | 41 | 8/11/2014 |
| Albany | ML5060B | Soldier Springs Road | 0.00 | 1.26 | 1198 | 49 | 35 | 8/11/2014 |
| Albany | ML5076B | Curtis Street West | 0.19 | 0.76 | 630 | 67 | 38 | 8/11/2014 |
| Albany | ML5087B | Harmony Lane | 0.00 | 3.30 | 121 | 5 | 62 | 8/11/2014 |



Traffic Counts and Road Width

0 1.25 2.5 5 7.5 Miles




- | | |
|------------------|----------------------|
| ● Traffic Counts | — County Paved Roads |
| — Road Width | — All Roads |
| — State Highways | |

Appendix 10.1.2: Traffic Count Locations and Road Widths in Albany County.

Appendix 10.2: Big Horn County

Appendix 10.2.1: Traffic Counts on Selected Roads in Big Horn County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Big Horn | ML5104B | Davis Road | 0.00 | 0.92 | 126 | 13 | 37 | 8/4/2014 |
| Big Horn | ML5191B | Lane 55 | 0.00 | 1.18 | 112 | 36 | 28 | 8/4/2014 |
| Big Horn | ML5249 | Road 26 | 4.09 | 6.20 | 527 | 46 | 34 | 8/4/2014 |
| Big Horn | ML5261B | Road 30 | 99.28 | 99.78 | 73 | 8 | 38 | 8/4/2014 |
| Big Horn | ML5271B | Road 36 | 0.66 | 1.42 | 151 | 3 | 34 | 8/4/2014 |
| Big Horn | ML5289B | Road 5B | 3.38 | 5.04 | 182 | 3 | 45 | 8/4/2014 |
| Big Horn | ML5298B | Road 7A | 0.05 | 2.64 | 301 | 20 | 33 | 8/4/2014 |



Traffic Counts and Road Width

0 2.5 5 10 15 Miles

- | | |
|------------------|----------------------|
| ● Traffic Counts | — County Paved Roads |
| — Road Width | — All Roads |
| — State Highways | |




Appendix 10.2.2: Traffic Count Locations and Road Widths in Big Horn County.

Appendix 10.3: Campbell County

Appendix 10.3.1: Traffic Counts on Selected Roads in Campbell County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|--------------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Campbell | ML5314B | Antelope Road | 7.02 | 12.33 | 933 | 249 | 75 | 8/14/2014 |
| Campbell | ML5349B | 38N | 7.74 | 7.87 | 192 | 24 | 42 | 8/14/2014 |
| Campbell | ML5365B | Hilight Road | 0.00 | 6.34 | 131 | 22 | 55 | 8/14/2014 |
| Campbell | ML5377B | Kluver Road 64 | 1.20 | 2.17 | 936 | 13 | 35 | 8/14/2014 |
| Campbell | ML5382B | Little Powder River Road | 101.17 | 103.62 | 1146 | 195 | 58 | 8/14/2014 |
| Campbell | ML5396B | Reno Road | 0.00 | 9.94 | 335 | 37 | 68 | 8/14/2014 |
| Campbell | ML5406B | Swanson Road | 0.00 | 0.65 | 1980 | 311 | 36 | 8/14/2014 |
| Campbell | ML9614B | Hannum Road 46 | 0.00 | 0.12 | 177 | 10 | 34 | 8/14/2014 |




Appendix 10.3.2: Traffic Count Locations and Road Widths in Campbell County.

Appendix 10.4: Carbon County

Appendix 10.4.1: Traffic Counts on Selected Roads in Carbon County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|---------------------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Carbon | ML20264B | Seminoi Road | 100.78 | 101.55 | 704 | 23 | 44 | 7/29/2014 |
| Carbon | ML5465B | Sinclair_Platt/Golf Course Road | 0.00 | 5.17 | 262 | 5 | 36 | 7/29/2014 |
| Carbon | ML5469B | 347N | 0.00 | 0.90 | 66 | 0 | 43 | 7/29/2014 |
| Carbon | ML5471B | Seminoi Road | 0.62 | 26.03 | 136 | 14 | 66 | 7/29/2014 |
| Carbon | ML5476B | Sage Creek Road | 0.00 | 4.00 | 149 | 47 | 75 | 7/29/2014 |
| Carbon | ML5480B | C.I.G. Road | 0.00 | 1.00 | 117 | 39 | 57 | 7/29/2014 |



Traffic Counts and Road Width

- Traffic Counts
- Road Width
- State Highways

- County Paved Roads
- All Roads




Appendix 10.4.2: Traffic Count Locations and Road Widths in Carbon County.

Appendix 10.5: Converse County

Appendix 10.5.1: Traffic Counts on Selected Roads in Converse County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|--------------------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Converse | ML5563B | Bordeaux Road | 0.00 | 20.75 | 85 | 15 | 58 | 7/9/2013 |
| Converse | ML5575B | Cemetery/Pine Bluff South Road | 2.99 | 9.92 | 170 | 14 | 71 | 7/9/2013 |




Appendix 10.5.2: Traffic Count Locations in Converse County.

Appendix 10.6: Crook County

Appendix 10.6.1: Traffic Counts on Selected Roads in Crook County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Crook | ML5625B | D-Road | 0.00 | 2.00 | 302 | 40 | 33 | 8/18/2014 |
| Crook | ML5669B | McKeen Road | 1.56 | 2.01 | 228 | 20 | 54 | 8/18/2014 |
| Crook | ML5680B | Pine Ridge Road | 0.00 | 3.63 | 599 | 19 | 50 | 8/18/2014 |
| Crook | ML5681B | Moskee Road | 0.11 | 3.70 | 189 | 41 | 51 | 8/18/2014 |
| Crook | ML6535B | Warren Peak Road | 0.00 | 0.78 | 367 | 88 | 56 | 8/18/2014 |




Appendix 10.6.2: Traffic Count Locations and Road Widths in Crook County.

Appendix 10.7: Fremont County

Appendix 10.7.1: Traffic Counts on Selected Roads in Fremont County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|---------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Fremont | ML5702B | Riverview Cutoff | 0.00 | 1.70 | 282 | 11 | 51 | 8/18/2014 |
| Fremont | ML5713B | Chittim Road | 0.00 | 1.20 | 320 | 0 | 32 | 8/18/2014 |
| Fremont | ML5823B | Buckhorn Flats Road | 0.00 | 6.22 | 326 | 9 | 33 | 8/18/2014 |
| Fremont | ML5867B | Lyons Valley Road | 0.00 | 6.21 | 670 | 28 | 44 | 8/18/2014 |
| Fremont | ML5867B | Lyons Valley Road | 6.21 | 7.65 | 385 | 18 | 48 | 8/18/2014 |
| Fremont | ML5899B | Ocean Lake Road | 0.24 | 0.67 | 103 | 8 | 37 | 8/18/2014 |




Appendix 10.7.2: Traffic Count Locations and Road Widths in Fremont County.

Appendix 10.8: Goshen County

Appendix 10.8.1: Traffic Counts on Selected Roads in Goshen County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Goshen | ML6018B | L-V HWY N WS154 | 1.52 | 3.51 | 180 | 20 | 61 | 8/6/2013 |
| Goshen | ML6018B | L-V HWY S RD76 | 8.03 | 8.60 | 203 | 39 | 63 | 8/6/2013 |
| Goshen | ML6031B | Deer Creek | 1.05 | 3.10 | 142 | 10 | 59 | 8/6/2013 |
| Goshen | ML6111B | 51A | 0.00 | 2.91 | 39 | 1 | 59 | 8/6/2013 |
| Goshen | ML6116B | Van Tassel Rd | 14.85 | 17.95 | 44 | 2 | 66 | 8/6/2013 |
| Goshen | ML6136B | RD 55 S RD 6 | 3.03 | 5.22 | 115 | 16 | 68 | 8/6/2013 |
| Goshen | ML801B | WS152 S WS 154 | 2.00 | 9.80 | 62 | 3 | 63 | 8/6/2013 |




Appendix 10.8.2: Traffic Count Locations in Goshen County.

Appendix 10.9: Hot Springs County

Appendix 10.9.1: Traffic Counts on Selected Roads in Hot Springs County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|-----------------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Hot Springs | ML6217B | Owl Creek Hill Road | 0.00 | 1.37 | 23 | 0 | 25 | 8/6/2014 |
| Hot Springs | ML6221B | Black Mountain Road | 0.00 | 2.77 | 108 | 12 | 44 | 8/6/2014 |
| Hot Springs | ML6223B | Upper East River Road | 0.00 | 3.69 | 203 | 2 | 34 | 8/6/2014 |
| Hot Springs | ML6227B | Lower Cottonwood Creek Road | 0.00 | 5.80 | 10 | 0 | 49 | 8/6/2014 |
| Hot Springs | ML6236B | Cowboy Mine Road | 0.00 | 2.64 | 100 | 4 | 44 | 8/6/2014 |
| Hot Springs | ML6239B | Sunnyside Lane Road | 3.40 | 4.08 | 156 | 3 | 32 | 8/6/2014 |
| Hot Springs | ML6246B | Lane Twelve Road | 0.00 | 0.60 | 141 | 5 | 35 | 8/6/2014 |



Traffic Counts and Road Width

- Traffic Counts
- County Paved Roads
- Road Width
- All Roads
- State Highways




Appendix 10.9.2: Traffic Count Locations and Road Widths in Hot Springs County.

Appendix 10.10: Johnson County

Appendix 10.10.1: Traffic Counts on Selected Roads in Johnson County.

| County | RID | Road Name | Beg | End | | | 85th Percentile Speed | Date of Data Collection |
|---------|---------|-----------------------------|------|------|------|------|-----------------------|-------------------------|
| | | | MP | MP | ADT | ADTT | | |
| Johnson | ML6251B | Rock Creek Road | 2.72 | 5.05 | 257 | 23 | 44 | 8/21/2014 |
| Johnson | ML6251B | Rock Creek Road | 5.05 | 6.17 | 183 | 13 | 51 | 8/21/2014 |
| Johnson | ML6255B | Johnson Creek Road | 0.00 | 1.20 | 247 | 16 | 47 | 8/21/2014 |
| Johnson | ML6272B | Lake DeSmet Road | 0.00 | 1.24 | 208 | 10 | 38 | 8/21/2014 |
| Johnson | ML6275B | French Creek Road | 1.49 | 4.52 | 479 | 19 | 51 | 8/21/2014 |
| Johnson | ML6297B | Monument Road | 0.00 | 0.70 | 322 | 17 | 39 | 8/21/2014 |
| Johnson | ML6702B | North By-Pass/South By-Pass | 0.54 | 1.22 | 1641 | 125 | 53 | 8/21/2014 |
| Johnson | ML6704B | Upper Clear Creek Road | 0.00 | 1.69 | 507 | 4 | 33 | 8/21/2014 |
| Johnson | ML6711B | Hiltop Drive | 0.00 | 0.30 | 113 | 1 | 19 | 8/21/2014 |




Appendix 10.10.2: Traffic Count Locations and Road Widths in Johnson County.

Appendix 10.11: Laramie County

Appendix 10.11.1: Traffic Counts on Selected Roads in Laramie County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|--------------------------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Laramie | ML6729B | A-118-1 | 0.00 | 2.04 | 34 | 7 | 49 | 6/3/2013 |
| Laramie | ML6737B | Little Bear Road | 0.00 | 0.61 | 38 | 0 | 63 | 6/3/2013 |
| Laramie | ML6737B | Gillaspie Road/ RD 244Gillaspie Road | 4.65 | 6.80 | 37 | 7 | 64 | 6/3/2013 |
| Laramie | ML6772B | Hillsdale Road West | 0.00 | 1.04 | 603 | 59 | 62 | 6/3/2013 |
| Laramie | ML6774B | Hillsdale North Road/Midway Road | 4.09 | 5.55 | 372 | 62 | 64 | 6/3/2013 |
| Laramie | ML6846B | V Tassell | 0.00 | 1.01 | 115 | 11 | 67 | 6/3/2013 |
| Laramie | ML6846B | Buttermilk | 4.09 | 10.95 | 164 | 23 | 54 | 6/3/2013 |
| Laramie | ML6856B | Chalk Bluff Road | 22.63 | 23.40 | 49 | 7 | 61 | 6/3/2013 |
| Laramie | ML6856B | WYNCOTE E/S R31 | 23.40 | 23.62 | 152 | 16 | 53 | 6/3/2013 |
| Laramie | ML6895B | Old Highway Burns West | 1.00 | 3.02 | 198 | 26 | 63 | 6/3/2013 |
| Laramie | ML6955B | Bristol Ridge Road | 17.44 | 19.08 | 31 | 0 | 49 | 6/3/2013 |
| Laramie | ML6957B | Moffett Road | 0.00 | 8.00 | 26 | 1 | 66 | 6/3/2013 |
| Laramie | ML9382B | Old Yellowstone Road | 7.61 | 10.46 | 36 | 6 | 59 | 6/3/2013 |
| Laramie | ML9471B | E Bear Creek Road | 3.04 | 5.79 | 15 | 0 | 46 | 6/3/2013 |



Traffic Counts and Road Width

0 3 6 12 18 Miles

● Traffic Counts

— County Paved Roads

— Road Width

— All Roads

— State Highways


N

Appendix 10.11.2: Traffic Count Locations and Road Widths in Laramie County.

Appendix 10.12: Lincoln County

Appendix 10.12.1: Traffic Counts on Selected Roads in Lincoln County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|-----------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Lincoln | ML7442B | Sanderson | 0.00 | 1.01 | 241 | 4 | 36 | 7/28/2014 |
| Lincoln | ML7450B | Clark Lane | 0.00 | 2.03 | 871 | 33 | 46 | 7/28/2014 |
| Lincoln | ML7466 | Grover Narrows | 0.00 | 1.95 | 78 | 4 | 28 | 7/28/2014 |
| Lincoln | ML7557B | Fossil Butte | 0.00 | 3.92 | 13 | 0 | 50 | 7/28/2014 |
| Lincoln | ML7566B | LaBarge Creek | 0.00 | 11.14 | 199 | 8 | 27 | 7/28/2014 |
| Lincoln | ML7568B | Bucks Road | 0.00 | 1.11 | 71 | 10 | 32 | 7/28/2014 |
| Lincoln | ML7569B | Aspen Springs | 0.00 | 2.51 | 97 | 0 | 40 | 7/28/2014 |
| Lincoln | ML7577B | Twin Creek-South Fork | 0.14 | 0.62 | 84 | 0 | 39 | 7/28/2014 |




Appendix 10.12.2: Traffic Count Locations and Road Widths in Lincoln County.

Appendix 10.13: Natrona County

Appendix 10.13.1: Traffic Counts on Selected Roads in Natrona County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|----------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Natrona | ML7623B | East Salt Creek Road | 0.00 | 0.36 | 358 | 36 | 33 | 8/11/2014 |
| Natrona | ML7635B | Poison Spider Road | 11.92 | 19.62 | 213 | 48 | 38 | 8/11/2014 |
| Natrona | ML7653B | Bessemer Road | 0.00 | 7.60 | 490 | 11 | 45 | 8/11/2014 |
| Natrona | ML7653B | Bessemer Road | 1.55 | 2.08 | 411 | 8 | 37 | 8/11/2014 |
| Natrona | ML7655B | Goose Egg Road | 0.00 | 3.02 | 132 | 4 | 42 | 8/11/2014 |
| Natrona | ML7656B | Speas Road | 0.00 | 2.00 | 109 | 0 | 29 | 8/11/2014 |
| Natrona | ML7688B | County Club Road | 1.02 | 1.53 | 952 | 36 | 45 | 8/11/2014 |
| Natrona | ML7692B | Mystery Bridge Road | 0.00 | 0.02 | 744 | 33 | 29 | 8/11/2014 |
| Natrona | ML7699B | cole Creek Road | 0.00 | 1.66 | 191 | 8 | 36 | 8/11/2014 |




Appendix 10.13.2: Traffic Count Locations and Road Widths in Natrona County.

Appendix 10.14: Niobrara County

Appendix 10.14.1: Traffic Counts on Selected Roads in Niobrara County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Niobrara | ML7716B | North Creek Road | 3.32 | 3.49 | 39 | 3 | 59 | 8/14/2014 |
| Niobrara | ML7736B | 28 Road | 0.09 | 2.03 | 71 | 23 | 73 | 8/14/2014 |
| Niobrara | ML7738B | Business Route | 1.60 | 2.74 | 4 | 0 | 17 | 8/14/2014 |



Traffic Counts and Road Width

- | | |
|------------------|----------------------|
| ● Traffic Counts | — County Paved Roads |
| — Road Width | — All Roads |
| — State Highways | |




Appendix 10.14.2: Traffic Count Locations and Road Widths in Niobrara County.

Appendix 10.15: Park County

Appendix 10.15.1: Traffic Counts on Selected Roads in Park County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|------------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Park | ML1136B | Oregon Basin Road 3EM | 0.00 | 2.94 | 363 | 60 | 44 | 8/4/2014 |
| Park | ML7790B | 2AB | 2.45 | 3.63 | 1313 | 196 | 58 | 8/4/2014 |
| Park | ML7791B | A-2ABN | 0.00 | 0.90 | 352 | 10 | 34 | 8/4/2014 |
| Park | ML7796B | A-2BC | 0.00 | 0.60 | 729 | 137 | 34 | 8/4/2014 |
| Park | ML7807B | 3DX | 0.00 | 2.50 | 654 | 23 | 46 | 8/4/2014 |
| Park | ML7811B | Oregon Basin Road 3FK | 0.00 | 2.88 | 131 | 36 | 63 | 8/4/2014 |
| Park | ML7811B | Oregon Basin Road 3 FK | 2.88 | 10.45 | 285 | 111 | 42 | 8/4/2014 |
| Park | ML7811B | Oregon Basin Road 3FK | 10.45 | 14.64 | 258 | 37 | 42 | 8/4/2014 |
| Park | ML78705B | Beacon Hill Road | 0.92 | 1.21 | 1841 | 93 | 34 | 8/4/2014 |




Appendix 10.15.2: Traffic Count Locations and Road Widths in Park County.

Appendix 10.16: Platte County

Appendix 10.16.1: Traffic Counts on Selected Roads in Platte County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|---------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Platte | ML1605B | North Pioneer Road | 0.00 | 3.01 | 29 | 2 | 68 | 7/24/2013 |
| Platte | ML5083B | Ross Rd | 34.35 | 43.79 | 194 | 53 | 56 | 7/24/2013 |
| Platte | ML8063B | Diamond | 0.10 | 7.06 | 16 | 0 | 65 | 7/24/2013 |
| Platte | ML8069B | Deer Creek Road | 0.00 | 7.91 | 95 | 2 | 62 | 7/24/2013 |
| Platte | ML8093B | Dickenson Hill Road | 1.07 | 3.58 | 16 | 2 | 53 | 7/24/2013 |
| Platte | ML8124B | Pioneer Road | 1.01 | 7.08 | 60 | 4 | 65 | 7/24/2013 |
| Platte | ML8124B | Pioneer Road | 7.08 | 9.10 | 50 | 3 | 63 | 7/24/2013 |



Traffic Counts and Road Width

- Traffic Counts
- Road Width
- State Highways

- County Paved Roads
- All Roads




Appendix 10.16.2: Traffic Count Locations in Platte County.

Appendix 10.17: Sheridan County

Appendix 10.17.1: Traffic Counts on Selected Roads in Sheridan County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|------------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Sheridan | ML8160B | Bird Farm Road | 0.10 | 0.91 | 1053 | 112 | 45 | 8/8/2014 |
| Sheridan | ML8170B | Old Airport Acces Rd | 0.00 | 0.53 | 209 | 38 | 32 | 8/8/2014 |
| Sheridan | ML8177B | Woodland Oark Road | 0.44 | 0.71 | 742 | 109 | 44 | 8/8/2014 |
| Sheridan | ML8183B | Paradise Park Road | 0.00 | 1.03 | 834 | 83 | 39 | 8/8/2014 |
| Sheridan | ML8196B | Kittering Road | 0.00 | 0.84 | 118 | 19 | 40 | 8/8/2014 |
| Sheridan | ML8202B | Beaver Creek Road | 0.00 | 10.15 | 516 | 48 | 37 | 8/8/2014 |
| Sheridan | ML8233B | 17Th Street-Higby Road | 0.00 | 1.68 | 186 | 14 | 33 | 8/8/2014 |
| Sheridan | ML8241B | East Ridge Road | 0.53 | 0.79 | 995 | 263 | 40 | 8/8/2014 |
| Sheridan | ML9397B | Airport Road | 0.38 | 0.69 | 1040 | 43 | 29 | 8/8/2014 |




- Traffic Counts and Road Width**
- Traffic Counts
 - Road Width
 - State Highways
 - County Paved Roads
 - All Roads

Appendix 10.17.2: Traffic Count Locations and Road Widths in Sheridan County.

Appendix 10.18: Teton County

Appendix 10.18.1: Traffic Counts on Selected Roads in Teton County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|-------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Teton | ML8647B | Fall Creek Road | 0.00 | 4.90 | 2223 | 153 | 37 | 9/16/2014 |
| Teton | ML8649B | Spring Gulch Road | 0.00 | 3.17 | 2784 | 170 | 41 | 9/16/2014 |
| Teton | ML8652B | Nethercott Lane | 0.00 | 0.11 | 913 | 33 | 30 | 9/16/2014 |
| Teton | ML8653B | Green Lane | 0.00 | 0.69 | 394 | 30 | 34 | 9/16/2014 |
| Teton | ML8654B | Wenzel Lane | 0.00 | 0.73 | 576 | 14 | 26 | 9/16/2014 |
| Teton | ML8656B | Wilson Loop Road | 0.00 | 0.38 | 750 | 33 | 19 | 9/16/2014 |



Traffic Counts and Road Width

- Traffic Counts
- Road Width
- State Highways

- County Paved Roads
- All Roads




Appendix 10.18.2: Traffic Count Locations in Teton County.

Appendix 10.19: Uinta County

Appendix 10.19.1: Traffic Counts on Selected Roads in Uinta County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|-----------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Uinta | ML8686B | Christensen Road 103 | 1.09 | 2.96 | 406 | 79 | 56 | 7/30/2014 |
| Uinta | ML8688B | Almy West Road | 0.00 | 0.32 | 357 | 22 | 45 | 7/30/2014 |
| Uinta | ML8689B | Almy Road | 0.00 | 4.96 | 193 | 5 | 45 | 7/30/2014 |
| Uinta | ML8722B | Bridger South Road | 0.00 | 1.68 | 298 | 8 | 58 | 7/30/2014 |
| Uinta | ML8728B | Lyman/Carter Road | 0.13 | 0.87 | 1021 | 58 | 57 | 7/30/2014 |
| Uinta | ML8734B | Redmon Road | 0.00 | 0.84 | 1021 | 58 | 57 | 7/30/2014 |
| Uinta | ML8744B | Cottonwood Bench Road | 0.00 | 0.51 | 283 | 12 | 47 | 7/30/2014 |



Traffic Counts and Road Width

0 2.5 5 10 15 Miles

- Traffic Counts
- Road Width
- State Highways

- County Paved Roads
- All Roads




Appendix 10.19.2: Traffic Count Locations and Road Widths in Uinta County.

Appendix 10.20: Washakie County

Appendix 10.20.1: Traffic Counts on Selected Roads in Washakie County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|-------------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Washakie | ML8875B | Lane 07 | 0.00 | 0.80 | 103 | 2 | 45 | 8/6/2014 |
| Washakie | ML8885B | Lane 16 | 0.00 | 0.68 | 42 | 19 | 28 | 8/6/2014 |
| Washakie | ML8889B | Road 10/ Washakie 10 | 0.00 | 1.01 | 124 | 16 | 42 | 8/6/2014 |
| Washakie | ML8893B | Road13 | 0.09 | 0.80 | 48 | 0 | 31 | 8/6/2014 |
| Washakie | ML8895B | Road 17.5/Tie Down Road | 0.00 | 0.43 | 79 | 17 | 32 | 8/6/2014 |



Traffic Counts and Road Width

- Traffic Counts
- Road Width
- State Highways

- County Paved Roads
- All Roads




Appendix 10.20.2: Traffic Count Locations and Road Widths in Washakie County.

Appendix 10.21: Weston County

Appendix 10.21.1: Traffic Counts on Selected Roads in Weston County.

| County | RID | Road Name | Beg MP | End MP | ADT | ADTT | 85th Percentile Speed | Date of Data Collection |
|---------------|------------|--------------------|---------------|---------------|------------|-------------|------------------------------|--------------------------------|
| Weston | ML8906B | 1A | 0.97 | 1.94 | 936 | 23 | 43 | 8/21/2014 |
| Weston | ML8906B | 1A | 3.59 | 3.74 | 47 | 2 | 43 | 8/21/2014 |
| Weston | ML8910B | Morrissey road | 0.00 | 0.47 | 1415 | 43 | 29 | 8/21/2014 |
| Weston | ML8970B | Greenhouse Road | 0.00 | 0.58 | 412 | 8 | 19 | 8/21/2014 |
| Weston | ML8973B | Painted Hills Road | 2.75 | 3.05 | 656 | 34 | 37 | 8/21/2014 |



Traffic Counts and Road Width

0 0.3 0.6 1.2 1.8 Miles

- | | |
|------------------|----------------------|
| ● Traffic Counts | — County Paved Roads |
| — Road Width | — All Roads |
| — State Highways | |



Appendix 10.22.2: Traffic Count Locations and Road Widths in Weston County.

APPENDIX 11: SELECTED ROAD WIDTH

Appendix 11.1: Albany County

Appendix 11.1.1: Width of Selected Roads in Albany County.

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|----------------------|------------------------|
| Albany | ML5008B | 2.27 | 3.81 | Roger Canyon Road | 38.0 |
| Albany | ML5008B | 3.81 | 3.83 | Roger Canyon Road | 38.0 |
| Albany | ML5008B | 3.83 | 4.38 | Roger Canyon Road | 38.0 |
| Albany | ML5008B | 4.38 | 11.37 | Roger Canyon Road | 38.0 |
| Albany | ML5009B | 0.00 | 0.22 | Huron Street | 25.0 |
| Albany | ML5009B | 0.22 | 0.42 | Huron Street | 25.0 |
| Albany | ML5011B | 0.26 | 1.13 | Ft. Sanders Road | 26.0 |
| Albany | ML5011B | 1.13 | 1.89 | Ft. Sanders Road | 26.0 |
| Albany | ML5011B | 1.89 | 2.15 | Ft. Sanders Road | 26.0 |
| Albany | ML5011B | 2.15 | 2.24 | Ft. Sanders Road | 26.0 |
| Albany | ML5012B | 0.09 | 0.50 | Howe Road | 25.0 |
| Albany | ML5012B | 0.50 | 2.54 | Howe Road | 25.0 |
| Albany | ML5012B | 2.54 | 2.59 | Howe Road | 25.0 |
| Albany | ML5012B | 2.59 | 3.89 | Howe Road | 25.0 |
| Albany | ML5023B | 0.00 | 2.00 | Lake Hattie Road | 23.0 |
| Albany | ML5034B | 0.00 | 0.06 | Welsh Lane | 20.0 |
| Albany | ML5036B | 0.00 | 2.60 | Dutton Creek Road | 20.0 |
| Albany | ML5036B | 2.60 | 3.05 | Dutton Creek Road | 20.0 |
| Albany | ML5036B | 3.05 | 7.00 | Dutton Creek Road | 20.0 |
| Albany | ML5060B | 0.00 | 1.26 | Soldier Springs Road | 30.0 |
| Albany | ML5060B | 1.26 | 2.68 | Soldier Springs Road | 30.0 |
| Albany | ML5060B | 2.68 | 3.11 | Soldier Springs Road | 30.0 |
| Albany | ML5071B | 0.00 | 5.57 | Pahlow Lane | 32.0 |
| Albany | ML5071B | 5.57 | 7.00 | Pahlow Lane | 32.0 |
| Albany | ML5072B | 0.00 | 1.92 | Hanson Lane | 24.0 |
| Albany | ML5076B | 0.19 | 0.76 | Curtis Street West | 30.0 |
| Albany | ML5076B | 0.76 | 1.20 | Curtis Street West | 30.0 |
| Albany | ML5076B | 1.20 | 1.75 | Curtis Street West | 30.0 |
| Albany | ML5087B | 0.00 | 3.30 | Harmony Lane | 25.0 |

Appendix 11.2: Big Horn County

Appendix 11.2.1: Width of Selected Roads in Big Horn County.

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|---------------------|------------------------|
| Big Horn | ML5099B | 8.85 | 12.67 | Beaver Creek Road | 21.0 |
| Big Horn | ML5099B | 12.67 | 14.26 | Beaver Creek Road | 21.0 |
| Big Horn | ML5099B | 14.26 | 15.00 | Beaver Creek Road | 21.0 |
| Big Horn | ML5104B | 0.00 | 0.92 | Davis Road | 26.0 |
| Big Horn | ML5104B | 0.92 | 0.99 | Davis Road | 26.0 |
| Big Horn | ML5104B | 0.99 | 1.21 | Davis Road | 26.0 |
| Big Horn | ML5106B | 0.00 | 0.67 | Orchard Bench Road | 23.0 |
| Big Horn | ML5106B | 0.67 | 1.04 | Orchard Bench Road | 23.0 |
| Big Horn | ML5106B | 1.04 | 1.54 | Orchard Bench Road | 23.0 |
| Big Horn | ML5106B | 1.54 | 2.56 | Orchard Bench Road | 23.0 |
| Big Horn | ML5106B | 2.56 | 3.89 | Orchard Bench Road | 23.0 |
| Big Horn | ML5106B | 3.89 | 5.60 | Orchard Bench Road | 23.0 |
| Big Horn | ML5106B | 5.60 | 6.83 | Orchard Bench Road | 23.0 |
| Big Horn | ML5110B | 0.00 | 1.44 | Trapper Creek Road | 23.0 |
| Big Horn | ML5110B | 1.44 | 2.82 | Trapper Creek Road | 23.0 |
| Big Horn | ML5125B | 1.49 | 2.00 | Lane 12B | 23.0 |
| Big Horn | ML5125B | 2.00 | 2.51 | Lane 12B | 23.0 |
| Big Horn | ML5125B | 2.51 | 3.02 | Lane 12B | 23.0 |
| Big Horn | ML5125B | 3.02 | 3.53 | Lane 12B | 23.0 |
| Big Horn | ML5131B | 0.00 | 8.27 | Lane 16 1/2 | 30.0 |
| Big Horn | ML5160B | 1.67 | 3.57 | Lane 39B | 22.0 |
| Big Horn | ML5164B | 1.46 | 1.48 | Lane 40B | 25.0 |
| Big Horn | ML5164B | 1.48 | 4.08 | Lane 40B | 25.0 |
| Big Horn | ML5164B | 4.08 | 4.29 | Lane 40B | 25.0 |
| Big Horn | ML5164B | 4.29 | 4.87 | Lane 40B | 25.0 |
| Big Horn | ML5164B | 4.87 | 6.45 | Lane 40B | 25.0 |
| Big Horn | ML5164B | 6.45 | 7.49 | Lane 40B | 25.0 |
| Big Horn | ML5164B | 7.49 | 7.72 | Lane 40B | 25.0 |
| Big Horn | ML5173B | 0.00 | 5.33 | Lane 43 | 22.0 |
| Big Horn | ML5173B | 5.33 | 5.61 | Lane 43 | 22.0 |
| Big Horn | ML5191B | 0.00 | 1.18 | Lane 55 | 23.0 |
| Big Horn | ML5191B | 1.18 | 1.97 | Lane 55 | 23.0 |
| Big Horn | ML5191B | 1.97 | 1.99 | Lane 55 | 23.0 |
| Big Horn | ML5215B | 0.00 | 1.04 | Road 11HA | 25.0 |
| Big Horn | ML5217B | 0.00 | 1.04 | Road 11A | 26.0 |
| Big Horn | ML5220B | 0.00 | 0.36 | Road 12HB | 22.0 |
| Big Horn | ML5220B | 0.36 | 3.17 | Road 12HB | 22.0 |
| Big Horn | ML5237B | 0.00 | 0.99 | Road 16D | 22.0 |

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|---------------------|------------------------|
| Big Horn | ML5237B | 0.99 | 1.40 | Road 16D | 22.0 |
| Big Horn | ML5237B | 1.40 | 1.92 | Road 16D | 22.0 |
| Big Horn | ML5261B | 99.28 | 99.78 | Road 30 | 22.0 |
| Big Horn | ML5261B | 99.78 | 99.78 | Road 30 | 22.0 |
| Big Horn | ML5271B | 0.66 | 1.42 | Road 36 | 23.0 |
| Big Horn | ML5289B | 3.38 | 5.04 | Road 5B | 20.0 |
| Big Horn | ML5298B | 0.00 | 0.03 | Road 7A | 25.0 |
| Big Horn | ML5298B | 0.03 | 0.05 | Road 7A | 25.0 |
| Big Horn | ML5298B | 0.05 | 2.64 | Road 7A | 25.0 |
| Big Horn | ML5304B | 0.00 | 2.50 | | 21.0 |
| Big Horn | ML5306B | 6.65 | 6.98 | Road 9A | 26.0 |
| Big Horn | ML5307B | 0.00 | 0.92 | Road 9B | 23.0 |

Appendix 11.3: Campbell County

Appendix 11.3.1: Width of Selected Roads in Campbell County.

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|------------------------|------------------------|
| Campbell | ML5322B | 0.00 | 10.68 | Bishop Road | 24.0 |
| Campbell | ML5322B | 10.68 | 13.45 | Bishop Road | 24.0 |
| Campbell | ML5322B | 13.45 | 22.01 | Bishop Road | 24.0 |
| Campbell | ML5322B | 22.01 | 29.37 | Bishop Road | 24.0 |
| Campbell | ML5326B | 0.00 | 4.87 | Breene Road | 20.0 |
| Campbell | ML5349B | 0.00 | 2.86 | 38N | 24.0 |
| Campbell | ML5349B | 2.86 | 3.64 | 38N | 24.0 |
| Campbell | ML5349B | 3.64 | 4.12 | 38N | 24.0 |
| Campbell | ML5349B | 4.12 | 4.39 | 38N | 24.0 |
| Campbell | ML5349B | 4.39 | 5.10 | 38N | 24.0 |
| Campbell | ML5349B | 5.10 | 5.84 | 38N | 24.0 |
| Campbell | ML5349B | 5.84 | 7.74 | 38N | 24.0 |
| Campbell | ML5349B | 7.74 | 7.87 | 38N | 24.0 |
| Campbell | ML5357B | 0.00 | 4.12 | Haight Road | 24.0 |
| Campbell | ML5365B | 0.00 | 6.34 | Hilight Road | 28.0 |
| Campbell | ML5365B | 6.34 | 9.12 | Hilight Road | 28.0 |
| Campbell | ML5365B | 9.12 | 10.64 | Hilight Road | 28.0 |
| Campbell | ML5365B | 10.64 | 13.66 | Hilight Road | 28.0 |
| Campbell | ML5365B | 13.66 | 15.74 | Hilight Road | 28.0 |
| Campbell | ML5365B | 15.74 | 19.95 | Hilight Road | 28.0 |
| Campbell | ML5365B | 19.95 | 23.03 | Hilight Road | 28.0 |
| Campbell | ML5365B | 23.03 | 28.66 | Hilight Road | 28.0 |
| Campbell | ML5377B | 1.20 | 2.17 | Kluver Road 64 | 24.0 |
| Campbell | ML5382B | 101.17 | 103.62 | Little Powder River Rd | 34.0 |
| Campbell | ML5396B | 0.00 | 3.98 | Reno Road | 26.0 |
| Campbell | ML5406B | 0.00 | 0.65 | Swanson Road | 22.0 |
| Campbell | ML5413B | 0.00 | 1.56 | Union Chapel Road | 40.0 |
| Campbell | ML5413B | 1.56 | 2.05 | Union Chapel Road | 40.0 |
| Campbell | ML5413B | 2.05 | 5.80 | Union Chapel Road | 40.0 |
| Campbell | ML9614B | 0.00 | 0.12 | | 24.0 |

Appendix 11.4: Carbon County

Appendix X- 1: Width of Selected Roads in Carbon County.

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|---------------------------------------|------------------------|
| Carbon | ML20264B | 100.38 | 100.78 | Seminoe Road | 26.0 |
| Carbon | ML20264B | 100.78 | 101.55 | Seminoe Road | 26.0 |
| Carbon | ML5465B | 0.00 | 5.17 | Sinclair-Platt River/Golf Course Road | 26.0 |
| Carbon | ML5471B | 0.62 | 26.03 | Seminoe Road | 26.0 |
| Carbon | ML5471B | 26.03 | 31.38 | Seminoe Road | 26.0 |
| Carbon | ML5476B | 0.00 | 4.00 | Sage Creek Road | 34.0 |
| Carbon | ML5476B | 4.00 | 5.76 | Sage Creek Road | 34.0 |
| Carbon | ML5476B | 5.76 | 13.95 | Sage Creek Road | 34.0 |

Appendix 11.5: Crook County

Appendix 11.5.1: Width of Selected Roads in Crook County.

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|---------------------|------------------------|
| Crooke | ML5625B | 0.00 | 2.00 | D-Road | 29.0 |
| Crooke | ML5625B | 2.00 | 7.00 | D-Road | 29.0 |
| Crooke | ML5625B | 7.00 | 18.38 | D-Road | 29.0 |
| Crooke | ML5635B | 0.00 | 0.78 | Warren Peak Road | 28.0 |
| Crooke | ML5635B | 0.78 | 1.38 | Warren Peak Road | 28.0 |
| Crooke | ML5635B | 1.38 | 2.47 | Warren Peak Road | 28.0 |
| Crooke | ML5635B | 2.47 | 13.40 | Warren Peak Road | 28.0 |
| Crooke | ML5669B | 1.56 | 2.01 | McKean Road | 26.0 |
| Crooke | ML5669B | 2.01 | 2.73 | McKean Road | 26.0 |
| Crooke | ML5669B | 2.73 | 3.50 | McKean Road | 26.0 |
| Crooke | ML5680B | 0.00 | 3.63 | Pine Ridge Road | 34.0 |
| Crooke | ML5680B | 3.63 | 5.13 | Pine Ridge Road | 34.0 |
| Crooke | ML5681B | 0.00 | 0.11 | Moskee Road | 26.0 |
| Crooke | ML5681B | 0.11 | 3.70 | Moskee Road | 26.0 |
| Crooke | ML5681B | 3.70 | 3.95 | Moskee Road | 26.0 |
| Crooke | ML5681B | 3.95 | 6.30 | Moskee Road | 26.0 |
| Crooke | ML5681B | 6.30 | 7.74 | Moskee Road | 26.0 |
| Crooke | ML5681B | 7.74 | 8.03 | Moskee Road | 26.0 |

Appendix 11.6: Fremont County

Appendix 11.6.1: Width of Selected Roads in Fremont County.

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|----------------------|------------------------|
| Fremont | ML5690B | 0.00 | 0.80 | Dutch Ed Lane | 20.0 |
| Fremont | ML5697B | 0.25 | 2.20 | Williams Road | 23.0 |
| Fremont | ML5700B | 0.00 | 0.07 | Squaw Creek Road | 24.0 |
| Fremont | ML5700B | 0.07 | 0.67 | Squaw Creek Road | 24.0 |
| Fremont | ML5700B | 0.67 | 0.98 | Squaw Creek Road | 24.0 |
| Fremont | ML5700B | 0.98 | 3.50 | Squaw Creek Road | 24.0 |
| Fremont | ML5700B | 3.50 | 3.66 | Squaw Creek Road | 24.0 |
| Fremont | ML5700B | 3.66 | 4.53 | Squaw Creek Road | 24.0 |
| Fremont | ML5700B | 4.53 | 6.10 | Squaw Creek Road | 24.0 |
| Fremont | ML5702B | 0.00 | 1.41 | Riverview Cutoff | 21.0 |
| Fremont | ML5702B | 1.41 | 1.70 | Riverview Cutoff | 21.0 |
| Fremont | ML5705B | 0.00 | 0.41 | Mortimore Lane | 21.0 |
| Fremont | ML5705B | 0.41 | 0.74 | Mortimore Lane | 21.0 |
| Fremont | ML5705B | 0.74 | 2.54 | Mortimore Lane | 21.0 |
| Fremont | ML5709B | 2.69 | 3.25 | North Second Street | 24.0 |
| Fremont | ML5709B | 3.25 | 3.58 | North Second Street | 24.0 |
| Fremont | ML5709B | 3.58 | 4.94 | North Second Street | 24.0 |
| Fremont | ML5713B | 0.00 | 1.20 | Chittim Road | 26.0 |
| Fremont | ML5714B | 0.00 | 0.14 | Shrine Club Road | 20.0 |
| Fremont | ML5714B | 0.14 | 0.35 | Shrine Club Road | 20.0 |
| Fremont | ML5747B | 0.50 | 1.53 | Smith Road | 30.0 |
| Fremont | ML5747B | 1.53 | 1.78 | Smith Road | 30.0 |
| Fremont | ML5747B | 1.78 | 2.27 | Smith Road | 30.0 |
| Fremont | ML5747B | 2.27 | 3.04 | Smith Road | 30.0 |
| Fremont | ML5749B | 0.00 | 0.07 | Hillcrest Drive | 21.0 |
| Fremont | ML5749B | 0.07 | 0.81 | Hillcrest Drive | 21.0 |
| Fremont | ML5756B | 0.65 | 0.90 | North Eighth St West | 30.0 |
| Fremont | ML5756B | 0.90 | 1.11 | North Eighth St West | 30.0 |
| Fremont | ML5756B | 1.11 | 2.13 | North Eighth St West | 30.0 |
| Fremont | ML5756B | 2.13 | 2.91 | North Eighth St West | 30.0 |
| Fremont | ML5756B | 2.91 | 3.15 | North Eighth St West | 30.0 |
| Fremont | ML5773B | 0.00 | 0.73 | Spriggs Drive | 25.0 |
| Fremont | ML5783B | 0.00 | 0.25 | Hutchison Road | 34.0 |
| Fremont | ML5783B | 0.25 | 1.33 | Hutchison Road | 34.0 |
| Fremont | ML5783B | 1.33 | 2.28 | Hutchison Road | 34.0 |
| Fremont | ML5783B | 2.28 | 2.68 | Hutchison Road | 34.0 |
| Fremont | ML5785B | 0.00 | 0.58 | Mazet Drive | 25.0 |
| Fremont | ML5785B | 0.58 | 1.85 | Mazet Drive | 25.0 |
| Fremont | ML5799B | 0.00 | 0.79 | Diversion Dam Road | 20.0 |
| Fremont | ML5799B | 0.79 | 1.42 | Diversion Dam Road | 20.0 |
| Fremont | ML5799B | 1.42 | 1.66 | Diversion Dam Road | 20.0 |
| Fremont | ML5799B | 4.79 | 6.53 | Diversion Dam Road | 20.0 |
| Fremont | ML5799B | 6.53 | 6.90 | Diversion Dam Road | 20.0 |
| Fremont | ML5813B | 0.00 | 0.87 | 320 | 24.0 |
| Fremont | ML5813B | 0.87 | 1.23 | 320 | 24.0 |
| Fremont | ML5814B | 1.66 | 4.77 | 320 | 24.0 |
| Fremont | ML5814B | 4.77 | 6.23 | 320 | 24.0 |
| Fremont | ML5814B | 6.23 | 8.34 | 320 | 24.0 |
| Fremont | ML5822B | 0.40 | 1.33 | East Pavillion Road | 20.0 |
| Fremont | ML5822B | 1.33 | 2.33 | East Pavillion Road | 20.0 |

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|----------------------|------------------------|
| Fremont | ML5822B | 2.33 | 5.93 | East Pavilion Road | 20.0 |
| Fremont | ML5823B | 0.00 | 0.28 | Buckhorn Flats Road | 24.0 |
| Fremont | ML5823B | 0.28 | 0.30 | Buckhorn Flats Road | 24.0 |
| Fremont | ML5823B | 0.30 | 1.48 | Buckhorn Flats Road | 24.0 |
| Fremont | ML5831B | 0.00 | 0.33 | Two Valley Road | 22.0 |
| Fremont | ML5831B | 0.33 | 1.87 | Two Valley Road | 22.0 |
| Fremont | ML5831B | 4.33 | 5.34 | Two Valley Road | 22.0 |
| Fremont | ML5831B | 5.34 | 6.34 | Two Valley Road | 22.0 |
| Fremont | ML5841B | 0.00 | 0.51 | Gasser Road | 24.0 |
| Fremont | ML5844B | 0.00 | 1.01 | Country Acres Road | 23.0 |
| Fremont | ML5849B | 0.00 | 0.94 | Eight Mile Road | 34.0 |
| Fremont | ML5849B | 0.94 | 0.98 | Eight Mile Road | 34.0 |
| Fremont | ML5849B | 0.98 | 1.10 | Eight Mile Road | 34.0 |
| Fremont | ML5849B | 1.10 | 3.00 | Eight Mile Road | 34.0 |
| Fremont | ML5849B | 3.00 | 4.02 | Eight Mile Road | 34.0 |
| Fremont | ML5849B | 4.02 | 5.04 | Eight Mile Road | 34.0 |
| Fremont | ML5849B | 5.04 | 6.61 | Eight Mile Road | 34.0 |
| Fremont | ML5849B | 6.61 | 7.07 | Eight Mile Road | 34.0 |
| Fremont | ML5849B | 7.07 | 9.09 | Eight Mile Road | 34.0 |
| Fremont | ML5851B | 0.00 | 1.13 | Clothesline Road | 21.0 |
| Fremont | ML5864B | 0.00 | 0.44 | Dalley Road | 20.0 |
| Fremont | ML5867B | 0.00 | 6.21 | Lyons Valley Road | 24.0 |
| Fremont | ML5867B | 6.21 | 7.65 | Lyons Valley Road | 24.0 |
| Fremont | ML5874B | 0.00 | 0.84 | Tunnel Hill Road | 23.0 |
| Fremont | ML5874B | 0.84 | 2.01 | Tunnel Hill Road | 23.0 |
| Fremont | ML5874B | 2.01 | 3.04 | Tunnel Hill Road | 23.0 |
| Fremont | ML5874B | 3.04 | 3.87 | Tunnel Hill Road | 23.0 |
| Fremont | ML5874B | 3.87 | 4.19 | Tunnel Hill Road | 23.0 |
| Fremont | ML5875B | 0.00 | 1.20 | North Pavillion Road | 22.0 |
| Fremont | ML5878B | 0.00 | 0.41 | Bushwacker Road | 24.0 |
| Fremont | ML5878B | 0.41 | 1.27 | Bushwacker Road | 24.0 |
| Fremont | ML5878B | 1.27 | 1.52 | Bushwacker Road | 24.0 |
| Fremont | ML5899B | 0.00 | 0.24 | Ocean Lake Road | 21.0 |
| Fremont | ML5899B | 0.24 | 0.67 | Ocean Lake Road | 21.0 |
| Fremont | ML5899B | 0.67 | 1.93 | Ocean Lake Road | 21.0 |
| Fremont | ML5899B | 1.93 | 2.40 | Ocean Lake Road | 21.0 |
| Fremont | ML5902B | 0.00 | 0.84 | Kinnear Spur | 22.0 |
| Fremont | ML5902B | 0.84 | 1.48 | Kinnear Spur | 22.0 |
| Fremont | ML5902B | 1.48 | 2.40 | Kinnear Spur | 22.0 |
| Fremont | ML5916B | 0.00 | 1.25 | Zuber Road | 30.0 |
| Fremont | ML714B | 0.00 | 0.64 | Paradise Valley Road | 25.0 |
| Fremont | ML714B | 0.64 | 3.63 | Paradise Valley Road | 25.0 |
| Fremont | ML714B | 3.63 | 4.37 | Paradise Valley Road | 25.0 |
| Fremont | ML714B | 4.37 | 6.34 | Paradise Valley Road | 25.0 |
| Fremont | ML714B | 6.34 | 7.31 | Paradise Valley Road | 25.0 |
| Fremont | ML714B | 7.31 | 9.26 | Paradise Valley Road | 25.0 |
| Fremont | ML9537B | 0.00 | 2.91 | | 24.0 |

Appendix 11.7: Hot Springs County

Appendix 11.7.1: Width of Selected Roads in Hot Springs County.

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|--------------------------------------|------------------------|
| Hot Springs | ML6217B | 0.00 | 0.15 | Owl Creek Hill Road/Old Cody Highway | 22.0 |
| Hot Springs | ML6217B | 0.15 | 1.37 | Owl Creek Hill Road/Old Cody Highway | 22.0 |
| Hot Springs | ML6221B | 0.00 | 2.77 | Black Mountain Road | 24.0 |
| Hot Springs | ML6221B | 2.77 | 7.19 | Black Mountain Road | 24.0 |
| Hot Springs | ML6221B | 7.19 | 8.57 | Black Mountain Road | 24.0 |
| Hot Springs | ML6223B | 0.00 | 3.29 | Upper East River Road | 20.0 |
| Hot Springs | ML6227B | 0.00 | 1.44 | Lower Cottonwood Creek Road | 22.0 |
| Hot Springs | ML6235B | 0.00 | 2.08 | Skelton Road | 18.0 |
| Hot Springs | ML6236B | 0.00 | 2.64 | Cowboy Mine Road | 22.0 |
| Hot Springs | ML6237B | 0.00 | 3.29 | Missouri Flat Road | 22.0 |
| Hot Springs | ML6237B | 3.29 | 5.53 | Missouri Flat Road | 22.0 |
| Hot Springs | ML6237B | 5.53 | 10.92 | Missouri Flat Road | 22.0 |
| Hot Springs | ML6239B | 0.50 | 3.40 | Sunnyside Lane Road | 22.0 |
| Hot Springs | ML6239B | 3.40 | 4.08 | Sunnyside Lane Road | 22.0 |
| Hot Springs | ML6240B | 0.00 | 0.80 | Jones Road | 20.0 |
| Hot Springs | ML6240B | 0.80 | 2.07 | Jones Road | 20.0 |
| Hot Springs | ML6243B | 0.00 | 1.54 | South Yellowstone Road | 20.0 |
| Hot Springs | ML6244B | 0.81 | 1.13 | Lane Seven Road | 20.0 |
| Hot Springs | ML6246B | 0.00 | 0.60 | Lane Twelve Road | 24.0 |
| Hot Springs | ML6246B | 0.60 | 0.80 | Lane Twelve Road | 24.0 |

Appendix 11.8: Johnson County

Appendix 11.8.1: Width of Selected Roads in Johnson County.

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|-----------------------------|------------------------|
| Johnson | ML25403B | 0.10 | 1.60 | Airport Road | 22.0 |
| Johnson | ML6251B | 0.00 | 0.14 | Rock Creek Road | 22.0 |
| Johnson | ML6251B | 0.14 | 2.72 | Rock Creek Road | 22.0 |
| Johnson | ML6251B | 2.72 | 5.05 | Rock Creek Road | 22.0 |
| Johnson | ML6251B | 5.05 | 6.17 | Rock Creek Road | 22.0 |
| Johnson | ML6255B | 0.00 | 1.20 | Johnson Creek Road | 22.0 |
| Johnson | ML6257B | 0.00 | 1.15 | Trabing Road | 22.0 |
| Johnson | ML6257B | 1.15 | 15.50 | Trabing Road | 22.0 |
| Johnson | ML6272B | 0.00 | 1.24 | Lake DeSmet Road | 26.0 |
| Johnson | ML6275B | 0.00 | 0.08 | French Creek Road | 30.0 |
| Johnson | ML6275B | 0.08 | 1.49 | French Creek Road | 30.0 |
| Johnson | ML6275B | 1.49 | 4.52 | French Creek Road | 30.0 |
| Johnson | ML6275B | 4.52 | 8.00 | French Creek Road | 30.0 |
| Johnson | ML6290B | 0.00 | 2.73 | TW Road | 24.0 |
| Johnson | ML6290B | 2.73 | 3.38 | TW Road | 24.0 |
| Johnson | ML6294B | 0.00 | 0.55 | Reno Road | 26.0 |
| Johnson | ML6294B | 0.55 | 5.40 | Reno Road | 26.0 |
| Johnson | ML6294B | 5.40 | 7.18 | Reno Road | 26.0 |
| Johnson | ML6297B | 0.00 | 0.70 | Monument Road | 20.0 |
| Johnson | ML6297B | 0.70 | 3.14 | Monument Road | 20.0 |
| Johnson | ML6700B | 0.00 | 0.40 | Cemetery Road | 30.0 |
| Johnson | ML6702B | 0.00 | 0.54 | North By-Pass/South By-Pass | 26.0 |
| Johnson | ML6702B | 0.54 | 1.22 | North By-Pass/South By-Pass | 26.0 |
| Johnson | ML6702B | 1.22 | 1.34 | North By-Pass/South By-Pass | 26.0 |
| Johnson | ML6702B | 1.34 | 1.98 | North By-Pass/South By-Pass | 26.0 |
| Johnson | ML6704B | 0.00 | 1.69 | Upper Clear Creek Road | 22.0 |
| Johnson | ML6711B | 0.00 | 0.30 | Hilltop Drive | 22.0 |
| Johnson | ML6712B | 0.00 | 0.30 | Robinson Lane | 22.0 |
| Johnson | ML9215B | 0.00 | 4.34 | Upper French Creek Road | 22.0 |

Appendix 11.9: Lincoln County

Appendix 11.9.1: Width of Selected Roads in Lincoln County.

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|-----------------------|------------------------|
| Lincoln | ML7441B | 0.00 | 2.20 | Stewart Trail | 31.0 |
| Lincoln | ML7442B | 0.00 | 1.01 | Sanderson | 27.0 |
| Lincoln | ML7445B | 0.00 | 0.26 | East Etna | 21.0 |
| Lincoln | ML7445B | 0.26 | 1.02 | East Etna | 21.0 |
| Lincoln | ML7445B | 1.02 | 1.27 | East Etna | 21.0 |
| Lincoln | ML7445B | 1.27 | 1.50 | East Etna | 21.0 |
| Lincoln | ML7445B | 1.50 | 2.57 | East Etna | 21.0 |
| Lincoln | ML7445B | 2.57 | 2.71 | East Etna | 21.0 |
| Lincoln | ML7445B | 2.71 | 3.54 | East Etna | 21.0 |
| Lincoln | ML7446B | 0.00 | 0.71 | Creamery | 29.0 |
| Lincoln | ML7446B | 0.71 | 1.22 | Creamery | 29.0 |
| Lincoln | ML7447B | 0.00 | 1.00 | Etna-Forest | 23.0 |
| Lincoln | ML7450B | 0.00 | 2.03 | Clark Lane | 24.0 |
| Lincoln | ML7452B | 0.00 | 1.52 | Muddy String | 24.0 |
| Lincoln | ML7452B | 1.52 | 2.54 | Muddy String | 24.0 |
| Lincoln | ML7452B | 2.54 | 3.56 | Muddy String | 24.0 |
| Lincoln | ML7452B | 3.56 | 4.57 | Muddy String | 24.0 |
| Lincoln | ML7452B | 4.57 | 5.12 | Muddy String | 24.0 |
| Lincoln | ML7452B | 5.12 | 5.60 | Muddy String | 24.0 |
| Lincoln | ML7454B | 0.00 | 2.34 | Perkins | 21.0 |
| Lincoln | ML7454B | 2.34 | 2.97 | Perkins | 21.0 |
| Lincoln | ML7454B | 2.97 | 3.86 | Perkins | 21.0 |
| Lincoln | ML7465B | 0.00 | 0.28 | Grover North | 22.0 |
| Lincoln | ML7465B | 0.28 | 0.93 | Grover North | 22.0 |
| Lincoln | ML7473B | 0.06 | 1.08 | Swift Creek Lane | 30.0 |
| Lincoln | ML7487B | 0.00 | 0.08 | Smoot | 20.0 |
| Lincoln | ML7487B | 0.08 | 0.21 | Smoot | 20.0 |
| Lincoln | ML7487B | 0.21 | 0.54 | Smoot | 20.0 |
| Lincoln | ML7487B | 0.54 | 0.82 | Smoot | 20.0 |
| Lincoln | ML7487B | 0.82 | 1.07 | Smoot | 20.0 |
| Lincoln | ML7492B | 0.00 | 0.47 | Happy Valley | 23.0 |
| Lincoln | ML7505B | 0.00 | 0.51 | Bowles Lane | 20.0 |
| Lincoln | ML7520B | 0.00 | 0.12 | South Grover | 19.0 |
| Lincoln | ML7520B | 0.12 | 0.23 | South Grover | 19.0 |
| Lincoln | ML7520B | 0.23 | 0.37 | South Grover | 19.0 |
| Lincoln | ML7520B | 0.37 | 0.50 | South Grover | 19.0 |
| Lincoln | ML7557B | 0.00 | 3.92 | Fossil Butte | 23.0 |
| Lincoln | ML7565B | 0.00 | 11.87 | Fontenelle Creek | 23.0 |
| Lincoln | ML7566B | 0.00 | 11.14 | LaBarge Creek | 22.0 |
| Lincoln | ML7566B | 11.14 | 11.65 | LaBarge Creek | 22.0 |
| Lincoln | ML7568B | 0.00 | 1.11 | Bucks Road | 23.0 |
| Lincoln | ML7569B | 0.00 | 2.51 | Aspen Springs | 24.0 |
| Lincoln | ML7577B | 0.00 | 0.14 | Twin Creek-South Fork | 23.0 |
| Lincoln | ML7577B | 0.14 | 0.62 | Twin Creek-South Fork | 23.0 |

Appendix 11.10: Natrona County

Appendix 11.10.1: Width of Selected Roads in Natrona County.

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|-------------------------|------------------------|
| Natrona | ML7623B | 0.00 | 0.36 | East Salt Creek Road | 22.0 |
| Natrona | ML7624B | 0.23 | 0.95 | Six Mile Road | 28.0 |
| Natrona | ML7624B | 0.95 | 2.05 | Six Mile Road | 28.0 |
| Natrona | ML7624B | 2.05 | 2.70 | Six Mile Road | 28.0 |
| Natrona | ML7632B | 0.00 | 0.06 | Queen Street | 24.0 |
| Natrona | ML7632B | 0.06 | 0.20 | Queen Street | 24.0 |
| Natrona | ML7633B | 0.00 | 0.38 | Old Yellowstone Highway | 24.0 |
| Natrona | ML7633B | 0.38 | 0.40 | Old Yellowstone Highway | 24.0 |
| Natrona | ML7633B | 0.40 | 0.43 | Old Yellowstone Highway | 24.0 |
| Natrona | ML7633B | 0.43 | 0.55 | Old Yellowstone Highway | 24.0 |
| Natrona | ML7633B | 0.55 | 1.04 | Old Yellowstone Highway | 24.0 |
| Natrona | ML7633B | 1.04 | 1.39 | Old Yellowstone Highway | 24.0 |
| Natrona | ML7633B | 1.39 | 1.70 | Old Yellowstone Highway | 24.0 |
| Natrona | ML7635B | 0.00 | 0.56 | Poison Spider Road | 22.0 |
| Natrona | ML7635B | 0.56 | 1.79 | Poison Spider Road | 22.0 |
| Natrona | ML7635B | 1.79 | 4.63 | Poison Spider Road | 22.0 |
| Natrona | ML7635B | 4.63 | 4.82 | Poison Spider Road | 22.0 |
| Natrona | ML7635B | 4.82 | 7.05 | Poison Spider Road | 22.0 |
| Natrona | ML7635B | 10.08 | 10.13 | Poison Spider Road | 22.0 |
| Natrona | ML7635B | 10.13 | 11.02 | Poison Spider Road | 22.0 |
| Natrona | ML7635B | 11.02 | 11.92 | Poison Spider Road | 22.0 |
| Natrona | ML7635B | 11.92 | 19.62 | Poison Spider Road | 22.0 |
| Natrona | ML7636B | 0.00 | 0.60 | Zero Road | 34.0 |
| Natrona | ML7636B | 0.60 | 1.47 | Zero Road | 34.0 |
| Natrona | ML7636B | 1.47 | 2.48 | Zero Road | 34.0 |
| Natrona | ML7636B | 2.48 | 3.49 | Zero Road | 34.0 |
| Natrona | ML7636B | 3.49 | 3.51 | Zero Road | 34.0 |
| Natrona | ML7636B | 3.51 | 5.54 | Zero Road | 34.0 |
| Natrona | ML7636B | 5.54 | 9.00 | Zero Road | 34.0 |
| Natrona | ML7638B | 0.00 | 1.00 | Six WN Road | 28.0 |
| Natrona | ML7639B | 0.00 | 1.23 | Seven Mile Road | 28.0 |
| Natrona | ML7639B | 1.23 | 2.71 | Seven Mile Road | 28.0 |
| Natrona | ML7641B | 0.00 | 0.53 | Ten Mile Road | 28.0 |
| Natrona | ML7641B | 0.53 | 2.30 | Ten Mile Road | 28.0 |
| Natrona | ML7641B | 2.30 | 2.55 | Ten Mile Road | 28.0 |
| Natrona | ML7641B | 2.55 | 3.21 | Ten Mile Road | 28.0 |
| Natrona | ML7641B | 3.21 | 3.55 | Ten Mile Road | 28.0 |
| Natrona | ML7641B | 3.55 | 3.79 | Ten Mile Road | 28.0 |
| Natrona | ML7648B | 0.00 | 0.25 | Chamberlin Road | 24.0 |

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|---------------------|------------------------|
| Natrona | ML7648B | 0.25 | 0.81 | Chamberlin Road | 24.0 |
| Natrona | ML7648B | 0.81 | 1.25 | Chamberlin Road | 24.0 |
| Natrona | ML7649B | 0.00 | 0.50 | Boles Road | 26.0 |
| Natrona | ML7650B | 0.96 | 2.46 | Robertson Road | 26.0 |
| Natrona | ML7650B | 2.46 | 3.92 | Robertson Road | 26.0 |
| Natrona | ML7653B | 0.00 | 1.55 | Bessemer Road | 22.0 |
| Natrona | ML7653B | 1.55 | 2.08 | Bessemer Road | 22.0 |
| Natrona | ML7655B | 0.00 | 3.02 | Goose Egg Road | 20.0 |
| Natrona | ML7656B | 0.00 | 2.00 | Speas Road | 20.0 |
| Natrona | ML7680B | 0.00 | 0.59 | Wolf Creek Road | 22.0 |
| Natrona | ML7680B | 0.59 | 0.92 | Wolf Creek Road | 22.0 |
| Natrona | ML7681B | 0.00 | 0.26 | Squaw Creek Road | 22.0 |
| Natrona | ML7681B | 0.26 | 0.38 | Squaw Creek Road | 22.0 |
| Natrona | ML7681B | 0.38 | 1.16 | Squaw Creek Road | 22.0 |
| Natrona | ML7681B | 1.16 | 1.50 | Squaw Creek Road | 22.0 |
| Natrona | ML7688B | 0.67 | 1.02 | Country Club Road | 22.0 |
| Natrona | ML7688B | 1.02 | 1.53 | Country Club Road | 22.0 |
| Natrona | ML7690B | 0.00 | 0.52 | 4135 | 28.0 |
| Natrona | ML7690B | 0.52 | 0.87 | 4135 | 28.0 |
| Natrona | ML7692B | 0.00 | 0.02 | Mystery Bridge Road | 18.0 |
| Natrona | ML7692B | 0.02 | 0.18 | Mystery Bridge Road | 18.0 |
| Natrona | ML7692B | 0.18 | 0.93 | Mystery Bridge Road | 18.0 |
| Natrona | ML7699B | 0.00 | 1.66 | Cole Creek Road | 18.0 |
| Natrona | ML9426B | 0.00 | 0.87 | Salt Creek Parkway | 32.0 |

Appendix 11.11: Park County

Appendix 11.11.1: Width of Selected Roads in Park County.

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|-----------------------|------------------------|
| Park | ML7790B | 1.88 | 2.45 | 2AB | 24.0 |
| Park | ML7790B | 2.45 | 3.63 | 2AB | 24.0 |
| Park | ML7790B | 3.63 | 4.63 | 2AB | 24.0 |
| Park | ML7790B | 4.63 | 7.28 | 2AB | 24.0 |
| Park | ML7790B | 7.28 | 7.54 | 2AB | 24.0 |
| Park | ML7790B | 7.54 | 8.10 | 2AB | 24.0 |
| Park | ML7790B | 8.10 | 8.23 | 2AB | 24.0 |
| Park | ML7791B | 0.00 | 0.90 | A-2ABN | 22.0 |
| Park | ML7796B | 0.00 | 0.60 | A-2BC | 24.0 |
| Park | ML7807B | 0.00 | 0.50 | 3DX | 22.0 |
| Park | ML7807B | 0.50 | 0.76 | 3DX | 22.0 |
| Park | ML7807B | 0.76 | 1.89 | 3DX | 22.0 |
| Park | ML7811B | 0.00 | 2.88 | Oregon Basin Road 3FK | 22.0 |
| Park | ML7811B | 2.88 | 10.45 | Oregon Basin Road 3FK | 22.0 |
| Park | ML7811B | 10.45 | 14.64 | Oregon Basin Road 3FK | 22.0 |
| Park | ML7813B | 0.00 | 1.53 | Meeteetse Creek Road | 24.0 |
| Park | ML7813B | 1.53 | 1.68 | Meeteetse Creek Road | 24.0 |
| Park | ML7816B | 0.00 | 0.26 | A-3KD | 18.0 |
| Park | ML7816B | 0.26 | 0.96 | A-3KD | 18.0 |
| Park | ML7818B | 0.00 | 2.72 | Lower Greybull Road | 26.0 |
| Park | ML7818B | 2.72 | 9.33 | Lower Greybull Road | 26.0 |
| Park | ML7818B | 9.33 | 10.10 | Lower Greybull Road | 26.0 |
| Park | ML7818B | 10.10 | 16.96 | Lower Greybull Road | 26.0 |
| Park | ML7818B | 16.96 | 17.82 | Lower Greybull Road | 26.0 |
| Park | ML7825B | 0.00 | 4.88 | Wood River Road | 22.0 |
| Park | ML7825B | 4.88 | 5.17 | Wood River Road | 22.0 |
| Park | ML7825B | 5.17 | 5.27 | Wood River Road | 22.0 |
| Park | ML7826B | 0.00 | 0.27 | A-4EU | 22.0 |
| Park | ML7840B | 0.00 | 1.47 | A-6NS | 26.0 |
| Park | ML7840B | 1.47 | 2.50 | A-6NS | 26.0 |
| Park | ML7840B | 2.50 | 5.50 | A-6NS | 26.0 |
| Park | ML7847B | 0.00 | 1.00 | 6RT | 26.0 |
| Park | ML7849B | 0.00 | 0.93 | Bartlett Lane | 20.0 |
| Park | ML7851B | 0.00 | 1.40 | Diamond Basin Road | 22.0 |
| Park | ML7851B | 1.40 | 2.70 | Diamond Basin Road | 22.0 |
| Park | ML7851B | 2.70 | 4.11 | Diamond Basin Road | 22.0 |
| Park | ML7851B | 4.11 | 4.16 | Diamond Basin Road | 22.0 |
| Park | ML7851B | 5.81 | 6.72 | Diamond Basin Road | 22.0 |
| Park | ML7852B | 0.00 | 0.68 | Southfork Road | 26.0 |
| Park | ML7852B | 0.68 | 1.19 | Southfork Road | 26.0 |
| Park | ML7852B | 1.19 | 1.41 | Southfork Road | 26.0 |
| Park | ML7852B | 1.41 | 2.16 | Southfork Road | 26.0 |
| Park | ML7852B | 2.16 | 3.55 | Southfork Road | 26.0 |
| Park | ML7852B | 3.55 | 3.90 | Southfork Road | 26.0 |
| Park | ML7852B | 3.90 | 4.46 | Southfork Road | 26.0 |

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|---------------------|------------------------|
| Park | ML7852B | 4.46 | 4.88 | Southfork Road | 26.0 |
| Park | ML7852B | 4.88 | 9.95 | Southfork Road | 26.0 |
| Park | ML7852B | 9.95 | 10.95 | Southfork Road | 26.0 |
| Park | ML7852B | 10.95 | 18.67 | Southfork Road | 26.0 |
| Park | ML7852B | 18.67 | 20.41 | Southfork Road | 26.0 |
| Park | ML7852B | 20.41 | 22.09 | Southfork Road | 26.0 |
| Park | ML7852B | 22.09 | 23.64 | Southfork Road | 26.0 |
| Park | ML7853B | 1.71 | 2.44 | 6WXE | 18.0 |
| Park | ML7853B | 2.44 | 2.56 | 6WXE | 18.0 |
| Park | ML7853B | 2.56 | 3.04 | 6WXE | 18.0 |
| Park | ML7854B | 0.00 | 0.37 | A-6WXS | 20.0 |
| Park | ML7878B | 0.00 | 0.19 | Carbon Street | 19.0 |
| Park | ML7879B | 0.00 | 0.15 | Natrona Street | 18.0 |
| Park | ML7901B | 0.47 | 0.51 | Road 6A | 21.0 |
| Park | ML7901B | 0.51 | 1.01 | Road 6A | 21.0 |
| Park | ML7901B | 1.01 | 1.13 | Road 6A | 21.0 |
| Park | ML7901B | 1.13 | 2.00 | Road 6A | 21.0 |
| Park | ML7901B | 2.00 | 2.04 | Road 6A | 21.0 |
| Park | ML7901B | 2.04 | 2.05 | Road 6A | 21.0 |
| Park | ML7901B | 2.05 | 2.52 | Road 6A | 21.0 |
| Park | ML7901B | 2.52 | 3.03 | Road 6A | 21.0 |
| Park | ML7904B | 2.89 | 3.27 | Road 7 | 21.0 |
| Park | ML7904B | 3.27 | 3.62 | Road 7 | 21.0 |
| Park | ML7904B | 3.62 | 4.63 | Road 7 | 21.0 |
| Park | ML7904B | 4.63 | 5.02 | Road 7 | 21.0 |
| Park | ML7904B | 6.00 | 6.23 | Road 7 | 21.0 |
| Park | ML7907B | 2.88 | 3.03 | R8 | 22.0 |
| Park | ML7907B | 3.03 | 3.78 | R8 | 22.0 |
| Park | ML7907B | 3.78 | 4.04 | R8 | 22.0 |
| Park | ML7907B | 4.04 | 4.53 | R8 | 22.0 |
| Park | ML7907B | 4.53 | 4.84 | R8 | 22.0 |
| Park | ML7907B | 4.84 | 4.86 | R8 | 22.0 |
| Park | ML7907B | 4.86 | 4.89 | R8 | 22.0 |
| Park | ML7907B | 4.89 | 5.05 | R8 | 22.0 |
| Park | ML7907B | 5.05 | 5.30 | R8 | 22.0 |
| Park | ML7907B | 5.42 | 5.55 | R8 | 22.0 |
| Park | ML7907B | 5.55 | 5.83 | R8 | 22.0 |
| Park | ML7907B | 5.83 | 6.05 | R8 | 22.0 |
| Park | ML7907B | 6.05 | 7.06 | R8 | 22.0 |
| Park | ML7909B | 0.00 | 0.25 | Road 8 1/2 | 19.0 |
| Park | ML7909B | 0.25 | 0.51 | Road 8 1/2 | 19.0 |
| Park | ML7909B | 0.51 | 1.51 | Road 8 1/2 | 19.0 |
| Park | ML7912B | 3.25 | 4.30 | R10A | 22.0 |
| Park | ML7912B | 4.30 | 5.05 | R10A | 22.0 |
| Park | ML7912B | 5.05 | 5.31 | R10A | 22.0 |
| Park | ML7912B | 5.31 | 5.81 | R10A | 22.0 |
| Park | ML7912B | 5.81 | 6.06 | R10A | 22.0 |
| Park | ML7912B | 6.06 | 6.31 | R10A | 22.0 |
| Park | ML7912B | 6.31 | 6.94 | R10A | 22.0 |

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|---------------------|------------------------|
| Park | ML7912B | 6.94 | 6.96 | R10A | 22.0 |
| Park | ML7912B | 6.96 | 7.00 | R10A | 22.0 |
| Park | ML7912B | 7.00 | 7.11 | R10A | 22.0 |
| Park | ML7912B | 7.11 | 7.32 | R10A | 22.0 |
| Park | ML7912B | 7.32 | 8.33 | R10A | 22.0 |
| Park | ML7912B | 8.33 | 8.84 | R10A | 22.0 |
| Park | ML7916B | 0.00 | 0.05 | Road 11C | 22.0 |
| Park | ML7916B | 0.05 | 0.07 | Road 11C | 22.0 |
| Park | ML7916B | 0.07 | 1.02 | Road 11C | 22.0 |
| Park | ML7919B | 0.00 | 0.50 | R12B | 21.0 |
| Park | ML7919B | 0.50 | 1.01 | R12B | 21.0 |
| Park | ML7919B | 1.01 | 1.47 | R12B | 21.0 |
| Park | ML7919B | 1.47 | 1.49 | R12B | 21.0 |
| Park | ML7919B | 1.49 | 1.52 | R12B | 21.0 |
| Park | ML7919B | 1.52 | 2.02 | R12B | 21.0 |
| Park | ML7919B | 2.02 | 2.52 | R12B | 21.0 |
| Park | ML7922B | 0.00 | 0.49 | Road 13B | 23.0 |
| Park | ML7925B | 0.00 | 0.49 | Road 14A | 24.0 |
| Park | ML7925B | 0.49 | 1.01 | Road 14A | 24.0 |
| Park | ML7925B | 1.01 | 1.52 | Road 14A | 24.0 |
| Park | ML7925B | 1.52 | 2.22 | Road 14A | 24.0 |
| Park | ML7930B | 1.07 | 1.27 | R17 | 23.0 |
| Park | ML7930B | 1.27 | 2.10 | R17 | 23.0 |
| Park | ML7955B | 3.47 | 4.48 | Lane 7B | 18.0 |
| Park | ML7955B | 4.48 | 5.49 | Lane 7B | 18.0 |
| Park | ML7962B | 1.76 | 2.01 | 4909 | 22.0 |
| Park | ML7962B | 2.01 | 2.27 | 4909 | 22.0 |
| Park | ML7962B | 2.27 | 2.71 | 4909 | 22.0 |
| Park | ML7980B | 0.29 | 1.27 | Lane 11B | 21.0 |
| Park | ML7980B | 1.27 | 2.28 | Lane 11B | 21.0 |
| Park | ML7980B | 2.28 | 3.29 | Lane 11B | 21.0 |
| Park | ML7980B | 3.29 | 3.79 | Lane 11B | 21.0 |
| Park | ML7980B | 3.79 | 4.29 | Lane 11B | 21.0 |
| Park | ML7980B | 4.29 | 4.90 | Lane 11B | 21.0 |
| Park | ML7980B | 4.90 | 5.30 | Lane 11B | 21.0 |
| Park | ML7980B | 5.30 | 6.31 | Lane 11B | 21.0 |
| Park | ML7980B | 6.31 | 7.32 | Lane 11B | 21.0 |
| Park | ML7980B | 7.32 | 8.33 | Lane 11B | 21.0 |
| Park | ML7980B | 8.33 | 8.52 | Lane 11B | 21.0 |
| Park | ML7980B | 8.52 | 8.55 | Lane 11B | 21.0 |
| Park | ML7980B | 8.55 | 8.56 | Lane 11B | 21.0 |
| Park | ML7981B | 0.00 | 0.04 | Lane 11C | 24.0 |
| Park | ML7981B | 0.04 | 1.79 | Lane 11C | 24.0 |
| Park | ML7981B | 1.79 | 2.68 | Lane 11C | 24.0 |
| Park | ML7981B | 2.68 | 3.83 | Lane 11C | 24.0 |
| Park | ML7981B | 3.83 | 5.02 | Lane 11C | 24.0 |
| Park | ML7981B | 5.02 | 5.89 | Lane 11C | 24.0 |
| Park | ML7981B | 5.89 | 6.19 | Lane 11C | 24.0 |

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|-------------------|-------------------|---------------------|----------------------------|
| Park | ML7989B | 0.00 | 2.00 | Lane 12C | 21.0 |

Appendix 11.12: Sheridan County

Appendix 11.12.1: Width of Selected Roads in Sheridan County.

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|------------------------|------------------------|
| Sheridan | ML8160B | 0.00 | 0.05 | Bird Farm Road | 24.0 |
| Sheridan | ML8160B | 0.05 | 0.10 | Bird Farm Road | 24.0 |
| Sheridan | ML8160B | 0.10 | 0.91 | Bird Farm Road | 24.0 |
| Sheridan | ML8160B | 0.91 | 1.71 | Bird Farm Road | 24.0 |
| Sheridan | ML8160B | 1.71 | 1.86 | Bird Farm Road | 24.0 |
| Sheridan | ML8160B | 1.86 | 3.29 | Bird Farm Road | 24.0 |
| Sheridan | ML8170B | 0.00 | 0.53 | Old Airport Access Rd | 22.0 |
| Sheridan | ML8172B | 0.00 | 1.52 | Swaim Road | 22.0 |
| Sheridan | ML8174B | 0.00 | 1.52 | Metz Road | 22.0 |
| Sheridan | ML8177B | 0.00 | 0.44 | Woodland Park Road | 24.0 |
| Sheridan | ML8177B | 0.44 | 0.71 | Woodland Park Road | 24.0 |
| Sheridan | ML8183B | 0.00 | 1.03 | Paradise Park Road | 24.0 |
| Sheridan | ML8183B | 1.03 | 1.52 | Paradise Park Road | 24.0 |
| Sheridan | ML8194B | 0.00 | 0.28 | | 24.0 |
| Sheridan | ML8194B | 0.28 | 0.35 | | 24.0 |
| Sheridan | ML8194B | 0.35 | 0.68 | | 24.0 |
| Sheridan | ML8194B | 0.68 | 1.10 | | 24.0 |
| Sheridan | ML8196B | 0.00 | 0.84 | Kittering Road | 26.0 |
| Sheridan | ML8196B | 0.84 | 0.86 | Kittering Road | 26.0 |
| Sheridan | ML8202B | 0.00 | 0.24 | Beaver Creek Road | 24.0 |
| Sheridan | ML8202B | 9.43 | 9.89 | Beaver Creek Road | 24.0 |
| Sheridan | ML8202B | 9.89 | 10.15 | Beaver Creek Road | 24.0 |
| Sheridan | ML8233B | 0.00 | 0.40 | 17Th Street-Higby Road | 34.0 |
| Sheridan | ML8233B | 0.40 | 0.69 | 17Th Street-Higby Road | 34.0 |
| Sheridan | ML8236B | 1.57 | 1.85 | Upper Prairie Dog Rod | 34.0 |
| Sheridan | ML8238B | 0.00 | 0.29 | Meade Creek Road | 24.0 |
| Sheridan | ML8241B | 0.53 | 0.79 | East Ridge Road | 28.0 |
| Sheridan | ML8241B | 0.79 | 0.87 | East Ridge Road | 28.0 |
| Sheridan | ML8268B | 0.00 | 0.58 | Absaraka Rd Extension | 22.0 |
| Sheridan | ML9397B | 0.38 | 0.69 | Airport Road | 24.0 |

Appendix 11.13: Uinta County

Appendix 11.13.1: Width of Selected Roads in Uinta County.

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|--------------------------|------------------------|
| Uinta | ML8686B | 0.00 | 1.09 | Christensen Road 103 | 28.0 |
| Uinta | ML8686B | 1.09 | 2.96 | Christensen Road 103 | 28.0 |
| Uinta | ML8686B | 2.96 | 4.23 | Christensen Road 103 | 28.0 |
| Uinta | ML8688B | 0.00 | 0.32 | Almy West Road | 24.0 |
| Uinta | ML8688B | 0.32 | 1.28 | Almy West Road | 24.0 |
| Uinta | ML8689B | 0.00 | 1.90 | Almy Road | 14.5 |
| Uinta | ML8689B | 1.90 | 3.40 | Almy Road | 14.5 |
| Uinta | ML8712B | 0.00 | 2.05 | Piedmont Road | 28.0 |
| Uinta | ML8714B | 0.00 | 0.09 | Lezeart Mine/Leroy Road | 26.0 |
| Uinta | ML8715B | 0.00 | 0.38 | Bigelow Bench Road | 33.0 |
| Uinta | ML8722B | 0.00 | 1.68 | Bridger South Road | 26.0 |
| Uinta | ML8722B | 1.68 | 1.90 | Bridger South Road | 26.0 |
| Uinta | ML8722B | 1.90 | 2.79 | Bridger South Road | 26.0 |
| Uinta | ML8722B | 2.79 | 3.73 | Bridger South Road | 26.0 |
| Uinta | ML8726B | 1.82 | 1.95 | Bridger/Blacks Fork Road | 26.0 |
| Uinta | ML8726B | 1.95 | 2.53 | Bridger/Blacks Fork Road | 26.0 |
| Uinta | ML8728B | 0.00 | 0.13 | Lyman/Carter Road | 32.0 |
| Uinta | ML8728B | 0.13 | 0.87 | Lyman/Carter Road | 32.0 |
| Uinta | ML8735B | 0.00 | 0.51 | Bradshaw Road | 30.0 |
| Uinta | ML8737B | 0.00 | 0.04 | Taylor Lane | 26.0 |
| Uinta | ML8737B | 0.04 | 1.11 | Taylor Lane | 26.0 |
| Uinta | ML8744B | 0.00 | 0.51 | Cottonwood Bench Road | 24.0 |
| Uinta | ML8744B | 0.51 | 1.02 | Cottonwood Bench Road | 24.0 |
| Uinta | ML8744B | 1.02 | 1.32 | Cottonwood Bench Road | 24.0 |
| Uinta | ML8744B | 1.32 | 1.43 | Cottonwood Bench Road | 24.0 |
| Uinta | ML8744B | 1.43 | 2.05 | Cottonwood Bench Road | 24.0 |
| Uinta | ML8798B | 0.00 | 0.53 | Emigrant Road | 26.0 |
| Uinta | ML8798B | 0.53 | 0.65 | Emigrant Road | 26.0 |
| Uinta | ML8798B | 0.65 | 0.74 | Emigrant Road | 26.0 |
| Uinta | ML8808B | 0.00 | 0.13 | Fearn Road | 32.0 |
| Uinta | ML8808B | 0.13 | 0.20 | Fearn Road | 32.0 |

Appendix 11.14: Washakie County

Appendix 11.14.1: Width of Selected Roads in Washakie County.

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|-------------------------|------------------------|
| Washakie | ML8854B | 0.00 | 0.52 | Winchester Road | 24.0 |
| Washakie | ML8854B | 0.52 | 1.64 | Winchester Road | 24.0 |
| Washakie | ML8854B | 1.64 | 2.20 | Winchester Road | 24.0 |
| Washakie | ML8860B | 0.00 | 0.16 | Hilcrest drive | 25.0 |
| Washakie | ML8863B | 0.00 | 0.06 | Wilson Drive | 28.0 |
| Washakie | ML8863B | 0.06 | 0.38 | Wilson Drive | 28.0 |
| Washakie | ML8875B | 0.00 | 0.80 | Lane 07 | 24.0 |
| Washakie | ML8878B | 0.00 | 0.49 | L10 | 24.0 |
| Washakie | ML8878B | 0.49 | 1.00 | L10 | 24.0 |
| Washakie | ML8882B | 0.00 | 0.10 | Lane 14 | 24.0 |
| Washakie | ML8882B | 0.10 | 0.27 | Lane 14 | 24.0 |
| Washakie | ML8882B | 0.27 | 0.85 | Lane 14 | 24.0 |
| Washakie | ML8883B | 0.00 | 0.51 | Lane 14A | 26.0 |
| Washakie | ML8885B | 0.00 | 0.68 | Lane 16 | 20.0 |
| Washakie | ML8889B | 0.00 | 1.01 | Road 10/Washakie 10 | 24.0 |
| Washakie | ML8889B | 1.01 | 2.06 | Road 10/Washakie 10 | 24.0 |
| Washakie | ML8889B | 2.06 | 2.36 | Road 10/Washakie 10 | 24.0 |
| Washakie | ML8889B | 2.36 | 3.00 | Road 10/Washakie 10 | 24.0 |
| Washakie | ML8889B | 3.00 | 3.02 | Road 10/Washakie 10 | 24.0 |
| Washakie | ML8889B | 3.02 | 4.33 | Road 10/Washakie 10 | 24.0 |
| Washakie | ML8889B | 4.33 | 6.01 | Road 10/Washakie 10 | 24.0 |
| Washakie | ML8893B | 0.00 | 0.09 | Road 13 | 28.0 |
| Washakie | ML8893B | 0.09 | 0.80 | Road 13 | 28.0 |
| Washakie | ML8895B | 0.00 | 0.43 | Road 17.5/Tie Down Road | 24.0 |
| Washakie | ML8895B | 0.43 | 1.56 | Road 17.5/Tie Down Road | 24.0 |
| Washakie | ML9459B | 0.00 | 1.22 | Road 11 | 24.0 |
| Washakie | ML9459B | 1.22 | 1.24 | Road 11 | 24.0 |
| Washakie | ML9459B | 1.24 | 1.49 | Road 11 | 24.0 |
| Washakie | ML9459B | 1.49 | 2.00 | Road 11 | 24.0 |
| Washakie | ML9459B | 2.00 | 2.99 | Road 11 | 24.0 |
| Washakie | ML9462B | 1.97 | 3.00 | Road 12/Airport Road | 26.0 |
| Washakie | ML9462B | 3.00 | 3.70 | Road 12/Airport Road | 26.0 |
| Washakie | ML9462B | 3.70 | 4.03 | Road 12/Airport Road | 26.0 |
| Washakie | ML9462B | 4.03 | 4.16 | Road 12/Airport Road | 26.0 |
| Washakie | ML9462B | 4.16 | 4.41 | Road 12/Airport Road | 26.0 |

Appendix 11.15: Weston County

Appendix 11.15.1: Width of Selected Roads in Weston County.

| County | RID | Beg MP | End MP | Primary Name | Road Width, ft. |
|---------------|------------|---------------|---------------|---------------------|------------------------|
| Weston | ML8906B | 0.97 | 1.94 | 1A | 20.0 |
| Weston | ML8906B | 1.94 | 3.59 | 1A | 20.0 |
| Weston | ML8906B | 3.59 | 3.74 | 1A | 20.0 |
| Weston | ML8910B | 0.00 | 0.47 | Morrissey Road | 24.0 |
| Weston | ML8970B | 0.00 | 0.58 | Greenhouse Road | 26.0 |
| Weston | ML8973B | 2.75 | 3.05 | Painted Hills Road | 25.0 |