

Historical Peanut Root-knot Nematode (*Meloidogyne arenaria*) Survey Summary

Report Generated:	12/18/2017 12:41
Data Range:	10/25/2002 - 10/30/2017

* Generated by Wyoming Pest Detection Program - www.uwyo.edu/capsweb

COUNTY	M. ARENARIA SOIL SAMPLES		NEW COUNTY RECORD
	NEGATIVE	POSITIVE	
ALBANY	0	0	NO
BIG HORN	52	0	NO
CAMPBELL	0	0	NO
CARBON	0	0	NO
CONVERSE	0	0	NO
CROOK	0	0	NO
FREMONT	58	0	NO
GOSHEN	104	0	NO
HOT SPRINGS	35	0	NO
JOHNSON	0	0	NO
LARAMIE	83	0	NO
LINCOLN	1	0	NO
NATRONA	0	0	NO
NIOBRARA	25	0	NO
PARK	58	0	NO
PLATTE	56	0	NO
SHERIDAN	0	0	NO
SUBLETTE	0	0	NO
SWEETWATER	0	0	NO
TETON	0	0	NO
UINTA	0	0	NO
WASHAKIE	45	0	NO
WESTON	0	0	NO
YELLOWSTONE NATIONAL PARK	0	0	NO
TOTAL	517	0	0

M. arenaria has not been found in Wyoming

517 Soil Samples have been examined for M. arenaria in 10 Wyoming Counties

- 42 Soil Samples have been in Alfalfa
- 21 Soil Samples have been in Barley
- 235 Soil Samples have been in Bean
- 28 Soil Samples have been in Corn
- 2 Soil Samples have been in Unspecified Small Grain
- 2 Soil Samples have been in Hay / Grass
- 1 Soil Sample has been in Millet
- 5 Soil Samples have been in Oats
- 102 Soil Samples have been in Potato
- 0 Soil Samples have been in Rangeland / Native Land
- 2 Soil Samples have been in Soybean
- 67 Soil Samples have been in Sugarbeet
- 10 Soil Samples have been in Wheat
- 0 Soil Samples have been in an Unspecified Host

- 39 Samples have been taken by WY USDA APHIS PPQ
- 36 Samples have been taken by Wyoming Department of Agriculture
- 8 Samples have been taken by Wyoming CAPS / Pest Detection Program
- 434 Samples have been taken by Joint State and Federal Agencies
- 0 Samples have been taken by Wyoming Weed and Pest Districts