

2007 Northern Root-knot Nematode (Meloidogyne hapla) Survey Summary

Report Generated:	1/29/2008 14:04
Data Range:	10/1/2007 - 10/24/2007

* Generated by Wyoming Pest Detection Program - www.uwyo.edu/capsweb

COUNTY	M. HAPLA SOIL SAMPLES		NEW COUNTY RECORD
	NEGATIVE	POSITIVE	
ALBANY	0	0	NO
BIG HORN	8	0	NO
CAMPBELL	0	0	NO
CARBON	0	0	NO
CONVERSE	0	0	NO
CROOK	0	0	NO
FREMONT	9	0	NO
GOSHEN	12	2	NO
HOT SPRINGS	6	2	YES
JOHNSON	0	0	NO
LARAMIE	13	0	NO
LINCOLN	0	0	NO
NATRONA	0	0	NO
NIOBRARA	0	0	NO
PARK	8	0	NO
PLATTE	7	1	NO
SHERIDAN	0	0	NO
SUBLETTE	0	0	NO
SWEETWATER	0	0	NO
TETON	0	0	NO
UINTA	0	0	NO
WASHAKIE	7	0	NO
WESTON	0	0	NO
YELLOWSTONE NATIONAL PARK	0	0	NO
TOTAL	70	5	1

M. hapla was found in 3 Wyoming Counties in 2007

**75 Soil Samples were examined for M. hapla
in 8 Wyoming Counties**

- 16 Soil Samples were in Alfalfa
- 6 Soil Samples were in Barley
- 13 Soil Samples were in Bean
- 9 Soil Samples were in Corn
- 1 Soil Sample was in Unspecified Small Grain
- 0 Soil Samples were in Hay / Grass
- 0 Soil Samples were in Millet
- 1 Soil Sample was in Oats
- 11 Soil Samples were in Potato
- 0 Soil Samples were in Rangeland / Native Land
- 16 Soil Samples were in Sugarbeet
- 2 Soil Samples were in Wheat
- 0 Soil Samples were in an Unspecified Host

- 0 Samples were taken by WY USDA APHIS PPQ
- 5 Samples were taken by Wyoming Department of Agriculture
- 3 Samples were taken by Wyoming CAPS / Pest Detection Program
- 67 Samples were taken by Joint State and Federal Agencies
- 0 Samples were taken by Wyoming Weed and Pest