2007 False Root-knot Nematode (Nacobbus aberrans) Survey Summary			
Report Generated:	1/29/2008 12:33		
Data Range:	10/1/2007 - 10/24/2007		

<sup>\*</sup> Generated by Wyoming Pest Detection Program - www.uwyo.edu/capsweb

	N. ABERRANS SOIL SAMPLES		NEW COUNTY
COUNTY	NEGATIVE	POSITIVE	RECORD
ALBANY	0	0	NO
BIG HORN	8	0	NO
CAMPBELL	0	0	NO
CARBON	0	0	NO
CONVERSE	0	0	NO
CROOK	0	0	NO
FREMONT	9	0	NO
GOSHEN	14	0	NO
HOT SPRINGS	8	0	NO
JOHNSON	0	0	NO
LARAMIE	13	0	NO
LINCOLN	0	0	NO
NATRONA	0	0	NO
NIOBRARA	0	0	NO
PARK	8	0	NO
PLATTE	8	0	NO
SHERIDAN	0	0	NO
SUBLETTE	0	0	NO
SWEETWATER	0	0	NO
TETON	0	0	NO
UINTA	0	0	NO
WASHAKIE	7	0	NO
WESTON	0	0	NO
YELLOWSTONE			
NATIONAL PARK	0	0	NO
TOTAL	75	0	0

## N. aberrans was not found in Wyoming in 2007

## 75 Soil Samples were examined for N. aberrans in 8 Wyoming Counties

- 16 Soil Samples were in Alfalfa
- 6 Soil Samples were in Barley
- 13 Soil Samples were in Bean
- 9 Soil Samples were in Corn
- 1 Soil Sample was in Unspecified Small Grain
- 0 Soil Samples were in Hay / Grass
- 0 Soil Samples were in Millet
- 1 Soil Sample was in Oats
- 11 Soil Samples were in Potato
- 0 Soil Samples were in Rangeland / Native Land
- 16 Soil Samples were in Sugarbeet
- 2 Soil Samples were in Wheat
- 0 Soil Samples were in an Unspecified Host
- 0 Samples were taken by WY USDA APHIS PPQ
- 5 Samples were taken by Wyoming Department of Agriculture
- 3 Samples were taken by Wyoming CAPS / Pest Detection Program
- 67 Samples were taken by Joint State and Federal Agencies
- 0 Samples were taken by Wyoming Weed and Pest